



BSI Standards Publication

Cutter arbors with parallel key and tenon drive

Part 5: Dimensions and designation of tool holders with polygonal taper interface with flange contact surface

National foreword

This British Standard is the UK implementation of ISO 10649-5:2012.

The UK participation in its preparation was entrusted to Technical Committee MTE/18, Tools tips and inserts for cutting applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012
Published by BSI Standards Limited 2012

ISBN 978 0 580 71825 0

ICS 25.060.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2012.

Amendments issued since publication

Date	Text affected
------	---------------

**Cutter arbors with parallel key and
tenon drive —**

Part 5:

**Dimensions and designation of tool
holders with polygonal taper interface
with flange contact surface**

Mandrins porte-fraise à entraînement par clavette et tenon —

*Partie 5: Dimensions et désignation des porte-outils avec interface à
cône polygonal avec face d'appui*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10649-5 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 2, *High speed steel cutting tools and their attachments*.

ISO 10649 consists of the following parts, under the general title *Cutter arbors with parallel key and tenon drive*:

- *Part 1: General dimensions*
- *Part 2: Dimensions and designation of tool holders with hollow taper interface with flange contact surface*
- *Part 3: Dimensions and designation of tool holders with 7/24 taper for automatic tool changers*
- *Part 4: Dimensions and designation of tool holders with 7/24 taper without automatic tool changers*
- *Part 5: Dimensions and designation of tool holders with polygonal taper interface with flange contact surface*
- *Part 6: Dimensions and designation of tool holders with modular taper interface with ball track system*

Introduction

The aim of ISO 10649 (all parts) is to specify the main dimensions for tool holders for this type of interface, and prevent the risk of collision when exchanging the assembled tool within the machine tools.

Cutter arbors with parallel key and tenon drive —

Part 5: Dimensions and designation of tool holders with polygonal taper interface with flange contact surface

1 Scope

This part of ISO 10649 specifies the dimensions of cutter arbors with parallel key and tenon drive with polygonal taper interface (PSC) with flange contact surface.

The relationship between symbols in this part of ISO 10649 and the ISO 13399 series is given for information in Annex A.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 2768-2, *General tolerances — Part 2: Geometrical tolerances for features without individual tolerance indications*

ISO 2780, *Milling cutters with tenon drive — Interchangeability dimensions for cutter arbors — Metric series*

ISO 10643, *Dimensions of accessories for cutter arbors with parallel key and tenon drive*

ISO 10649-1, *Cutter arbors with parallel key and tenon drive — Part 1: General dimensions*

ISO 26623-1, *Polygonal taper interface with flange contact surface — Part 1: Dimensions and designation of shanks*

3 Dimensions

3.1 General

All dimensions and tolerances are given in millimetres. Tolerances not specified shall be of tolerance class “m” in accordance with ISO 2768-1 and of class “K” in accordance with ISO 2768-2.


The interchangeability dimensions of the milling cutter bearing on the cutter arbors shall be in accordance with ISO 2780.

The dimensions of the tool interface for arbors with parallel key and tenon drive shall be in accordance with dimensions given in ISO 10649-1.

The figures are schematic and are not intended to specify a given design; only the given dimension shall be met.

3.2 Cutter arbors with parallel key and tenon drive with polygonal taper interface

The dimensions for cutter arbors with parallel key and tenon drive with polygonal taper interface with flange contact surface shall be in accordance with the dimensions shown in Figure 1 and given in Table 1.



Key

- 1 tool holder with PSC in accordance with ISO 26623-1
- 2 parallel key in accordance with ISO 10643
- 3 cutter retaining screw in accordance with ISO 10643
- 4 clutch drive ring in accordance with ISO 10643
- a Polygonal taper interface (PSC) in accordance with ISO 26623-1.
- b Not convex.

Figure 1 — Cutter arbors with parallel key and tenon drive with polygonal taper interface

Table 1 — Dimensions

PSC no.	32		40		50				63				80					
	d_1	l_1	d_1	l_1	d_1	l_1	d_1	l_1	d_1	l_1	d_1	l_1	d_1	l_1	d_1	l_1	d_1	l_1
d_1	16	22	16	22	16	22	27	32	16	22	27	32	40	16	22	27	32	40
l_1	40	45	45	50	45	50	50	55	50	50	55	55	60	55	60	60	65	65
l_2	30	33	35	38	35	38	38	41	40	38	43	41	46	45	48	48	51	51

4 Material

The material is left to the manufacturer's discretion; the tensile strength shall be at least 800 N/mm².

The surface hardness shall be (56 + 4) HRC in the area of the taper surface and the surfaces of the spigot. The hardness depth is left to the manufacturer's discretion.

5 Designation

The cutter arbors with parallel key and tenon drive with polygonal taper interface in accordance with this part of ISO 10649 shall be designated by:

- a) "Arbor";
- b) a reference to this part of ISO 10649, i.e. ISO 10649-5;
- c) a hyphen;
- d) PSC;
- e) a hyphen;

- f) the shank number;
- g) a hyphen;
- h) the cutter diameter, d_1 .

EXAMPLE A regular contact surface arbor with polygonal taper interface with shank No. 63, cutter diameter $d_1 = 16$ mm, clutch drive ring and cutter retaining screw is designated as follows:

Arbor ISO 10649-5 - PSC - 63 - 16

6 Delivery conditions

The cutter arbors with parallel key and tenon drive with polygonal taper interface in accordance with this part of ISO 10649 shall be delivered with at least the following:

- the parallel key in accordance with ISO 10643;
- the clutch drive ring in accordance with ISO 10643;
- the cutter retaining screw in accordance with ISO 10643.

Annex A (informative)

Relationship between symbols in this part of ISO 10649 and the ISO 13399 series

For the relationship between symbols in this part of ISO 10649 and symbols according to the ISO 13399 series, see Table A.1.

Table A.1 — Relationship between symbols in this part of ISO 10649 and the ISO 13399 series

Symbol in this part of ISO 10649 (ISO 10649-5)	Reference in this part of ISO 10649 (ISO 10649-5)	Property name in the ISO 13399 series	Symbol in the ISO 13399 series	ISO 13399 series BSU code
d_1	Figure 1	Shank diameter	DMM	ISO/TS 13399-3 71CF29862B277
l_1	Figure 1	Functional length	LF	ISO/TS 13399-3 71DCD39338974
l_2	Figure 1	Functional length secondary	LFS	ISO/TS 13399-3 71D078F5BEDBE

Bibliography

- [1] ISO 13399-1, *Cutting tool data representation and exchange — Part 1: Overview, fundamental principles and general information model*
- [2] ISO/TS 13399-2, *Cutting tool data representation and exchange — Part 2: Reference dictionary for the cutting items*
- [3] ISO/TS 13399-3, *Cutting tool data representation and exchange — Part 3: Reference dictionary for tool items*
- [4] ISO/TS 13399-4, *Cutting tool data representation and exchange — Part 4: Reference dictionary for adaptive items*
- [5] ISO/TS 13399-5, *Cutting tool data representation and exchange — Part 5: Reference dictionary for assembly items*
- [6] ISO/TS 13399-50, *Cutting tool data representation and exchange — Part 50: Reference dictionary for reference systems and common concepts*
- [7] ISO/TS 13399-60, *Cutting tool data representation and exchange — Part 60: Reference dictionary for connection systems*
- [8] ISO/TS 13399-100, *Cutting tool data representation and exchange — Part 100: Definitions, principles and methods for reference dictionaries*
- [9] ISO/TS 13399-150, *Cutting tool data representation and exchange — Part 150: Usage guidelines*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™