BS ISO 10784-2:2011



BSI Standards Publication

Space systems — Early operations

Part 2: Initialization plan



BS ISO 10784-2:2011 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 10784-2:2011.

The UK participation in its preparation was entrusted to Technical Committee ACE/68/-/2, Space systems and operations - Interfaces, integration and test.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2011

ISBN 978 0 580 66618 6

ICS 49.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2011.

Amendments issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO 10784-2:2011 ISO 10784-2

First edition 2011-12-01

Space systems — Early operations —

Part 2: **Initialization plan**

Systèmes spatiaux — Opérations initiales — Partie 2: Plan d'initialisation



BS ISO 10784-2:2011 **ISO 10784-2:2011(E)**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents Page Forewordiv Introduction v 1 2 3 Terms, definitions and abbreviated terms ______1 3.1 Terms and definitions 1 Abbreviated terms 2 3.2 Initialization plan ______2 4.1 Introduction clause of the initialization plan 2 4.2 Referenced documentation ______2 4.3 Nomenclature 3 Purpose of spacecraft initialization plan 4 4.5 Plan description.......4 Initialization configuration requirements 5 4.6 4.7 Ground-system requirements 6 Procedural initialization requirements7 4.8 4.9 4.10 Detailed procedural checklists 9 Bibliography 11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10784-2 was prepared by Technical Committee ISO/TC 20, Aircraft and space vehicles, Subcommittee SC 14, Space systems and operations.

ISO 10784 consists of the following parts, under the general title *Space systems — Early operations*:

- Part 1: Spacecraft initialization and commissioning
- Part 2: Initialization plan
- Part 3: Commissioning report

Introduction

The three parts of ISO 10784 provide spacecraft (SC) manufacturers and operators with a specific form and format for writing SC initialization plans and commissioning reports required to configure and verify the SC to perform normal mission operations. Often, SC manufacturers and operators have defined these plans and reports uniquely for each programme, or regional, national and corporate organizations have unique initialization plans and commissioning reports. The three parts of ISO 10784 aim at establishing a common language and form for SC stakeholders. The use of one form and format will simplify stakeholder understanding of initialization and commissioning activities.

Space systems — Early operations —

Part 2:

Initialization plan

1 Scope

A general definition of initialization is that it begins at separation of the spacecraft (SC) from the launcher. In some cases, a more exact definition will be that initialization begins in flight, upon planned change in mode or state of the SC from the launch configuration. Commissioning is completed when the SC, including its payload, is certified for initial mission operations. Prior to certification for mission operations, the SC is described as a test article in the three parts of ISO 10784. ISO 10784 does not include a requirement for contingency plans, but does include a statement of the need for contingency planning.

This part of ISO 10784 provides SC manufacturers and operators with a specific form and format to write spacecraft initialization plans required to configure and verify the SC to perform normal mission operations. Since the SC is considered a test article at this phase of its operational life, ISO 17566 is used as a normative reference in constructing the initialization plan. It provides SC manufacturers, operators and other stakeholders with a common language and form to verify and document spacecraft initialization prior to normal SC mission operations.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10784-1, Space systems — Early operations — Part 1: Spacecraft initialization and commissioning

ISO 17566, Space systems — General test documentation

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

commissioning

certification of a spacecraft as ready for mission operations

3.1.2

early operations

period from initialization to commissioning for mission operations

3 1 3

initialization

initial functional and operational checkout of a spacecraft following separation from the launch vehicle

3.2 Abbreviated terms

LV launch vehicle

PL payload

SC spacecraft

4 Initialization plan

4.1 Introduction clause of the initialization plan

4.1.1 General

The introduction clause is a preliminary element which shall be used to give general information or commentary about the technical content of the initialization plan and about the reasons prompting its preparation. Because the spacecraft is not yet certified for operations, it is described as a test article. The introduction shall include a brief description of initialization and its objectives. It shall not contain requirements.

4.1.2 Objective

The objective subclause shall specify the desired initialization outcome in terms of SC certification, acceptance or other development. The objective may reference other clauses or subclauses which appear later in the document.

4.1.3 Scope

The scope subclause shall define, without ambiguity, the SC, the range of testing covered by the plan and the applicability of the plan in relation to fulfilling SC initialization objectives.

The initialization plan document shall provide input information for the generation of overall commissioning objectives. The initialization plan document may be a part of the overall spacecraft programme test plan.

4.1.4 Background

The background subclause is optional. If included, it may discuss the background of the spacecraft programme if that information benefits the overall understanding of the initialization plan.

4.2 Referenced documentation

4.2.1 General

This clause shall provide a list of the documents to which reference is made in the initialization plan.

Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

4.2.2 Normative references

Normative references are published standards and specifications that provide requirements or constraints for initialization. The required format for the list of normative references is shown below.

Document number	Document description	Revision level/Release date	

4.2.3 Applicable references

Applicable references are programme-related documents that provide requirements or constraints for initialization. The required format for the list of applicable references is shown below.

Document number	Document description	Revision level/Release date	

4.2.4 Informative references

Informative references are documents included for information only. Such references amplify or clarify the document content but do not contain requirements applicable to the initialization plan. They can be standards, other publications or drawings, for instance. The required format for the list of informative references is shown below.

Document number	Document description	Revision level/Release date	

4.3 Nomenclature

4.3.1 Terms and definitions

The terms and definitions subclause shall provide the definitions necessary for the understanding of certain terms used in the initialization plan. The terms and definitions subclause shall include only those items specific to the initialization plan concerned. In some cases, a project dictionary or glossary may be referenced.

4.3.2 Symbols

The symbols subclause shall provide a list of the symbols necessary for the understanding of the initialization plan.

Unless there is a need to list symbols in a specific order to reflect technical criteria, all symbols should be listed in alphabetical order.

The symbols subclause shall include only those items specific to the initialization plan concerned.

4.3.3 Acronyms

The acronyms subclause shall provide a list of the acronyms necessary for the understanding of the initialization plan.

The acronyms subclause shall include only those items specific to the initialization plan concerned.

4.3.4 Abbreviated terms

The abbreviated terms subclause shall define the abbreviated terms used in the initialization report.

© ISO 2011 – All rights reserved

4.4 Purpose of spacecraft initialization plan

4.4.1 Overall description

This clause shall describe the overall process as it applies to the scope of the document concerned and how it relates to the initialization strategy matrix.

4.4.2 Initialization strategy matrix

The initialization strategy matrix (see ISO 10784-1) shall specify the minimum set of operational requirements to be verified within the plan and the verification strategies that will be employed to satisfy these requirements. This matrix shall also be utilized to establish pass-fail criteria within the scope of this plan. Use for the matrix the layout shown in ISO 10784-1:

Event	Time	Operational requirement	SC or PL procedure	Prerequisites or constraints	Notes

4.5 Plan description

4.5.1 General

The plan description shall provide a general description of the initialization approach.

4.5.2 Initialization approach and methodology

This subclause shall contain a description of the logic behind the initialization flow and a general description of the methods used.

4.5.3 Initialization flow

This subclause shall provide information on the flow and sequence of initialization events. Include a flow chart, waterfall chart or spreadsheet, if appropriate.

4.5.4 Spacecraft

4.5.4.1 Identification

This subclause shall specify how the spacecraft is uniquely identified (e.g. in terms of name, registration number, etc.).

4.5.4.2 Description

This subclause shall provide a general description of the spacecraft.

4.5.4.3 General configuration

This subclause shall provide information on the configuration of the spacecraft in general terms. Configuration control methods shall also be included.

4.5.5 Initialization set-up

This subclause shall provide a general description of the initialization set-up, including mechanical and electrical support equipment and facilities.

4.5.6 Specialized tools

This subclause shall describe any specialized tools to be employed in the initialization process. These might include items such as analytical tools, specialized equipment for providing mechanical support to articles, specialized equipment for providing electrical support to articles, and custom simulators and software.

4.5.7 Supporting analyses

This subclause shall provide a general description of the analysis required to be performed in support of set-up definition or plan execution.

4.5.8 Activation input data

This subclause shall provide a general description of the planned input methodology.

4.5.9 Activation output data

This subclause shall provide a description of the data which will be generated during the initialization sequence.

4.6 Initialization configuration requirements

4.6.1 Spacecraft configuration matrix

This subclause shall provide a specific identification of the spacecraft configuration. This might be in the form of the physical and electrical configuration, spacecraft modes and states and/or software versions.

4.6.2 Measured spacecraft parameters

This subclause shall contain information, measured on the SC, which is pertinent to initialization. For example, the measured mass of the SC might be included for a modal survey to aid in model verification.

4.6.3 Functional configuration

4.6.3.1 General

This subclause shall contain a detailed description of the physical and electrical SC system states for initialization.

4.6.3.2 Operational mode

Specify the operational mode in which the SC is configured for each stage of initialization. Specify if the spacecraft is in the launch, the operational or another configuration and how the operational mode is defined (solar arrays deployed, etc.).

4.6.3.3 Electrical-system state

Specify the details of how the electrical system is configured with regard to which systems are powered and operational.

4.6.3.4 Mechanical-system state

Specify the configuration and operational state of mechanical devices.

4.6.3.5 Pyrotechnic-system state

Specify the configuration and operational state of pyrotechnic ordnance devices and associated electrical systems.

4.6.3.6 Propulsion-system state

Specify the configuration and operational state of all propulsion systems and associated electrical systems.

4.6.3.7 State of other systems

Specify the configuration and operational state of all other systems.

4.7 Ground-system requirements

4.7.1 Facility identification and location

This subclause shall specify the location, name and address of the control facility.

4.7.2 Equipment

This subclause shall specify the facility equipment to be used for initialization. Equipment name, description and model numbers should be included.

4.7.3 Instrumentation

This subclause shall contain a description and listing of facility instrumentation required for the physical set-up. A table should be included containing instrumentation description, the parameters measured, model numbers, quantities, etc.

4.7.4 Interfaces to the spacecraft

This subclause shall specify the interfaces between the control facility and the SC.

4.7.5 Software

This subclause shall contain a description and listing of specific facility initialization software required for the physical set-up. Examples are software for sequence control, data analysis, data transmission, data display and plotting.

4.7.6 Data acquisition and analysis systems

This subclause shall specify the facility equipment to be used. Equipment name, description and model numbers should be included.

4.7.7 Other infrastructure required for initialization

This subclause shall specify any other facility hardware not covered in other subclauses of the document.

4.7.8 Ground-system constraints

This subclause shall specify any control facility constraints that might affect the operation, such as physical access, hours of operation or manpower availability.

4.7.9 Operational limitations on the ground system

This subclause shall specify any operational limitations on the control facility, such as test equipment load limits, crane/lifting limits, cleanliness levels, etc.

4.7.10 Ground-system safety limitations

This subclause shall specify any control facility characteristic that might produce personnel or hardware safety issues due to the characteristics of the test article or the initialization requirements.

4.8 Procedural initialization requirements

4.8.1 Set-up

4.8.1.1 General description

This subclause shall provide a general description of the set-up, including mechanical and electrical support equipment and facilities. A sketch or photo may be included for clarity.

4.8.1.2 General description

This subclause shall provide a description of how the SC and control facility are integrated for the execution of the initialization plan.

4.8.1.3 Drawings

This subclause shall specify, and if practical include, the drawings needed.

4.8.1.4 Figures

This subclause shall specify, and if practical include, the figures needed.

4.8.1.5 Schematics

This subclause shall specify, and if practical include, the schematics needed.

4.8.2 Initialization sequence

This subclause shall identify steps needed to prepare for execution of the initialization plan.

4.8.3 Supporting analyses

This subclause shall provide a general description of the analyses required to be performed in support of initialization set-up definition or execution.

4.8.4 Spacecraft operations after initialization

This subclause shall specify the operations that will occur after the initialization sequence is completed.

4.8.5 Spacecraft initialization software

This subclause shall contain a listing and description of required test software unique to the SC.

4.8.6 Calibration

This subclause shall specify the appropriate calibration reference and describe the calibration techniques.

4.8.7 Initialization conditions for contamination control on orbit

4.8.7.1 Control of contamination due to non-volatile residues

If applicable, specify the maximum non-volatile residue that is allowable during initialization.

4.8.7.2 Control of particulate contamination

If applicable, specify the maximum particulate contamination that is allowable during initialization.

4.8.8 Activation input parameters, tolerances and limits

4.8.8.1 General

This subclause shall provide a description of the planned input parameters and their limits.

4.8.8.2 Activation input levels

This subclause shall specify the initialization input levels, if applicable. A table of levels may be included for clarity of presentation.

4.8.8.3 Activation level tolerances and limits

This subclause shall specify initialization level alarm and abort limits.

4.8.9 Activation output data

This subclause shall provide a description of the data which will be generated during initialization.

4.8.10 Data acquisition

This subclause shall specify how data will be acquired and what form the data will be in. Parameters such as digital sample rates, storage parameters and full-scale ranges may be given here.

4.8.11 Data processing

This subclause shall specify how data will be processed and what the analysed output data will be. Parameters such as digital sample rates, storage parameters and full-scale ranges may be given here.

4.9 Spacecraft initialization team

4.9.1 General

Different organizations structure their teams to meet their own requirements through this complex phase. This part of ISO 10784 does not lay down requirements for team structure. However, there are functions that need to be performed for initialization to be successful. The descriptions in this subclause describe those functions and the associated personnel requirements.

4.9.2 Personnel

Key personnel shall be specified for execution of the initialization sequence of events, using the following format.

Title	Name	Phone	Email
Mission director			
Test conductor			
Systems/engineering leader			

4.9.3 Responsibilities

4.9.3.1 Mission director

This subclause shall describe the mission director's responsibilities.

EXAMPLE The mission director is responsible for directing initialization activities, maintaining the initialization plan log and documentation, schedules and coordination of resources. The mission director shall also be responsible for all data collection and evaluation during initialization for the final commissioning report. In addition, the mission director shall be responsible for coordinating the inputs from the test conductors and from the quality assurance engineers (see below).

4.9.3.2 Test conductor

This subclause shall describe the test conductor's responsibilities.

EXAMPLE The test conductor shall be responsible for the phase of initialization being conducted. He/she shall also be responsible for initialization plan preparation, executing the initialization procedure and the scheduling of daily activities.

4.9.3.3 Systems/engineering leader

This subclause shall describe the systems/engineering leader's responsibilities.

EXAMPLE The systems/engineering leader shall be responsible for delivering the SC, test fixtures and test equipment to the test conductor. The systems/engineering leader shall also be responsible for any specific requirements for the SC.

4.9.3.4 Quality assurance engineer

This subclause shall describe the quality assurance engineer's responsibilities.

EXAMPLE The quality assurance engineer shall be responsible for verifying event sequences, verifying the configuration of the spacecraft and test equipment, reviewing the initialization procedures and witnessing testing as required to verify that initialization is being conducted in accordance with the procedures.

4.9.3.5 Other personnel

Other critical personnel shall be specified here.

4.10 Detailed procedural checklists

4.10.1 General

This subclause shall describe step-by-step instructions for setting up and conducting the initialization activities corresponding to the requirements set forth in the initialization plan. The checklists described in the spacecraft initialization set-up checklist and the initialization sequence checklist shall be filled in and marked up as the plan execution progresses to reflect as-run conditions. The checklists shall also make note of any deviations from the specified parameters as the initialization sequence develops. The as-run checklist shall be included in the commissioning report. The initialization set-up checklist may also be included in the commissioning report.

4.10.2 Initialization set-up checklist

This subclause shall provide a detailed procedural checklist in a format similar to the one shown below.

Procedural step	Specified parameters	Actual parameters	Comments	Signature

4.10.3 Initialization sequence checklist

This subclause shall provide a detailed procedural checklist in a format similar to the one shown below. It shall include step-by-step instructions for activities corresponding to the requirements set forth in the initialization strategy matrix.

Procedural step	Specified parameters	Actual parameters	Comments	Signature

Bibliography

- [1] ISO 14303, Space systems Launch-vehicle-to-spacecraft interfaces
- [2] ISO 15863, Space systems Spacecraft-to-launch-vehicle interface control document
- [3] IADC-02-01, IADC Space Debris Mitigation Guidelines, Revision 1 (September 2007)



Price based on 11 pages



British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

