

BS ISO 10869:2010



BSI Standards Publication

Oil of fir needle, Siberian (*Abies sibirica* Ledeb.)

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 10869:2010.

The UK participation in its preparation was entrusted to Technical Committee AW/54, Essential oils.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2011

ISBN 978 0 580 62697 5

ICS 71.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2011.

Amendments issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

BS ISO 10869:2010

ISO
10869

First edition
2010-11-15

**Oil of fir needle, Siberian (*Abies sibirica*
Ledeb.)**

Huile essentielle de pin, Sibérie (Abies sibirica Ledeb.)



Reference number
ISO 10869:2010(E)

© ISO 2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10869 was prepared by Technical Committee ISO/TC 54, *Essential oils*.

Oil of fir needle, Siberian (*Abies sibirica* Ledeb.)

1 Scope

This International Standard specifies certain characteristics of the oil of fir needle, Siberian (*Abies sibirica* Ledeb.) in order to facilitate assessment of its quality.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 210, *Essential oils — General rules for packaging, conditioning and storage*

ISO/TR 211, *Essential oils — General rules for labelling and marking of containers*

ISO 212, *Essential oils — Sampling*

ISO 279, *Essential oils — Determination of relative density at 20 °C — Reference method*

ISO 280, *Essential oils — Determination of refractive index*

ISO 592, *Essential oils — Determination of optical rotation*

ISO 875, *Essential oils — Evaluation of miscibility in ethanol*

ISO 1242, *Essential oils — Determination of acid value*

ISO 11024-1, *Essential oils — General guidance on chromatographic profiles — Part 1: Preparation of chromatographic profiles for presentation in standards*

ISO 11024-2, *Essential oils — General guidance on chromatographic profiles — Part 2: Utilization of chromatographic profiles of samples of essential oils*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

oil of fir needle, Siberian

essential oil obtained by steam distillation of the leaves (needles) and terminal branches of fir, Siberian (*Abies sibirica* Ledeb.) growing mainly in Siberia

NOTE For information on CAS number, see ISO/TR 21092^[3].

4 Specifications

4.1 Appearance

Liquid.

4.2 Colour

Colourless to pale yellow.

4.3 Odour

Fresh, woody, resinous.

4.4 Relative density at 20 °C, d_{20}^{20}

Minimum: 0,895

Maximum: 0,912

4.5 Refractive index at 20 °C

Minimum: 1,468

Maximum: 1,473

4.6 Optical rotation at 20 °C

Minimum: -25°

Maximum: -40°

4.7 Miscibility in 90 % (volume fraction) ethanol at 20 °C

It shall not be necessary to use more than 10 volumes of 90 % (volume fraction) ethanol to obtain a clear solution with 1 volume of essential oil.

4.8 Acid value

Maximum: 1,0.

4.9 Chromatographic profile

Carry out the analysis of the essential oil by gas chromatography. Identify in the chromatogram obtained, the representative and characteristic components shown in Table 1. The proportions of these components, indicated by the integrator, shall be as shown in Table 1. This constitutes the chromatographic profile of the essential oil.

Table 1 — Chromatographic profile

Components	Minimum (%)	Maximum (%)
Santene	1,5	3,5
Tricyclene	1,5	3,5
α -Pinene	10,0	22,0
Camphene	15,0	26,0
β -Pinene	1,0	3,5
δ -3-Carene	9,0	15,0
Limonene	4,0	10,0
β -Phellandrene	1,5	5,0
Bornyl acetate	20,0	35,0
β -Caryophyllene	0,5	2,0
Isobornyl acetate	n.d. ^a	0,1
Borneol	1,0	3,0
α -Humulene	0,3	0,9
NOTE The chromatographic profile is normative, contrary to the typical chromatograms given for information in Annex A.		
^a Not detectable.		

4.10 Flashpoint

Information concerning the flashpoint is given in Annex B.

5 Sampling

See ISO 212.

Minimum volume of test sample: 25 ml.

NOTE This volume is sufficient to carry out all the tests specified in this International Standard at least once.

6 Test methods

6.1 Relative density at 20 °C, d_{20}^{20}

See ISO 279.

6.2 Refractive index at 20 °C

See ISO 280.

6.3 Optical rotation at 20 °C

See ISO 592.

6.4 Miscibility in 90 % (volume fraction) ethanol at 20 °C

See ISO 875.

6.5 Acid value

See ISO 1242.

6.6 Chromatographic profile


See ISO 11024-1 and ISO 11024-2.

7 Packaging, labelling, marking and storage

See ISO/TR 210 and ISO/TR 211.

Annex A (informative)

Typical chromatograms of the analysis by gas chromatography of the essential oil of fir needle, Siberian (*Abies sibirica* Ledeb.)



Peak identification


- 1 Santene
- 2 Tricyclene
- 3 α -Pinene
- 4 Camphene
- 5 β -Pinene
- 6 δ -3-Carene
- 7 Limonene
- 8 β -Phellandrene
- 9 Borneol
- 10 Bornyl acetate
- 11 Isobornyl acetate
- 12 β -Caryophyllene
- 13 α -Humulene

Operating conditions

Column: capillary, fused silica, 30 m length, 0,25 mm internal diameter
 Stationary phase: polydimethylsiloxane
 Film thickness: 0,25 μ m
 Oven temperature: temperature programming from 50 °C to 230 °C, at a rate of 2 °C/min
 Injector temperature: 230 °C
 Detector temperature: 250 °C
 Detector: flame ionization type
 Carrier gas: helium
 Volume injected: 0,1 μ l
 Carrier gas flow rate: 1 ml/min
 Split ratio: 1/90

n counts
 t time

Figure A.1 — Typical chromatogram taken on an apolar column



Peak identification

- 1 Santene
- 2 Tricyclene
- 3 α -Pinene
- 4 Camphene
- 5 β -Pinene
- 6 δ -3-Carene
- 7 Limonene
- 8 β -Phellandrene
- 9 Borneol
- 10 Bornyl acetate
- 11 Isobornyl acetate
- 12 β -Caryophyllene
- 13 α -Humulene

Operating conditions

- Column: capillary, 30 m long and 0,25 mm internal diameter
- Stationary phase: polyethylene glycol [Carbowax BP20¹⁾]
- Film thickness: 0,25 μ m
- Oven temperature: temperature programming from 50 °C to 230 °C, at a rate of 2 °C/min
- Injector temperature: 230 °C
- Detector temperature: 250 °C
- Detector: flame ionization type
- Carrier gas: helium
- Volume injected: 0,1 μ l
- Carrier gas flow rate: 1 ml/min
- Split ratio: 1/90
- n counts
- t time

Figure A.2 — Typical chromatogram taken on a polar column

1) Carbowax BP20 is an example of a suitable product available commercially. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of this product.

Annex B (informative)

Flashpoint

B.1 General information

For safety reasons, transport companies, insurance companies, and people in charge of safety services require information on the flashpoints of essential oils, which in most cases are flammable products.

A comparative study on the relevant methods of analysis (see ISO/TR 11018^[2]) concluded that it was difficult to recommend a single apparatus for standardization purposes, given that:

- there is a wide variation in the chemical composition of essential oils;
- the volume of the sample needed for certain equipment is incompatible with the high price of essential oils;
- as there are several different types of equipment which can be used for the determination, users cannot be expected to use one specified type only.

Consequently, it was decided to give a mean value for the flashpoint annexed to each International Standard, for information, in order to meet the requirements of the interested parties.

The equipment with which this value was obtained has to be specified.

For further information, see ISO/TR 11018^[2].

B.2 Flashpoint of the essential oil of fir needle, Siberian (*Abies sibirica* Ledeb.)

The mean value is 43 °C.

NOTE Obtained with Grabner Instruments²⁾ equipment.

2) Equipment available commercially. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of this product.

Bibliography

- [1] ISO 3960, *Animal and vegetable fats and oils — Determination of peroxide value — Iodometric (visual) endpoint determination*
- [2] ISO/TR 11018:1997, *Essential oils — General guidance on the determination of flashpoint*
- [3] ISO/TR 21092, *Essential oils — Characterization*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™