

BS ISO 10889-3:2016



BSI Standards Publication

# Tool holders with cylindrical shank

Part 3: Type B with rectangular radial seat

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of ISO 10889-3:2016. It supersedes BS ISO 10889-3:2004 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MTE/18, Tools tips and inserts for cutting applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.  
Published by BSI Standards Limited 2016

ISBN 978 0 580 90324 3

ICS 25.060.20

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2016.

**Amendments issued since publication**

Date	Text affected
------	---------------

---

INTERNATIONAL  
STANDARD

**ISO**  
**10889-3**

Third edition  
2016-03-01

---

---

**Tool holders with cylindrical shank —**  
**Part 3:**  
**Type B with rectangular radial seat**

*Porte-outil à queue cylindrique —*

*Partie 3: Porte-outil radial de type B*



Reference number  
ISO 10889-3:2016(E)

© ISO 2016



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

	Page
Foreword .....	iv
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Dimensions .....</b>	<b>1</b>
<b>4 Geometrical tolerances .....</b>	<b>8</b>
<b>5 Designation .....</b>	<b>8</b>
<b>6 Technical delivery conditions .....</b>	<b>9</b>
6.1 General .....	9
6.2 Design .....	9
6.3 Scope of delivery .....	9
<b>Annex A (informative) Relationship between designations in this part of ISO 10889 and     ISO 13399 .....</b>	<b>10</b>
<b>Bibliography .....</b>	<b>11</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 29, *Small tools*, Subcommittee SC 2, *Holding tools, adaptive items and interfaces*.

This third edition cancels and replaces the second edition (ISO 10889-3:2004), of which it constitutes a minor revision, notably with the addition of [Annex A](#), which gives the relationship between the designations of this part of ISO 10889 and the ISO 13399 series.

ISO 10889 consists of the following parts, under the general title *Tool holders with cylindrical shank*:

- *Part 1: Cylindrical shank, location bore — Technical delivery conditions*
- *Part 2: Type A, shanks for tool holders of special designs*
- *Part 3: Type B with rectangular radial seat*
- *Part 4: Type C with rectangular axial seat*
- *Part 5: Type D with more than one rectangular seat*
- *Part 6: Type E with cylindrical seat*
- *Part 7: Type F with taper seat*
- *Part 8: Type Z, accessories*

# Tool holders with cylindrical shank —

## Part 3: Type B with rectangular radial seat

### 1 Scope

This part of ISO 10889 specifies dimensions, designations, and complementary technical delivery conditions for tool holders with a rectangular radial seat of types B1 to B8 with cylindrical shank in accordance with ISO 10889-1.

ISO 10889 is applicable to tool holders with cylindrical shank for machine tools with non-rotating tools, preferably for turning machines.

For non-standardized tool holders with a rectangular radial seat such as the tool holders shown in the figures, it is advisable to apply the corresponding specifications of this part of ISO 10889.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 2768-2, *General tolerances — Part 2: Geometrical tolerances for features without individual tolerance indications*

ISO 10889-1, *Tool holders with cylindrical shank — Part 1: Cylindrical shank, location bore — Technical delivery conditions*


### 3 Dimensions

All dimensions and tolerances are given in millimetres. Tolerancing is done according to ISO 8015. Tolerances not specified shall be of tolerance class “m” in accordance with ISO 2768-1 and of class “H” in accordance with ISO 2768-2.

Unspecified details shall be chosen appropriately.

The dimensions of tool holders type B shall be in accordance with the dimensions shown in [Figures 1 to 8](#) and given in [Table 1](#).

The relationship between the symbols of this part of ISO 10889 and the symbols according to ISO 13399 is given in [Annex A](#).




**Key**

a Cylindrical shank in accordance with ISO 10889-1.

NOTE Surface roughness is given in micrometres.

**Figure 1 — Type B1 tool holder, right-hand, short**




**Key**

a Cylindrical shank in accordance with ISO 10889-1.

NOTE Surface roughness is given in micrometres.

**Figure 2 — Type B2 tool holder, left-hand, short**






**Key**

a Cylindrical shank in accordance with ISO 10889-1.

NOTE Surface roughness is given in micrometres.

**Figure 3 — Type B3 tool holder, overhead, right-hand, short**




**Key**

a Cylindrical shank in accordance with ISO 10889-1.

NOTE Surface roughness is given in micrometres.

**Figure 4 — Type B4 tool holder, overhead, left-hand, short**






**Key**

a Cylindrical shank in accordance with ISO 10889-1.

NOTE Surface roughness is given in micrometres.

**Figure 6 — Type B6 tool holder, left-hand, long**

$$\sqrt{\quad} = \sqrt{\text{Rz } 16}$$




**Key**

a Cylindrical shank in accordance with ISO 10889-1.

NOTE Surface roughness is given in micrometres.

**Figure 7 — Type B7 tool holder, overhead, right-hand, long**

$$\sqrt{\quad} = \sqrt{\text{Rz } 16}$$



**Key**

a Cylindrical shank in accordance with ISO 10889-1.

NOTE Surface roughness is given in micrometres.

**Figure 8 — Type B8 tool holder, overhead, left-hand, long**


**Table 1 — Type B tool holder dimensions**

Dimensions in millimetres

$d_1$	$b_1$ Type B		$b_2$ Type B		$b_3$	$h_1$ 0 -0,1	$h_2$ max.	$h_3$	$h_4$	$h_5$	$h_6$	$h_7$	$h_8$	$h_9$	$l_1$ +0,5 0	$l_2$	$\alpha$
	1 to 4	5 to 8	1 to 4	5 to 8													
16	42	58	23	39	5	12	17	15	15	20	22	20	19	19	13 23	24 34	30°
20	55	75	30	50	7	16	22	19	19	25	30	25	23	23	16 26	30 40	30°
25	55	75	30	50	7	16	22	22,5	22,5	25	30	25	25	25	16 26	30 40	30°
30	70	100	35	65	10	20	29	26	22	28	38	35	30	28	22 42	40 60	25°
40	85	118	42,5	75,5	12,5	25	34	35	30	32,5	48	42,5	—	—	22	44	—
50	100	130	50	80	16	32	41	42	35	35	60	50	—	—	30	55	—
60	125	145	62,5	82,5	16	32	41	46	42,5	42,5	62,5	62,5	—	—	30	60	—
80	160	190	80	110	20	40	53	60	55	55	80	80	—	—	40	75	—

#### 4 Geometrical tolerances

The geometrical tolerances shall be as defined in [Figure 9](#).



**Figure 9 — Geometrical tolerances**

#### 5 Designation

A type B tool holder with rectangular radial seat in accordance with this part of ISO 10889 shall be designated by the following:

- “Tool holder”;
- reference to this part of ISO 10889, i.e. ISO 10889-3;
- type (B1, B2, B3, B4, B5, B6, B7, or B8);
- nominal diameter,  $d_1$ , in millimetres;
- nominal height,  $h_1$ , in millimetres;

f) head length,  $l_2$ , in millimetres.

**EXAMPLE** A tool holder with rectangular radial seat of type B1 with a nominal diameter  $d_1 = 60$  mm, a nominal height  $h_1 = 32$  mm, and a head length  $l_2 = 60$  mm is designated as follows:

**Tool holder ISO 10889-3 - B1 - 60 × 32 × 60**

## 6 Technical delivery conditions

### 6.1 General

As a complement to the requirements of ISO 10889-1, those given in 6.2 and 6.3 shall also apply.

### 6.2 Design

Tool holders with rectangular radial seat are equipped with a coolant outlet with adjustable direction. The design is at the discretion of the manufacturer, e.g. ball-type nozzle.

The tools shall be adjustable in the tool holder at right angles to the rectangular seat. The design is at the discretion of the manufacturer.

It shall be possible to reduce the dimension  $h_1$  specified in Table 1 to the next smallest standardized dimension  $h_1$  as given in Table 2. The design is at the discretion of the manufacturer.

**Table 2 — Smaller standardized dimension  $h_1$**

Dimensions in millimetres

$d_1$	<b>16</b>	<b>20</b>	<b>25</b>	<b>30</b>	<b>40</b>	<b>50</b>	<b>60</b>	<b>80</b>
$h_1$	10	12	12	16	20	25	25	32

Tool holders may also be supplied with a hardened contact surface. Then it shall be mentioned in the designation (H for hardened contact surface).

**EXAMPLE** A tool holder with rectangular radial seat of type B1 with a nominal diameter  $d_1 = 40$  mm, a nominal height  $h_1 = 20$  mm, and a head length  $l_2 = 44$  mm with hardened contact surface is designated as follows:

**Tool holder ISO 10889-3 - B1 - 40 × 20 × 44 H**

### 6.3 Scope of delivery

The scope of delivery of tool holders includes clamping elements for the clamping of the tools. The design of the clamping elements is at the discretion of the manufacturer.

## Annex A (informative)

### Relationship between designations in this part of ISO 10889 and ISO 13399

For the relationship between the symbols of this part of ISO 10889 and symbols according to ISO 13399, see [Table A.1](#).

**Table A.1 — Relationship between symbols in this part of ISO 10889 and ISO 13399**

Symbol in this part of ISO 10889	Reference in this part of ISO 10889	Property name in ISO 13399	Symbol in ISO 13399	Reference in ISO 13399 (BSU code)
$d_1$	<a href="#">Figures 1 to 8</a>	connection diameter machine side	DCONMS	71EBDBF5060E6
$b_1$	<a href="#">Figures 1 to 8</a>	overall width	OAW	71CF299257986
$b_2$	<a href="#">Figures 1 to 8</a>	radial width	RADW	726E3E8DA5589
$b_3$	<a href="#">Figures 1 to 8</a>	Radial offset width	RADWOF	726E3E8E0AE97
$l_1$	<a href="#">Figures 1 to 8</a>	functional length	LF	71DCD39338974
$l_2$	<a href="#">Figures 1 to 8</a>	protruding length	LPR	71DCD394BB20E
$h_1$	<a href="#">Figures 1 to 8</a>	functional height	HF	71CF29994E737
$h_2$	<a href="#">Figures 1 to 8</a>	—	—	—
$h_3$	<a href="#">Figures 1 to 8</a>	radial height chamfer distance lower	RHCDL	726E3E8F925AC
$h_4$	<a href="#">Figures 1 to 8</a>	radial height chamfer distance upper	RHCDU	726E3E9005480
$h_5$	<a href="#">Figures 1 to 8</a>	—	OAH <sup>a</sup> – RADH	—
$h_6$	<a href="#">Figures 1 to 8</a>	radial height	RADH	726E3E86B5284
$h_7$	<a href="#">Figures 1 to 8</a>	—	OAH <sup>a</sup> –RADH	—
$h_8$	<a href="#">Figures 1 to 8</a>	—	—	—
$h_9$	<a href="#">Figures 1 to 8</a>	—	—	—
2	<a href="#">Figures 1 to 8</a>	Radial offset height	RADHOF	726E3E8AF37E4
15°	<a href="#">Figures 1 to 8</a>	radial height chamfer angle lower	RHCAL	726E3E8E6CEE3
15°	<a href="#">Figures 1 to 8</a>	radial height chamfer angle upper	RHCAU	726E3E8F2AE05

<sup>a</sup> OAH is the “overall height” (code BSU 71D078EB73E87).



## Bibliography

- [1] ISO 8015, *Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules*
- [2] ISO 13399 (all parts), *Cutting tool data representation and exchange*





# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

