

BS ISO 10896-5:2015



BSI Standards Publication

# Rough-terrain trucks — Safety requirements and verification

Part 5: Interface between rough-terrain truck and integrated personnel work platform

**bsi.**

...making excellence a habit.™

**National foreword**

This British Standard is the UK implementation of ISO 10896-5:2015.

The UK participation in its preparation was entrusted to Technical Committee MHE/7, Industrial trucks.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.  
Published by BSI Standards Limited 2015

ISBN 978 0 580 84755 4

ICS 53.060

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2015.

**Amendments/corrigenda issued since publication**

Date	Text affected
------	---------------

---

INTERNATIONAL  
STANDARD

**ISO**  
**10896-5**

First edition  
2015-12-15

---

---

**Rough-terrain trucks — Safety  
requirements and verification —**

Part 5:  
**Interface between rough-terrain  
truck and integrated personnel work  
platform**

*Chariots tout-terrain — Exigences de sécurité et vérification —*

*Partie 5: Interface entre chariot tout-terrain et plateforme de travail  
intégrée du personnel*



Reference number  
ISO 10896-5:2015(E)

© ISO 2015



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Safety requirements and/or protective/risk reduction measures</b> .....	<b>2</b>
4.1 General.....	2
4.2 Interface with the integrated PWP.....	2
4.2.1 General.....	2
4.2.2 Coupling of the integrated PWP.....	2
4.2.3 Decoupling of the work platform from the truck.....	3
4.2.4 Cables and connections.....	3
4.3 Electromagnetic compatibility.....	3
<b>5 Verification of safety requirements and/or protective/risk reduction measures</b> .....	<b>3</b>
5.1 Design verification.....	3
5.2 Functional verification.....	3
<b>6 Information for use</b> .....	<b>3</b>
6.1 Instructions.....	3
6.1.1 Interchangeability.....	3
6.1.2 Coupling and decoupling.....	4
6.1.3 Storage and transport.....	4
6.1.4 Information for maintenance.....	4
6.2 Marking.....	4
6.2.1 Marking for residual risks.....	4
<b>Bibliography</b> .....	<b>5</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 110, *Industrial trucks*, Subcommittee SC 4, *Rough-terrain trucks*.

ISO 10896 consists of the following parts, under the general title *Rough-terrain trucks — Safety requirements and verification*:

- *Part 1: Variable-reach trucks*
- *Part 2: Slewing trucks*
- *Part 4: Additional requirements for variable-reach trucks handling freely suspended loads*
- *Part 5: Interface between rough-terrain truck and integrated personnel work platform*
- *Part 6: Tilting operator's cabs*

The following part is under preparation:

- *Part 7: Longitudinal load moment systems*

Lorry-mounted trucks are to form the subject of future part 3.

## Introduction

This part of ISO 10896 only deals with the interface between a variable-reach rough-terrain truck and an integrated personnel work platform, which in this case is considered as interchangeable equipment.





# Rough-terrain trucks — Safety requirements and verification —

## Part 5: Interface between rough-terrain truck and integrated personnel work platform

### 1 Scope

This part of ISO 10896 defines design and safety requirements, and means for their verification, for the interface between a non-slewing or slewing variable-reach rough-terrain truck (hereafter referred to as “trucks”) and an integrated personnel work platform (hereafter referred to as “integrated PWP”).

This part of ISO 10896 does not address the design or safety requirements related to the personnel work platform itself. These requirements are covered within national and international standards for mobile elevating work platforms.

Personnel work platforms without control(s) that affect movement or mechanism(s), which interlock the platform to the truck, often referred to as non-integrated work platforms, are excluded from this part of ISO 10896.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10896-1, *Rough-terrain trucks — Safety requirements and verification — Part 1: Variable-reach trucks*

ISO 10896-2<sup>1)</sup>, *Rough-terrain trucks — Safety requirements and verification — Part 2: Slewing trucks*

ISO 12100, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 13849-1:2006, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design*

ISO 16368, *Mobile elevating work platforms — Design, calculations, safety requirements and test methods*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10896-1, ISO 10896-2, ISO 12100 and the following apply.

#### 3.1

##### **interlocking device**

mechanical, electrical or other type of device, the purpose of which is to prevent the operation of hazardous machine functions under specified conditions (generally as long as a guard is not closed)

[SOURCE: ISO 12100:2010, 3.28.1 — modified]

---

1) To be published.

**3.2  
interchangeability**

condition which exists when two or more items possess such functional and physical characteristics as to be equivalent in performance and durability, and are capable of being exchanged one for the other without alteration of the items themselves, or of adjoining items, and without selection for fit and performance

[SOURCE: ISO 17261:2012, 3.22]

**3.3  
integrated personnel work platform  
<integrated PWP>**

work platform with controls, fitted to the truck which is mechanically, electrically and where applicable hydraulically connected, locked and interlocked designed for elevating persons, tools, and materials to working positions

**3.4  
locking mechanism**

used to lock, either by the user or automatically, the integrated PWP to the truck and prevents unintended movement

**3.5  
locking system**

device/s ensuring that the platform and its parts are maintained in the position of use

## **4 Safety requirements and/or protective/risk reduction measures**

### **4.1 General**

Trucks shall comply with the safety requirements and/or protective measures in this Clause.

In addition, the truck shall be designed according to the principles of ISO 12100 for relevant but not significant hazards which are not dealt with by this part of ISO 10896.

Trucks equipped with an integrated PWP shall be designed in accordance with ISO 16368.

### **4.2 Interface with the integrated PWP**

#### **4.2.1 General**

The locking mechanism and locking system for the integrated PWP of the truck may be manual or powered and shall not be possible from the platform.

The connection of the integrated PWP to the truck shall enable the truck to recognize that an integrated PWP has been fitted.

Verification shall be carried out by means of design check and functional test.

#### **4.2.2 Coupling of the integrated PWP**

The interface for the integrated PWP shall be designed to be securely attached to the truck, locked and interlocked. The interface shall be designed to avoid uncontrolled movements of the platform relative to the carriage of the truck.

The interlocking device shall prevent any powered movement controlled from the integrated PWP when it is connected but not securely attached and locked to the truck.

The sensing part of the interlocking device shall be located on the integrated PWP and shall be designed and protected to minimize damage during the expected life of the truck when used in other foreseeable applications.

The safety-related part of the control system fulfilling the interlocking function shall comply with ISO 13849-1, [PLc].

Verification shall be carried out by means of design check and functional test.

#### **4.2.3 Decoupling of the work platform from the truck**

It shall not be possible to release a powered locking system when the controls are active and the integrated PWP is selected.

Decoupling of the integrated PWP from the truck shall require two separate intentional actions (e.g. one to unlock and a second to detach).

Verification shall be carried out by means of design check and visual examination.

The safety-related part of the control system fulfilling the interlocking function shall comply with ISO 13849-1, [PLd].

NOTE CEN/TR 1459-6 provides useful information and a complete risk assessment determining the performance levels of trucks fitted with a PWP; these are consistent with the PLr's in [4.2.2](#) and [4.2.3](#).

#### **4.2.4 Cables and connections**

Means shall be provided to safely store any connections when not in use. Such means shall prevent damage and/or contamination to disconnected components.

Verification shall be carried out by means of design check and visual examination.

### **4.3 Electromagnetic compatibility**

The relevant electromagnetic compatibility (EMC) requirements shall be observed.

Verification shall be carried out by means of type test.

## **5 Verification of safety requirements and/or protective/risk reduction measures**

### **5.1 Design verification**

The manufacturer shall meet the applicable verification requirements in [Clause 4](#).

### **5.2 Functional verification**

Functional verification shall be carried out on each interface type to verify the function as defined by the manufacturer of the integrated PWP.

## **6 Information for use**

### **6.1 Instructions**

#### **6.1.1 Interchangeability**

This information shall include information on the model(s) of truck approved for use with the platform.

### **6.1.2 Coupling and decoupling**

This information shall include the following:

- a) information on coupling of the integrated PWP to the truck;
- b) information on required mechanical, hydraulic and/or electric connections;
- c) information on the specific features (e.g. interlocks);
- d) information on decoupling the platform from the truck.

### **6.1.3 Storage and transport**

This information shall include the following:

- a) information on the necessary precautions for storage of the platform;
- b) information on the necessary precautions for the control system, if removable;
- c) information on the necessary checks after storage;
- d) information on the necessary precautions for transport of the platform.

### **6.1.4 Information for maintenance**

This information shall include information for maintenance of the mechanical, hydraulic and/or electric interface shall be given.

## **6.2 Marking**

### **6.2.1 Marking for residual risks**

Where residual risks exist despite inherent safe design measures, they shall be clearly marked.

## Bibliography

- [1] ISO 17261:2012, *Intelligent transport systems — Automatic vehicle and equipment identification — Intermodal goods transport architecture and terminology*
- [2] CEN/TR 1459-6, *Rough-terrain trucks — Safety requirements and verification — Part 6: Application of EN ISO 13849-1 to slewing and non-slewing variable-reach rough-terrain truck*





# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [bsmusales@bsigroup.com](mailto:bsmusales@bsigroup.com).

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

## Useful Contacts:

### Customer Services

**Tel:** +44 845 086 9001

**Email (orders):** [orders@bsigroup.com](mailto:orders@bsigroup.com)

**Email (enquiries):** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 845 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)



...making excellence a habit.™