



BSI Standards Publication

Tools for pressing — Gas springs

Part 4: Gas springs with increased spring force and same built height

National foreword

This British Standard is the UK implementation of ISO 11901-4:2014.

The UK participation in its preparation was entrusted to Technical Committee MTE/12, Tools for pressing and moulding.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 79402 5

ICS 25.120.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2014.

Amendments issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

ISO
11901-4

First edition
2014-03-01

Tools for pressing — Gas springs —

Part 4:

**Gas springs with increased spring
force and same built height**

Outillage de presse — Ressorts à gaz —

*Partie 4: Ressorts à gaz à force accrue à même encombrement en
hauteur*



Reference number
ISO 11901-4:2014(E)

© ISO 2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Description and terminology	1
4 Interchangeability dimensions and characteristics	2
4.1 General nominal specifications.....	2
4.2 Gas springs of type 10 000.....	3
4.3 Gas springs of type 24 000 to 95 000.....	3
5 Marking	7
6 Technical delivery conditions	7
7 Designation	7
Bibliography	9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 29, *Small tools*, Subcommittee SC 8, *Tools for pressing and moulding*.

ISO 11901 consists of the following parts, under the general title *Tools for pressing — Gas springs*:

- *Part 1: General specifications*
- *Part 2: Specification of accessories*
- *Part 3: Gas spring with increased spring force and compact built height*
- *Part 4: Gas springs with increased spring force and same built height*

Introduction

The attention of the user of ISO 11901 is drawn to the fact that gas springs will have to conform to the national regulations of the user country.

Tools for pressing — Gas springs —

Part 4: Gas springs with increased spring force and same built height

1 Scope

This part of ISO 11901 specifies the dimensions (in millimetres), nominal initial forces and types of gas springs.

It is applicable to gas springs with increased spring force and same built height of type 10 000 to 95 000, pressurized with nitrogen with a nominal initial force of between 10 000 N \pm 5 % and 95 000 N \pm 5 %, for use in press tools.

It also specifies marking, technical delivery conditions and designation.

NOTE Specifications of mounting accessories for gas springs are given in ISO 11901-2.

2 Normative references


The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

ISO 7-1, *Pipe threads where pressure-tight joints are made on the threads — Part 1: Dimensions, tolerances and designation*

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

3 Description and terminology

See [Figure 1](#).



- Key**
- 1 rod
 - 2 positive stop
 - 3 valve
 - a Pressure filling inlet.
 - b Force.
 - c Nitrogen.

Figure 1 — Terminology

The gas spring is an autonomous spring pressurized with nitrogen.

At rest position, the rod is pushed out.

This gas spring feature has a gas inlet for pressurization or depressurization. The inlet is located on the casing and is capped.

The pressure filling inlet of the gas springs includes a pipe thread ISO 7 - Rp 1/8 in accordance with ISO 7-1.

4 Interchangeability dimensions and characteristics

4.1 General nominal specifications

See [Table 1](#).

Table 1 — General nominal specifications


Type	Nominal initial force N		Maximum filling pressure MPa	End of stroke nomi- nal force increase coefficient
10 000	10 000	±5 %	15	1,5
24 000	24 000			1,6
42 000	42 000			1,5
66 000	66 000			1,5
95 000	95 000			1,5

4.2 Gas springs of type 10 000

See [Figure 2](#) and [Table 2](#).

4.3 Gas springs of type 24 000 to 95 000


See [Figure 3](#) and [Table 2](#).



a Pressure filling.

Figure 2 — Gas spring of type 10 000

General tolerance: ISO 2768-m



a Pressure filling inlet.

Figure 3 — Gas springs of type 24 000 to 95 000

**Table 2 — Dimensions of gas springs of type 10 000 to 95 000 —
Maximum filling pressure 15 MPa**

Dimensions in millimetres

Type	Nominal stroke <i>a</i>	<i>L</i> ±0,25	<i>l</i> ₁	<i>l</i> ₂ min	<i>l</i> ₃ ^{+0,15} ₀	<i>l</i> ₄ min	<i>l</i> ₅ min	<i>l</i> ₆	<i>r</i>	<i>d</i>	<i>D</i> ±0,3	<i>D</i> ₁ ₀ -0,1	<i>d</i> ₁	<i>D</i> ₂	Number of holes
10 000	25	145	3	5	8	3,5	13	14,5	2	28	50	46	M8	20	2
	50	195													
	80	255													
	100	295													
	125	345													
	160	415													
	200	495													
	250	595													
	300	695													
24 000	25	160	3	5	8	4	13	18	2,5	45	75	70	M8	40	4
	50	210													
	80	270													
	100	310													
	125	360													
	160	430													
	200	510													
	250	610													
	300	710													
42 000	25	170	3	5	8	4	13	21	2,5	60	95	90	M8	60	4
	50	220													
	80	280													
	100	320													
	125	370													
	160	440													
	200	520													
	250	620													
	300	720													
66 000	25	190	3	5	8	4	16	22,5	2,5	75	120	115	M10	80	4
	50	240													
	80	300													
	100	340													
	125	390													
	160	460													
	200	540													
	250	640													
	300	740													

Table 2 (continued)

Type	Nominal stroke <i>a</i>	<i>L</i> ±0,25	<i>l</i> ₁	<i>l</i> ₂ min	<i>l</i> ₃ ^{+0,15} ₀	<i>l</i> ₄ min	<i>l</i> ₅ min	<i>l</i> ₆	<i>r</i>	<i>d</i>	<i>D</i> ±0,3	<i>D</i> ₁ ⁰ _{-0,1}	<i>d</i> ₁	<i>D</i> ₂	Number of holes
95 000	25	205	3	5	8	4	16	24,5	2,5	90	150	145	M10	100	4
	50	255													
	80	315													
	100	355													
	125	405													
	160	475													
	200	555													
	250	655													
	300	755													

5 Marking

Gas springs shall be labelled in an indelible way, with at least the following information:

- the manufacturer's name;
- the gas used;
- the date of manufacture;
- the maximum filling pressure;
- the type.

6 Technical delivery conditions

Gas springs shall be supplied at the nominal pressure at a reference temperature of 20 °C.

NOTE Increase in temperature increases pressure at constant volume according to the following formula:

$$p_t = p_0 (1 + 0,003\ 6 \Delta t)$$

where

- p_t is the nitrogen pressure, in megapascals, at temperature t ;
- p_0 is the nitrogen pressure, in megapascals, at reference temperature;
- Δt is the temperature variation.

The rod shall be slightly oiled and protected against shocks.

7 Designation

A gas spring in accordance with this part of ISO 11901 shall be designated by:

- "Gas spring";

- reference to this part of ISO 11901, i.e. ISO 11901-4;
- the type;
- the nominal stroke, in millimetres.

EXAMPLE A gas spring of type 24 000, nominal stroke of 25 mm is designated as follows:

Gas spring ISO 11901-4 - 24 000 × 25

Bibliography

- [1] ISO 11901-2, *Tools for pressing — Gas springs — Part 2: Specification of accessories*
- [2] Council directive 97/23/CE “Pressure equipment”

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™