BS ISO 12604-1:2017



BSI Standards Publication

Aircraft ground handling — Checked baggage

Part 1: Mass and dimensions



BS ISO 12604-1:2017

National foreword

This British Standard is the UK implementation of ISO 12604-1:2017.

The UK participation in its preparation was entrusted to Technical Committee ACE/57, Air cargo and ground support equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017. Published by BSI Standards Limited 2017

ISBN 978 0 580 87415 4

ICS 49.100

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2017.

Amendments/corrigenda issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO 12604-1:2017 ISO 12604-1

First edition 2017-02

Aircraft ground handling — Checked baggage —

Part 1:

Mass and dimensions

Traitement au sol des aéronefs — Bagages enregistrés — Partie 1: Masses et dimensions



BS ISO 12604-1:2017 ISO 12604-1:2017(E)



COPYRIGHT PROTECTED DOCUMENT

 $\, @ \,$ ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents			Page
	Foreword		
Introduction			v
1	Scop	ve	1
2	Normative references		1
3	Tern	ns and definitions	1
4	Requirements		
	4.1		2
		4.1.1 Mass	2
		4.1.2 Dimensions	2
		4.1.3 Conveyability	2
	4.2	Non-standard baggage	2
		4.2.1 Acceptance	2
		4.2.2 Mass	
		4.2.3 Dimensions	3
	4.3	Information	3
	4.4	Handling	3
Ann	ex A (in	formative) Typical examples of heavy baggage identification labels	5
Bibl	iograpł	17	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 9, *Air cargo and ground equipment*.

A list of all the parts in the ISO 12604- series can be found on the ISO website.

Introduction

This document specifies maximum weight and dimensions requirements for baggage checked in by airline passengers to be carried in aircraft cargo compartments, in order to

- contribute to alleviating work conditions for baggage handling personnel and reducing the incidence of musculo-skeletal disorders (MSD) in this population,
- facilitate enhancing the overall efficiency of baggage handling, and
- provide standards for designing automated baggage handling systems increasingly used at airports.

Throughout this document, the minimum essential criteria are identified by use of the key word "shall". Recommended criteria are identified by use of the key word "should" and, while not mandatory, are considered to be of primary importance in providing safe and efficient baggage handling. Deviation from the recommended criteria should only occur after careful consideration and thorough service evaluation have shown alternate methods to provide an equivalent level of work safety.

Aircraft ground handling — Checked baggage —

Part 1:

Mass and dimensions

1 Scope

This document specifies mass and dimensions requirements for individual pieces of baggage checked in by airline passengers at airports to be carried in aircraft cargo compartments.

This document does not apply to cabin baggage carried on board by passengers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition indicated applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11228-1, Ergonomics — Manual handling — Part 1: Lifting and carrying

ISO 11228-3, Ergonomics — Manual handling — Part 3: Handling of low loads at high frequency

ISO 10254, Air cargo and ground equipment — Vocabulary

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10254, ISO 11228-1, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

baggage

bag, suitcase, trunk or similar article travelling with a checked passenger and containing those items necessary for the passenger's journey, such as clothing and personal articles within certain limitations in accordance with the applicable carrier conditions of carriage, that is accepted and checked in for loading and carriage aboard the same aircraft

Note 1 to entry: Does not include freight, express cargo, courier mail, or unaccompanied baggage travelling as freight.

3.2

piece of baggage

individual item of baggage that can be handled separately from any other item

3 3

standard baggage

piece of baggage that conforms to requirements set for mass and dimensions

Note 1 to entry: See 4.1.

BS ISO 12604-1:2017 ISO 12604-1:2017(E)

3.4

non-standard baggage

piece of baggage that exceeds any of the requirements set for standard baggage

3.5

handling agent

services provider that performs all or part of baggage handling, including loading/offloading it in/from aircraft, at an airport

Note 1 to entry: The handling agent can be either a carrier, a contracted service provider or an airport authority.

3.6

operator

person or persons given the task of handling the baggage

4 Requirements

4.1 Standard baggage

4.1.1 Mass

The mass of standard baggage shall not exceed 23 kg (50 lb) and shall be 2 kg (5 lb) minimum per piece.

NOTE The functioning of equipment available for automated handling of baggage can be hampered when the mass of a piece of baggage is very low.

4.1.2 Dimensions

The dimensions of standard baggage shall not exceed 1580 mm (62 in) in total of Length + Width + Height of each piece, with the longest dimension not exceeding 915 mm (36 in) and the shortest being 120 mm (5 in) minimum, not including handles.

NOTE 1 The requirement on the dimensions is not based on ISO 11228-1 or other literature on ergonomics in relation to lifting and carrying. This requirement, based on compatibility with handling systems, is however well accepted in the airline industry.

NOTE 2 The functioning of equipment available for automated handling of baggage can be hampered when the dimensions of a piece of baggage are very small.

4.1.3 Conveyability

Certain pieces meeting the mass and dimensions limits specified in $\frac{4.1.1}{4.1.1}$ and $\frac{4.1.2}{4.1.2}$ can nevertheless be unsuitable for handling by mechanized baggage systems: in order to be suitable for systems handling, a piece of baggage shall have a stable shape, at least one flat surface, and no protruding straps, hooks, or similar other appurtenances.

This can result in additional manual handling, which should be avoided insofar as feasible: see 4.4.3.

4.2 Non-standard baggage

4.2.1 Acceptance

Non-standard baggage may only be accepted as an exception. Pieces of baggage that do not conform to the requirements set for standard baggage in <u>4.1</u> shall, if dividable, be rearranged by the passenger into pieces of baggage that do conform to the requirements for standard baggage.

NOTE To avoid difficulties at check-in, it is essential that passengers are informed before travelling to the airport for the flight about the acceptance of baggage (see 4.3).

4.2.2 Mass

Where an undividable piece of baggage exceeding a mass of 23 kg (50 lb) is accepted:

- it shall be labelled accordingly;
 - See typical heavy baggage labels in <u>Annex A</u>. They should bear the piece's mass in order to provide an indication to baggage handling personnel.
- it shall be handled at the airport with special measures, e.g. by two persons or, where appropriate, with ancillary equipment;
- it shall not exceed a mass of 46 kg (100 lb) per piece (over this mass, the piece should not be accepted as checked baggage and should be carried as freight).

4.2.3 Dimensions

Where a piece of baggage exceeding the dimensions for standard baggage is accepted, it is recommended to use an outsize baggage circuit in the terminal, as wide and straight as possible, to transport it without interference with any standard baggage handling systems, avoid a risk of damage to both the systems and the piece of baggage, and provide optimised conditions for manual handling where necessary.

Dimensions should not exceed 3 000 mm (118 in) in total of Length + Width + Height of each piece.

Over these dimensions, the piece should not be accepted as checked baggage and should be carried as freight.

NOTE This requirement is not based on ergonomics. It is deemed necessary as a reference to design airport outsize baggage circuits and systems capability, and is well accepted in the airline industry.

4.3 Information

Carriers shall inform passengers in good time prior to the flight on the requirements set for standard baggage in 4.1 and the restrictions on the acceptance of non-standard baggage in 4.2.

4.4 Handling

- **4.4.1** The handling agent should, wherever possible, take measures or use mechanized equipment appropriate to avoid or reduce manual handling of baggage.
- **4.4.2** Mechanized or automated equipment shall be capable of handling without manual intervention at least the mass and dimensions per piece specified for standard baggage in <u>4.1</u>. It is recommended that it also be capable of handling non-standard heavy baggage up to the mass specified in <u>4.2.2</u>.
- **4.4.3** Insofar as possible, non-conveyable pieces of baggage (see <u>4.1.3</u>) should be reconditioned, e.g. shrink wrapped, inserted into an outer bag, or protruding items attached, to become acceptable for the baggage handling systems.
- **4.4.4** Where manual handling cannot be avoided, the handling agents shall perform a risk assessment in accordance with ISO 11228-1, and take specific measures or use equipment to reduce the resulting ergonomic hazard to handling operators, including work stations design and baggage handling personnel training on how to handle baggage to minimize health risks.
- **4.4.5** For this purpose, the handling agents shall take into account the limits for manual lifting and carrying as a function of intensity, frequency and duration recommended in ISO 11228-1, taking into account the recommendations of ISO 11228-3. Complying with the limits specified in <u>4.1</u> will contribute to meeting these objectives.

BS ISO 12604-1:2017 ISO 12604-1:2017(E)

NOTE 1 ISO 11228-1 takes into account the frequency and duration of the tasks, therefore implicitly considering average load weight, which is out of the scope of this document. This document aims at limiting the maximum mass and dimensions of standard baggage, thus eliminating or reducing those most demanding ergonomic situations part of the tasks. But this does not alleviate the physical work of handling average baggage, to be covered by other means.

Where average baggage weights are nevertheless necessary for ergonomic evaluation, they should preferably be taken from local airport statistics. For non-local purposes, the default baggage values authorized by airworthiness authorities for aircraft weight and balance purposes, which are based on extensive surveys and regularly updated, can be used. For instance, in European airports, the average weight per piece of baggage is to be taken as 11 kg on domestic flights, 13 kg on intra-European flights, and 15 kg on intercontinental flights [see EU-OPS 1.620 (f)[10]].

NOTE 2 In most countries, national legislation regarding ergonomic issues is also applicable. See, for example, Reference [9].

Annex A (informative)

Typical examples of heavy baggage identification labels



a) Colour: white on black background



b) Colour: black on orange background

Figure A.1 — Typical examples of heavy baggage identification labels

Bibliography

- [1] ISO 6966-1, Aircraft ground equipment Basic requirements Part 1: General design requirements
- [2] ISO 6966-2, Aircraft ground equipment Basic requirements Part 2: Safety requirements
- [3] ISO 6385, Ergonomics principles in the design of work systems
- [4] ISO 12604-2:—1), Aircraft ground handling Checked baggage Part 2: Handling guidelines
- [5] ISO 12604-3:—²⁾, Aircraft ground handling Checked baggage Part 3: Work station ergonomics
- [6] EN 1005-2³⁾, Safety of machinery Human physical performance Part 2: Manual handling of machinery and component parts of machinery)
- [7] EN 12312-3⁴⁾, Aircraft ground support equipment Specific requirements Part 3: Conveyor belt vehicles1)
- [8] IATA Airport Development Reference Manual, section 3.4.19, Baggage Handling System⁵⁾
- [9] E.U. Directive 90/269/EEC of 29 May 1990, Council Directive on the minimum health and safety requirements for the manual handling of loads where there is a risk particularly of back injury to workers [applicable in the E.U. and E.F.T.A countries]
- [10] E.U. Regulation OPS 1⁶), Commercial Air Transportation (Aeroplanes), § 1.620 and AMC 1.620, *Mass of passengers and baggage*

¹⁾ Under development.

²⁾ Under development.

³⁾ European standards can be obtained from: Comité Européen de Normalisation, Avenue Marnix 17, B-1000 Brussels, Belgium, or any of the European national standardization institutes, members of C.E.N.: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

⁴⁾ Same as in footnote 3.

⁵⁾ I.A.T.A. publications can be obtained from:International Air Transport Association, Publications Assistant, 800 Place Victoria, P.O. Box 113, Montréal, Québec H4Z1M1, Canada, or its web site at www.iata.org.

⁶⁾ E.U. OPS can be obtained from: European Aviation Safety Agency (EASA), Otto Platz 1, Postfach 101253, D-50452 Cologne, Germany, or its web site at www.easa.europa.eu.



British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible
 by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced in any format to create an additional copy.
 This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com **Email (enquiries):** cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

 $\textbf{Email:} \ knowledge centre @bsigroup.com$

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

