

BS ISO 14230-2:2016



BSI Standards Publication

Road vehicles — Diagnostic communication over K-Line (DoK-Line)

Part 2: Data link layer

National foreword

This British Standard is the UK implementation of ISO 14230-2:2016. It supersedes BS ISO 14230-2:2013 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AUE/16, Data Communication (Road Vehicles).

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016. Published by BSI Standards Limited 2016

ISBN 978 0 580 91602 1

ICS 43.180

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2016.

Amendments issued since publication

Date	Text affected
------	---------------

**Road vehicles — Diagnostic
communication over K-Line (DoK-
Line) —**

**Part 2:
Data link layer**

*Véhicules routiers — Communication de diagnostic sur la ligne K
(DoK-Line) —*

Partie 2: Couche de liaison de données





COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviated terms	1
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms.....	2
4 Conventions	3
5 Document overview	4
6 Physical bus topology	5
7 Data link layer overview	7
7.1 General.....	7
7.2 Format description of data link layer services.....	7
7.3 Services provided by the data link layer to higher layers.....	7
7.4 Specification of DoK-Line data link layer service primitives.....	8
7.4.1 DL_Data.request.....	8
7.4.2 DL_Data.confirm.....	8
7.4.3 DL_Data_FB.indication.....	9
7.4.4 DL_Data.indication.....	9
7.4.5 DoK-Line_Init.request.....	9
7.4.6 DoK-Line_Initialize.confirm.....	9
7.4.7 DoK-Line_ChangeParameter.request.....	10
7.4.8 DoK-Line_ChangeParameter.confirm.....	10
7.5 Service data unit specification.....	10
7.5.1 SA, Source Address.....	10
7.5.2 TA, Target Address.....	10
7.5.3 TAtype, target address type.....	11
7.5.4 <Length>.....	11
7.5.5 <MessageData>.....	11
7.5.6 <Result_DoK-Line>.....	11
7.5.7 <InitializationModelIdentifier>.....	12
7.5.8 <InitializationResultData>.....	12
7.5.9 <Result_Initialization>.....	12
7.5.10 <Parameter_Value>.....	13
7.5.11 <Result_ChangeParameter>.....	13
8 Protocol initialization	14
8.1 General.....	14
8.2 Timing parameters for 5-BAUD_INIT.....	14
8.3 Protocol determination.....	14
8.3.1 5-BAUD_INIT according to ISO 9141.....	14
8.3.2 5-BAUD_INIT according to this document.....	16
8.3.3 FAST_INIT according to this document.....	17
8.3.4 FAST_INIT according to ISO 14230-4.....	19
8.3.5 Client protocol determination by server (ECU) key bytes.....	20
8.3.6 Initial data exchange after successful completion of initialization.....	22
8.4 Protocol specific key bytes.....	22
8.4.1 Format of key bytes.....	22
8.4.2 Key bytes for emissions-related OBD protocols of ISO 9141-2.....	23
8.4.3 Key bytes for emissions-related OBD protocol ISO 14230-4.....	23
8.4.4 Key bytes for enhanced diagnostics with support of ISO 14230-4.....	24
8.4.5 Calculation of decimal value of key bytes.....	25

9	Message definition	25
9.1	Message structure	25
9.2	Message header	26
9.2.1	Format byte (FMT)	26
9.2.2	Target address byte (TA)	26
9.2.3	Source address byte (SA)	27
9.2.4	Length byte (LEN)	27
9.2.5	Message header configurations	27
9.3	Protocol data unit (PDU)	28
9.4	Checksum byte (CS)	28
10	Protocol timing requirements	29
10.1	General timing measurement requirements	29
10.2	Protocol timing parameter definition	29
10.2.1	Inter-byte and inter-message timing parameters	29
10.2.2	Inter-byte timing parameter set	29
10.3	Inter-byte message timing	30
10.4	Data link layer timing at T-Data interface	32
11	Communication services	34
11.1	StartCommunication service	34
11.1.1	Service definition	34
11.1.2	Implementation	35
11.2	StopCommunication service	36
11.2.1	Service definition	36
11.2.2	Implementation	36
11.3	AccessTimingParameter service	37
11.3.1	Service definition	37
11.3.2	Implementation	38
11.4	SendData service	40
11.4.1	Service definition	40
12	Data collisions	41
13	Error handling	41
13.1	Error handling during physical/functional 5-BAUD initialization	41
13.1.1	Client (external test equipment) error handling during physical/functional 5-BAUD-INIT	41
13.1.2	Server (ECU) error handling during physical/functional 5-BAUD_INIT	42
13.2	Error handling during physical/functional FAST_INIT	42
13.2.1	Client (external test equipment) error handling during physical/functional FAST_INIT	42
13.2.2	Server (ECU) error handling during physical FAST_INIT	43
13.2.3	Server (ECU) error handling during functional FAST_INIT (normal timing only)	43
13.3	Error handling after physical/functional initialization	44
13.3.1	Client (external test equipment) communication error handling (after physical/functional initialization)	44
13.3.2	Server (ECU) communication error handling after physical initialization	44
13.3.3	Server (ECU) error handling after functional initialization	45
	Annex A (normative) Server and client addresses for 5-BAUD_INIT	46
	Annex B (informative) Recommended server and client addresses	47
	Annex C (informative) Protocol comparison of initialization sequence	48
	Bibliography	49

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

This third edition cancels and replaces the second edition (ISO 14230-2:2013), which has been technically revised.

A list of parts in the ISO 14230 series can be found on the ISO website.

Introduction

This document has been established in order to define common requirements for vehicle diagnostic systems implemented on K-Line (UART based) communication link, as specified in ISO 14230-1.

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model in accordance with ISO/IEC 7498-1 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by ISO 14230 are broken into the following:

- Diagnostic services (layer 7), specified in ISO 14229-1, ISO 14229-6;
- Presentation layer (layer 6):
 - vehicle manufacturer specific;
 - legislated WWH-OBD: ISO 27145-2, SAE 1930-DA, SAE J1979-DA, SAE J2012-DA, SAE J1939:2011, Appendix C (SPN), SAE J1939-73:2010, Appendix A (FMI);
- Session layer services (layer 5):
 - legislated OBD: specified in ISO 14229-2;
 - legislated WWH-OBD: specified in ISO 14229-2;
- Transport layer services (layer 4), specified in ISO 14230-2;
- Network layer services (layer 3), specified in ISO 14230-2;
- Data link layer (layer 2), specified in ISO 14230-4, ISO 14230-2;
- Physical layer (layer 1), specified in ISO 14230-1;

in accordance with [Table 1](#).

Table 1 — Enhanced and legislated OBD diagnostic specifications applicable to the OSI layers

OSI seven layer ^a	Enhanced diagnostics	Legislated OBD (On-Board Diagnostics)	Legislated WWH-OBD (On-Board Diagnostics)		
Application (layer 7)	ISO 14229-1, ISO 14229-6	ISO 15031-5	ISO 14229-1, ISO 27145-3		
Presentation (layer 6)	vehicle manufacturer specific	ISO 15031-2, ISO 15031-5, ISO 15031-6, SAE J1930-DA, SAE J1979-DA, SAE J2012-DA	ISO 27145-2, SAE 1930-DA, SAE J1979-DA, SAE J2012-DA, SAE J1939:2011, Appendix C (SPN), SAE J1939-73:2010, Appendix A (FMI)		
Session (layer 5)	ISO 14229-2				
Transport (layer 4)	ISO 14230-2	ISO 15765-2	ISO 15765-4, ISO 15765-2		
Network (layer 3)					
Data link (layer 2)				ISO 11898-1	ISO 15765-4, ISO 11898-1
Physical (layer 1)				ISO 11898-1, ISO 11898-2	ISO 11898-1, ISO 11898-2
^a Seven layers according to ISO/IEC 7498-1 and ISO/IEC 10731.					

The application layer services covered by ISO 14229-6 have been defined in compliance with diagnostic services established in ISO 14229-1 and ISO 15031-5, but are not limited to use only with them.

ISO 14229-6 is also compatible with most diagnostic services defined in national standards or vehicle manufacturer's specifications.

Road vehicles — Diagnostic communication over K-Line (DoK-Line) —

Part 2: Data link layer

1 Scope

This document specifies data link layer services tailored to meet the requirements of UART-based vehicle communication systems on K-Line as specified in ISO 14230-1. It has been defined in accordance with the diagnostic services established in ISO 14229-1 and ISO 15031-5, but is not limited to use with them and is also compatible with most other communication needs for in-vehicle networks. The protocol specifies an unconfirmed communication.

The diagnostic communication over K-Line (DoK-Line) protocol supports the standardized service primitive interface as specified in ISO 14229-2.

This document provides the data link layer services to support different application layer implementations like the following:

- enhanced vehicle diagnostics (emissions-related system diagnostics beyond legislated functionality, non-emissions-related system diagnostics);
- emissions-related OBD as specified in ISO 15031, SAE J1979-DA and SAE J2012-DA;
- in addition, this document clarifies the differences in initialization for K-line protocols defined in ISO 9141 and ISO 14230. This is important since a server supports only one of the protocols mentioned above and the client has to handle the coexistence of all protocols during the protocol determination procedure.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14230-4, *Road vehicles — Diagnostic systems — Keyword Protocol 2000 — Part 4: Requirements for emission-related systems*

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

5 baud initialization

5-BAUD_INIT

starts with bus idle and ends with inverted address byte sent by the server

3.1.2

fast initialization

FAST_INIT

starts with bus idle and ends with the reception of all positive responses of the StartCommunication service from all addressed servers

3.1.3

topology

serial link between client and servers and consists of a K-Line and an optional L-Line

3.1.4

server

function that is part of an electronic control unit and that provides the diagnostic services

3.1.5

client

function that is part of the tester and that makes use of the diagnostic services

Note 1 to entry: A tester normally makes use of other functions such as database management, specific interpretation, human-machine interface.

3.2 Symbols and abbreviated terms

5-BAUD_INIT	5-baud initialization
ISO 9141-2 5-BAUD_INIT	Protocol on K-Line according to ISO 9141-2 including 5-BAUD_INIT
ISO 14230-2 5-BAUD_INIT	Protocol on K-Line according to ISO 14230-2 including 5-BAUD_INIT
ISO 14230-2 FAST_INIT	Protocol on K-Line according to ISO 14230-2 including FAST_INIT
ISO 14230-4 5-BAUD_INIT	Protocol on K-Line according to ISO 14230-4 including 5-BAUD_INIT
ISO 14230-4 FAST_INIT	Protocol on K-Line according to ISO 14230-4 including FAST_INIT
bus converter	electronic control unit that links bus systems
client	external test equipment
confirm	confirmation service primitive
Cvt	Convention: M = mandatory, C = conditional, U = user-optional
ECU	electronic control unit
FAST_INIT	fast initialization
FB	first byte
FMT	format byte
gateway	linking hardware between bus systems
DA	destination address
DoK-Line	Diagnostic communication over K-Line

DoK-Line_SA	data link source address
DoK-Line_TA	data link target address
DoK-Line_TAtype	data link target address type
indication	indication service primitive
LEN	Length byte
Mtype	message type
request	request service primitive
DL_Data	data link data
DoK-Line_PCI	data link protocol control information
DoK-Line_PCIttype	data link protocol control information type
DoK-Line_PDU	data link protocol data unit
DoK-Line_SA	data link source address
DoK-Line_SDU	data link service data unit
P1 _{Receiver}	inter-byte timing parameter of the server
P2 _{Server}	time between client request and server response or two server responses
P3 _{Client}	time between end of server responses and start of new client request
P4 _{Sender}	inter-byte timing parameter of the client
SA	source address
server	electronic control unit (ECU)
TA	target address
UART	universal asynchronous receiver and transmitter
WUP	wake up pattern

4 Conventions

This document is based on the conventions discussed in the OSI Service Conventions (ISO/IEC 10731) as they apply for diagnostic services.

These conventions specify the interactions between the service user and the service provider. Information is passed between the service user and the service provider by service primitives, which may convey parameters.

[Figure 1](#) summarizes the distinction between service and protocol.




Figure 1 — Services and protocol

NOTE [Figure 1](#) does not show the confirmation generated on the transmitter side of the message.

This document defines confirmed services. The confirmed services use the three service primitives request, indication and confirmation.

For all services defined in this document, the request and indication service primitives always have the same format and parameters.

5 Document overview

[Figure 2](#) shows the diagnostic communication over K-Line document reference according to OSI model.





Figure 2 — DoK-Line document reference according to OSI model

6 Physical bus topology

DoK-Line is a bus concept based on a serial link consisting of one or two physical lines.

Figure 3 shows the server and client topology.



- Key**
- 1 K-Line
 - 2 L-Line (optional)

Figure 3 — Server and client topology


“K-Line” is used for communication and initialization, “L-Line” (optional) is used for initialization only. Special cases are node-to-node connection that means only one server (ECU) on the line, which also can be a bus converter.

The following recommendations apply:

- it is recommended to no longer support the L-Line in server (ECU) hardware;
- client (external test equipment) hardware shall support the L-Line if compliance to ISO 15031-4 is required.

For more detail, refer to ISO 14230-1 “K-/L-line configurations”.

Figure 4 illustrates an example of multiple servers (ECUs) connected with the K-Line to the client (external test equipment). Server 1.2 (ECU 1.2) functions as a gateway (bus converter) and is operating on a bus system (e.g. ISO 15765, SAE J1850).



- Key**
- 1 K-Line
 - 2 arbitrary bus system

Figure 4 — Gateway topology example

7 Data link layer overview

7.1 General

This document specifies the data link layer services which are used in client-server based systems to transmit data from one to the other entity. The client, referred to as external test equipment, uses the data link layer services to transfer diagnostic request data to one or more servers, referred to as an ECU. The server, usually a function that is part of an ECU, uses the data link layer services to send response data, provided by the requested diagnostic service, back to the client. The client is usually external test equipment, but can in some systems also be an on-board test equipment. The usage of data link layer services is independent from the external test equipment being an off-board or on-board test equipment. It is possible to have more than one client (test equipment) in the same vehicle system.

In order to describe the function of the data link layer, services provided to higher layers and the internal operation of the data link layer has to be considered.

7.2 Format description of data link layer services

All data link layer services have the same general format. Service primitives are written in the form:

```
service_name.type (
    [parameter 1, parameter 2, parameter 3, ...]
)
```

where

`service_name` is the name of the diagnostic service (i.e. DL_Data);

`type` indicates the type of the service primitive (i.e. request);

[parameter 1, ...] are parameters that depend on the specific service (i.e. parameter 1 can be the source address of the sender). The brackets indicate that this part of the parameter list may be empty.

7.3 Services provided by the data link layer to higher layers

The data link layer service interface defines a set of services that are needed to access the functions offered by the data link layer, i.e. transmission/reception of data, setting of data link layer parameters.

The service access point of the data link layer provides the following service primitives as specified.

- Using the **service primitive request** (`service_name.request`), a service user requests a service from the service provider.
- Using the **service primitive indication** (`service_name.indication`), the service provider informs a service user about an internal event of the network layer or the service request of a peer protocol layer entity service user.
- With the **service primitive confirm** (`service_name.confirm`), the service provider informs the service user about the result of a preceding service request of the service user.

The following three types of services are defined.

a) Initialization services

These services, of which the following are defined, provide the functionality to perform the initialization of the DoK-Line communication.

- `DoK-Line_Initialize.request`: this service is used to request the DoK-Line communication.
- `DoK-Line_Initialize.confirm`: this service confirms to the higher layers that the DoK-Line communication has been carried out (successfully or not).

b) Communication services

These services, of which the following are defined, enable the transfer of up to 255 bytes of data.

- DL_Data.request: this service is used to request the transfer of data.
- DL_Data_FB.indication: this service is used to signal the beginning of a message reception to the upper layer.
- DL_Data.indication: this service is used to provide received data to the higher layers.
- DL_Data.confirm: this service confirms to the higher layers that the requested service has been carried out (successfully or not).

c) InputOutputControl services

These services, of which the following are defined, provide the functionality to perform certain fixed sequences (e.g. 5 baud initialization, wake-up pattern generation).

- DoK-Line_IOControl.request: this service is used to request the execution of a specific data link layer sequence.
- DoK-Line_IOControl.confirm: this service confirms to the upper layer that the request to execute a specific data link layer sequence has been done (successfully or not).

d) Protocol parameter setting services

These services, of which the following are defined, enable the dynamic setting of protocol parameters.

- DoK-Line_ChangeParameter.request: this service is used to request the dynamic setting of specific internal parameters (i.e. timing parameters).
- DoK-Line_ChangeParameter.confirm: this service confirms to the upper layer that the request to change a specific protocol parameter has been carried out (successfully or not).

7.4 Specification of DoK-Line data link layer service primitives

7.4.1 DL_Data.request

The service primitive requests transmission of <MessageData> with <Length> bytes from the sender to the receiver peer entities identified by the address information in SA and TA.

Each time the DL_Data.request service is called, the data link layer shall signal the completion (or failure) of the message transmission to the service user by means of issuing a DL_Data.confirm service call.

```
DL_Data.request      (
                    SA
                    TA
                    Tatype
                    <MessageData>
                    <Length>
                    )
```

7.4.2 DL_Data.confirm

The data link layer issues the DL_Data.confirm service. The service primitive confirms the completion of a DL_Data.request service identified by the address information in SA and TA. The parameter <Result_DoK-Line> provides the status of the service request.

```
DL_Data.confirm     (
                    SA
                    TA
                    Tatype
```

```
<Result_DoK-Line>
)
```

7.4.3 DL_Data_FB.indication

The data link layer issues the DL_Data_FB.indication service. The service primitive indicates to the adjacent upper layer the arrival of the first byte (FB) of a message received from a peer protocol entity identified. This indication shall take place upon reception of the first byte (FB) of a message.

The DL_Data_FB.indication service shall always be followed by a DL_Data.indication service call from the data link layer to indicate the completion (or failure) of the message reception.

```
DL_Data_FB.indication      (
                           SA
                           TA
                           Tatype
                           <Length>
                           <Result_DoK-Line>
                           )
```

There is no address information contained in the indication, because the first byte only indicates the start of a message. There can only be one message transmitted on the data link layer at a time (no multiple messages can be pending in the data link layer at a time), therefore the first byte indication does not require any address information. The final indication of the message reception will contain the address information for the received message.

7.4.4 DL_Data.indication

The data link layer issues the DL_Data.indication service. The service primitive indicates <Result_DoK-Line> events and delivers <MessageData> with <Length> bytes received from a peer protocol entity identified by the address information in SA and TA to the adjacent upper layer.

The parameters <MessageData> and <Length> are only valid if <Result_DoK-Line> equals DoK-Line_OK.

```
DL_Data.indication        (
                           SA
                           TA
                           Tatype
                           <MessageData>
                           <Length>
                           <Result_DoK-Line>
                           )
```

7.4.5 DoK-Line_Init.request

The service primitive requests the initialization of the data link layer.

Each time the DoK-Line_Initialize.request service is called, the data link layer shall signal the completion (or failure) of the message transmission to the service user by means of issuing a DoK-Line_Initialize.confirm service call.

```
DoK-Line_Initialize.request (
                             SA
                             TA
                             <InitializationModeIdentifier>
                             )
```

7.4.6 DoK-Line_Initialize.confirm

The data link layer issues the DoK-Line_Initialize.confirm service. The service primitive confirms the completion of a DoK-Line_Initialize.request service. The parameter <Result_Initialize> provides the status of the service request and the parameter <InitializeResultData> provides result data of the performed input output control, i.e. key bytes.

```
DoK-Line_Initialize.confirm (
                             <Result_Initialize>
                             <InitializeResultData>
                             )
```

7.4.7 DoK-Line_ChangeParameter.request

The service primitive is used to request the change of an internal parameter's value on the local protocol entity. The <Parameter_Value> is assigned to the <Parameter> (see 10.2 for parameter definition).

A parameter change is always possible except after reception of the first byte (DL_Data_FB.indication) until the end of the reception of the corresponding message (DL_Data.indication).

```
DoK-Line_ChangeParameter.request (
    <Parameter>
    <Parameter_Value>
)
```

This is an optional service that can be replaced by implementation of fixed parameter values.

7.4.8 DoK-Line_ChangeParameter.confirm

The service primitive confirms the completion of a DoK-Line_ChangeParameter.Confirmation service (see 10.2 for parameter definition).

```
DoK-Line_ChangeParameter.confirm (
    <Parameter>
    <Result_ChangeParameter>
)
```

7.5 Service data unit specification

7.5.1 SA, Source Address

Type: 1 byte unsigned integer value

Range: 00₁₆ – FF₁₆

Description:

The parameter SA shall be used to encode client and server identifiers and it shall be used to represent the physical location of a client or server.

For the transmission of data from the client to the server, SA represents the client identifier in the service request, service indication, and service confirmation.

For the transmission of data from the server to the client, SA represents the server identifier in the service request, service indication, and service confirmation.

The client shall always be located in one external test equipment only. There shall be a strict, one-to-one, relation between client identifiers and source addresses. Each client identifier shall be encoded with one SA value. If more than one client is implemented in the same external test equipment, then each client shall have its own client identifier and corresponding SA value.

A server may be implemented in one ECU only or be distributed and implemented in several ECUs. If a server is implemented in one ECU only, then it shall be encoded with one SA value only. If a server is distributed and implemented in several ECUs, then the server identifier shall be encoded with one SA value for each physical location of the server.

7.5.2 TA, Target Address

Type: 1 byte unsigned integer value

Range: 00₁₆ – FF₁₆

Description:

The parameter TA shall be used to encode client and server identifiers.

For the transmission of data from the client to the server, TA represents the server identifier in the service request, service indication, and service confirmation.

For the transmission of data from the server to the client, TA represents the client identifier in the service request, service indication, and service confirmation.

TA may be a physical or a functional address. Physical addresses may be the 5 baud address byte (see ISO 9141:1989, Annex A and Annex B).

For emissions-related messages, this byte is defined in ISO 14230-4.

7.5.3 TAtype, target address type

Type: enumeration

Range: physical, functional

Description:

The parameter TAtype is an extension to the TA parameter. It shall be used to encode the communication model used by the communicating peer entities of the data link layer. Two communication models are specified: one-to-one communication called physical addressing and one-to-n communication called functional addressing (for the format of the format byte in the DoK-Line_PDU to handle the two addressing types, see [9.2.1](#)).

7.5.4 <Length>

Type: 1 byte

Range: 00₁₆ – FF₁₆

Description:

This parameter includes the length of data to be transmitted/received.

7.5.5 <MessageData>

Type: string of bytes

Range: not applicable

Description:

This parameter includes all data the higher layer entities exchange.

7.5.6 <Result_DoK-Line>

Type: enumeration

Range: DoK-Line_OK, DoK-Line_TIMEOUT_P1, DoK-Line_TIMEOUT_P4, DoK-Line_UNEXP_PDU

Description:

This parameter contains the status relating to the outcome of a service execution. If more than one error is discovered at the same time, then the data link layer entity shall use the parameter value first found in this list in the error indication to the higher layers.

— DoK-Line_OK

This parameter means that the service execution has completed successfully. This parameter can be issued to a service user on both the sender and receiver side.

— DoK-Line_TIMEOUT_P1

This parameter is issued to the protocol user when the timer DoK-Line_P1 has passed its timeout value DoK-Line_P1_{max}. This parameter can be issued to service user on the server side.

— DoK-Line_TIMEOUT_P4

This parameter is issued to the protocol user when the timer DoK-Line_P4 has passed its timeout value DoK-Line_P4_{max}. This parameter can be issued to service user on the client side.

— DoK-Line_UNEXP_PDU

This parameter is issued to the service user upon reception of an unexpected protocol data unit. This parameter can be issued to the service user on both the sender and receiver side.

NOTE The status parameters DoK-Line_TIMEOUT_P1 and DoK-Line_TIMEOUT_P4 are equivalent for the upper layer.

7.5.7 <InitializationModelIdentifier>

Type: 1 byte unsigned integer value

Range: 00₁₆ – FF₁₆

Description:

This parameter identifies the type of initialization to be performed by the data link layer.

- Perform 5-BAUD_INIT initialization sequence and provide the resulting key bytes.
- Perform FAST_INIT initialization sequence and provide the resulting key bytes.

NOTE The above listed functionality is only required to be supported by the client (external test equipment).

7.5.8 <InitializationResultData>

Type: string of bytes

Range: not applicable

Description:

This parameter includes all data provided by the initialization procedure, i.e. key bytes.

7.5.9 <Result_Initialization>

Type: enumeration

Range: DoK-Line_OK, DoK-Line_RX_ON, DoK-Line_WRONG_PARAMETER, DoK-Line_WRONG_VALUE

Description:

This parameter contains the status relating to the outcome of a service execution.

— DoK-Line_OK

This parameter means that the service execution has completed successfully. This parameter can be issued to a service user on both the sender and receiver side.

— DoK-Line_RX_ON

This parameter is issued to the service user to indicate that the service did not execute since a reception of the message identified by <AI> was taking place. This parameter can be issued to the service user on the receiver side only.

— DoK-Line_WRONG_PARAMETER

This parameters is issued to the service user to indicate that the service did not execute due to an undefined <Parameter>. This parameter can be issued to the service user on both the receiver and sender side.

— DoK-Line_WRONG_VALUE

This parameter is issued to the service user to indicate that the service did not execute due to an out of range <Parameter_Value>. This parameter can be issued to the service user on both the receiver and sender side.

7.5.10 <Parameter_Value>

Type: 1 byte unsigned integer value

Range: 00₁₆ – FF₁₆

Description:

This parameter is assigned to a protocol parameter <Parameter> as indicated in the service section of this document. The upper layer can, for example, configure what kind of DoK-Line_FMT shall be placed in the DoK-Line_SDU when transmitting a message (see [Clause 9](#)).

7.5.11 <Result_ChangeParameter>

Type: enumeration

Range: DoK-Line_OK, DoK-Line_RX_ON, DoK-Line_WRONG_PARAMETER, DoK-Line_WRONG_VALUE

Description:

This parameter contains the status relating to the outcome of a service execution.

— DoK-Line_OK

This parameter means that the service execution has completed successfully. This parameter can be issued to a service user on both the sender and receiver side

— DoK-Line_RX_ON

This parameter is issued to the service user to indicate that the service did not execute since a reception of the message identified by <AI> was taking place. This parameter can be issued to the service user on the receiver side only.

— DoK-Line_WRONG_PARAMETER

This parameter is issued to the service user to indicate that the service did not execute due to an undefined <Parameter>. This parameter can be issued to the service user on both the receiver and sender side.

— DoK-Line_WRONG_VALUE

This parameter is issued to the service user to indicate that the service did not execute due to an out of range <Parameter_Value>. This parameter can be issued to the service user on both the receiver and sender side.

8 Protocol initialization

8.1 General

This document and ISO 9141-2 define three different methods to accomplish asynchronous-to-synchronous communications.

The three protocols are separate and distinct:

- ISO 9141-2 with 5-BAUD_INIT initialization;
- this document with 5-BAUD_INIT initialization;
- this document with FAST_INIT initialization.

ISO 14230-4 states that all emissions-related OBD ECUs on a single vehicle shall only support one of either the 5-BAUD_INIT OR the FAST_INIT. ISO 9141-2 also defines a 5-BAUD_INIT sequence, which is differentiated from the ISO 14230-2 5-BAUD_INIT sequence by the key bytes that the vehicle responds with.

8.2 Timing parameters for 5-BAUD_INIT

[Table 2](#) shows timing values for 5 baud initialization. These are fixed values. They cannot be changed by the AccessCommunicationParameter service.

Table 2 — Timing parameters for 5_BAUD_INIT

Timing parameter	Values (ms)		Description
	min	max	
W1	60	300	Time from end of the address byte to start of synchronization pattern.
W2	5	20	Time from end of the synchronization pattern to the start of key byte 1.
W3	0	20	Time between key byte 1 and key byte 2.
W4	25	50	Time between key byte 2 (from the server) and its inversion from the client. Also the time from the inverted key byte 2 from the client and the inverted address from the server.
W5	300	—	Time before the client starts to transmit the address byte.

8.3 Protocol determination

8.3.1 5-BAUD_INIT according to ISO 9141

ISO 9141 5-BAUD_INIT initialization starts with a sequence by the client (external test equipment) issuing the address byte at 5 bits per second.


The address byte has a preceding start bit (level low) and a following stop bit (level high). This gives a total length of 10 bits to be transmitted at 5 baud (see [Figure 5](#) and [Figure 6](#)).

[Table 3](#) defines the initialization procedure.

Table 3 — ISO 9141 initialization procedure with 5-BAUD_INIT

#	Step	client/ server	Description
1	Address byte transmission	client	Address byte at 5 baud including start and stop bit takes 2 s.
2	Address byte validation	server	Validation of the address byte internally in the vehicle servers, which takes the time W_1 (20 .. 300 ms).
3	Synchronization byte transmission	server	Exactly one vehicle server will respond with the synchronization byte 55_{16} informing the external test equipment of the new baud rate.
4	Synchronization byte validation and set new baud rate	client	Reconfiguration has to be done within 5 ms.
5	Key bytes transmission	server	The vehicle server which has sent the synchronization byte shall wait the time W_2 (5 .. 20 ms) for the client to reconfigure to the new baud rate. Then, this vehicle server will send the two key bytes.
6	Key bytes validation	client	See 8.4 for protocol specific key bytes. According to the received key bytes, the external test equipment (client) has to configure the following: — ISO 9141 protocol; — header format; — timing (P_{2min}).
7	Inverted key byte #2 transmission	client	As an acknowledgement of reception of the key bytes, the client, after waiting W_4 (25 .. 50 ms), shall then send the inverted key byte #2 to the vehicle servers.
8	Validation of inverted key byte	server	Evaluation of inverted key byte.
9	Inverted address byte transmission	server	After waiting another period equal to W_4 , the vehicle server which has sent the synchronization byte shall then invert the initialization address byte and send it to the client as the “ready to communicate” signal. This ends the initialization sequence from the viewpoint of the server.
10	Validation of inverted address byte	client	Evaluation of inverted address byte. This ends the initialization sequence from the viewpoint of the client.

[Figure 5](#) shows the initialization with 5-BAUD_INIT according to ISO 9141-2.



Key

- 1 P2_{Server} timing value (25 .. 50 ms) depends on the key bytes (normal timing)
- 2 P2_{Server} timing value (0 .. 50 ms) depends on the key bytes (extended timing)
- 3 P3_{Client} timing value (55 .. 5 000 ms) depends on the key bytes

Figure 5 — Initialization with 5-BAUD_INIT according to ISO 9141-2

8.3.2 5-BAUD_INIT according to this document

ISO 14230 5-BAUD_INIT is identical to the ISO 9141 5-BAUD_INIT, except for the key bytes sent from the vehicle to the external test equipment. The definition in [Table 11](#) is valid for both protocols. The key byte sets are defined in [8.4.2](#) and [8.4.4](#).

[Table 4](#) defines the initialization procedure with 5-BAUD_INIT according to this document.


Table 4 — ISO 14230-2 initialization procedure with 5-BAUD_INIT

#	Step	client/server	Description
1	Address byte transmission	client	Address byte at 5 baud including start and stop bit takes 2 seconds.
2	Address byte validation	server	Validation of the address byte internally in the vehicle servers, which takes the time W1 (20 .. 300 ms).
3	Synchronization byte transmission	server	Exactly one vehicle server will respond with the synchronization byte 55 ₁₆ informing the external test equipment of the new baud rate.
4	Synchronization byte validation and set new baud rate	client	Reconfiguration has to be done within 5 ms.

Table 4 (continued)

#	Step	client/server	Description
5	Key bytes transmission	server	The vehicle server which has sent the synchronization byte shall wait the time W2 (5 .. 20 ms) for the client to reconfigure to the new baud rate. Then this vehicle server will send the two key bytes.
6	Key bytes validation	client	See 8.4 for protocol specific key bytes. According to the received key bytes, the external test equipment (client) has to configure the following: — protocol stated in this document; — header format; — timing (P2 _{min}).
7	Inverted key byte #2 transmission	client	As an acknowledgement of reception of the key bytes, the client, after waiting W4 (25 .. 50 ms), shall then send the inverted key byte #2 to the vehicle servers.
8	Validation of inverted key byte	server	Evaluation of inverted key byte
9	Inverted address byte transmission	server	After waiting another period equal to W4, the vehicle server which has sent the synchronization byte shall then invert the initialization address byte and send it to the client as the “ready to communicate” signal. This ends the initialization sequence from the viewpoint of the server.
10	Validation of inverted address byte	client	Evaluation of inverted address byte. This ends the initialization sequence from the viewpoint of the client.

Figure 6 shows the initialization with 5-BAUD_INIT according to this document.



Key

1 P3_{Client} timing value (55 .. 5 000 ms) depends on the key bytes (normal timing)

2 P3_{Client} timing value (0 .. 5 000 ms) depends on the key bytes (extended timing)

Depending on the address byte, the high periods can be longer than W5 and may be interpreted as idle times.

Figure 6 — Initialization with 5-BAUD_INIT according to this document

8.3.3 FAST_INIT according to this document

8.3.3.1 General

All servers (ECUs) which are initialised shall use a baud rate of 10 400 baud for initialization and communication.

The client (external test equipment) transmits a wake-up pattern (WuP) on K- and L-Line synchronously. The pattern begins after an idle time on the K-line with a low time of T_{iniL} . The client (external test equipment) transmits the first bit of the StartCommunication service after a time of t_{WuP} following the first falling edge.

8.3.3.2 Timing values of FAST_INIT according to this document

Table 5 defines the timing values of FAST_INIT according to this document.


Table 5 — Timing values of FAST_INIT according to this document

Timing parameter name	Minimum timing value (ms)	Timing value (ms)	Maximum timing value (ms)
T_{Idle}	First transmission after power on	W5	see Table 2
	After completion of StopCommunication service	$P3_{min}$	see Table 17
	After stopping communication by timeout $P3_{max}$ (starting with a falling edge)	0	0
T_{iniL}	24	25 ± 1	26
T_{WuP}	49	50 ± 1	51

8.3.3.3 Initialization sequence of FAST_INIT according to this document

The transfer of a wake-up pattern WuP as described above is followed by a StartCommunication request message from the client (external test equipment) and a response message from the server (ECU). The first message of a fast initialization always uses a header with target and source address and without additional length byte. A server (ECU) may answer back with or without address information and length byte and tells its supported modes within the key bytes. The pattern begins with a falling edge after an idle time on K-line. While communication is running, it is not necessary for a server (ECU) to react when receiving a wake-up pattern WuP.

Figure 7 shows the initialization with FAST_INIT according to this document



Key

- 1 $P3_{Client}$ timing value (55 .. 5 000 ms) depends on the key bytes (normal timing)
- 2 $P3_{Client}$ timing value (0 .. 5 000 ms) depends on the key bytes (extended timing)

Figure 7 — Initialization with FAST_INIT according to this document

IMPORTANT — The FAST_INIT initialization stated in this document is successful if the vehicle has responded with a StartCommunication positive response message on a StartCommunication request message PDU = [SID] 81₁₆ request message. If there is no vehicle StartCommunication positive response message, the initialization sequence has failed.

8.3.3.4 Message sequence of FAST_INIT according to this document

FAST_INIT stated in this document begins with the WuP transmitted by the client to the vehicle that is 50 ms long. This pattern is followed immediately by a StartCommunication request message from the client to the vehicle. The vehicle should then respond to the external test equipment with a StartCommunication response message, including a pair of key bytes.

The StartCommunication request message comprises a format byte, target address byte, source address byte and a service identifier byte of 8₁₆.

[Table 6](#) defines the StartCommunication request message for this document.

Table 6 — StartCommunication request message for this document

Byte	Parameter Name	Cvt	Byte Value	Mnemonic
1	Format byte = [physical addressing or functional addressing]	M	XX ₁₆ = [8 ₁₆ or C ₁₆]	FMT
2	Target address byte	M	XX ₁₆	TGT
3	Source address byte	M	XX ₁₆	SRC
4	StartCommunication Request Service Id	M	8 ₁₆	STC
5	Checksum	M	XX ₁₆	CS

The StartCommunication response message is also comprised of a format byte, target address byte, source address byte and a service identifier byte of C₁₆.

[Table 7](#) defines the StartCommunication response message for this document.

Table 7 — StartCommunication response message for this document

Byte	Parameter Name	Cvt	Byte Value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	M	XX ₁₆	TGT
3	Source address byte	M	XX ₁₆	SRC
4	StartCommunication Response Service Id	M	C ₁₆	STC
5	KeyByte #1 ^a	M	XX ₁₆	KB1
6	KeyByte #2 ^a	M	XX ₁₆	KB2
7	Checksum	M	XX ₁₆	CS

^a The key bytes are defined in [8.4](#).

The reception of the StartCommunication response message terminates the initialization sequence.

8.3.4 FAST_INIT according to ISO 14230-4

8.3.4.1 General

All emissions-related servers (ECUs), which are initialized, shall use a baud rate of 10 400 baud for initialization and communication.

The client (external test equipment) transmits a wake-up pattern (WuP) on K- and L-Line synchronously. The pattern begins after an idle time on the K-line with a low time of T_{iniL}. The client (external test equipment) transmits the first bit of the StartCommunication service after a time of t_{WuP} following the first falling edge.

8.3.4.2 Message sequence of FAST_INIT according to ISO 14230-4

ISO 14230-4 FAST_INIT begins with the WuP transmitted by the client to the vehicle that is 50 ms long. This pattern is followed immediately by a StartCommunication request from the client to the vehicle. The vehicle should then respond to the client with a StartCommunication response, including a pair of key bytes.

Since functional addressing is required for legislated OBD communication, the StartCommunication request message shall have the format byte C1₁₆, the target address 33₁₆, the source address (client) F1₁₆. The StartCommunication request service identifier is 81₁₆.

[Table 8](#) defines the StartCommunication request message for ISO 14230-4.

Table 8 — StartCommunication request message for ISO 14230-4

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	C1 ₁₆	FMT
2	Target address byte	M	33 ₁₆	TGT
3	Source address byte	M	F1 ₁₆	SRC
4	StartCommunication Request Service Id	M	81 ₁₆	STC
5	Checksum	M	66 ₁₆	CS

There is no vehicle response allowed between the “wake-up” pattern and the StartCommunication request message. The first vehicle response will be a StartCommunication positive response message. A StartCommunication response message is similarly comprised of a format byte, a target address byte, a source address byte, a service ID byte, and the key bytes. The format byte is defined in ISO 15031-5. Thus, in this StartCommunication response message with three data bytes, the format byte value is 83₁₆.

[Table 9](#) defines the StartCommunication response message for ISO 14230-4.

Table 9 — StartCommunication response message for ISO 14230-4

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	83 ₁₆	FMT
2	Target address byte	M	F1 ₁₆	TGT
3	Source address byte	M	XX ₁₆	SRC
4	StartCommunication Response Service Id	M	C1 ₁₆	STC
5	KeyByte #1 ^a	M	XX ₁₆	KB1
6	KeyByte #2 ^a	M	XX ₁₆	KB2
7	Checksum	M	XX ₁₆	CS

^a The key bytes are defined in [8.4](#).


The reception of the StartCommunication response message terminates the initialization sequence.

8.3.5 Client protocol determination by server (ECU) key bytes

The key bytes are the important differentiator during 5-BAUD_INIT attempts to determine whether the ISO 9141 or ISO 14230 protocol is to be used for this communication session.

NOTE Due to this key byte differentiation, only one 5-BAUD_INIT sequence by the client is necessary to determine the protocol. This speeds up the initialization process.

[Figure 8](#) shows the client protocol determination by server key bytes for legislated communication as an example.



Key

- 1 connect external test equipment (ISO 15031-4) to vehicle diagnostic connector (ISO 15031-3)
- 2 external test equipment scans (detects logic level) of K-Line; if "YES", then branch to step 3
- 3 external test equipment checks if K-Line is at logic level '1' (B+ = battery supply voltage); if "NO", then branch to step 2 and if "YES", then branch to step 4
- 4 external test equipment sends address byte 33₁₆ at 5 baud onto K- and L-Line, then branch to step 6
- 5 external test equipment waits W5 (300 ms) before it continues with step 4 again
- 6 external test equipment waits for synchronization byte 55₁₆ from the vehicle; if "NO", then retry the 5-baud initialization, and if number of retries reached ("NO"), then branch to step 9 (start FAST-INIT)

- 7 external test equipment has received key bytes and evaluates, whether the value of the key bytes is either 0808₁₆ or 9494₁₆; if “YES”, then branch to step 8 and if “NO”, then evaluate whether the value of the key bytes is one of the following 8FE9₁₆, 8F6B₁₆, 8F6D₁₆, 8FEF₁₆. If “NO”, then branch to step 9 (non ISO 15031-5-compliant communication) and if “YES”, then branch to step 8
- 8 external test equipment sends inverted 2nd key byte and inverted address byte onto the K-Line to the vehicle; then branch to step 9
- 9 result of client protocol determination is either ISO 9141-2 communication or ISO 14230-4 communication or is not ISO 15031-5 compliant communication or to start the FAST_INIT of ISO 14230-4 communication

Figure 8 — Client protocol determination by server key bytes for legislated communication

There are two recommended initialization methodologies that will be described here.

- Attempt a 5-BAUD_INIT initialization, followed by a FAST_INIT initialization. This guarantees that the correct timings have been maintained.
- Attempt a FAST_INIT initialization, followed by a 5-BAUD_INIT initialization. For external test equipment (clients) which try ISO 14230-2 FAST_INIT prior to the combined ISO 9141-2/ISO 14230-2 5-BAUD_INIT sequence, a wait time shall be implemented as specified in [Table 10](#) before sending the address byte at 5 baud after unsuccessful FAST_INIT.

Table 10 — Wait time between FAST_INIT and ISO 9141/ISO 14230-2 5-BAUD_INIT sequence

Item	Operation	Duration
Transmission of address byte		2,0 s
W1 validation period	+	0,3 s
W5 external test equipment wait period	+	0,3 s
Total wait time	sum	2,6 s

8.3.6 Initial data exchange after successful completion of initialization

[8.3.1](#) to [8.3.5](#) specify the complete initialization sequence for each protocol. Any subsequent communication after the initialization sequence is specified as communication. Communication comprises request and response messages.

For legislated OBD, communication starts with a service request message PDU = ([SID] 01₁₆, [PID] 00₁₆) for vehicle supported emissions-related data. The service request message shall be performed after any initialization sequence and shall be compliant with the ISO 15031-5 and shall have the correct header in relation to the responded key bytes from the vehicle.

8.4 Protocol specific key bytes

8.4.1 Format of key bytes

With the key bytes, a server informs the client about the supported header, timing and length information. A server not necessarily has to support all possibilities. The decoding of the key bytes is defined in ISO 9141:1989. KB1 = Low Byte, KB2 = High Byte, 7 bit, odd parity.

[Figure 9](#) shows the key bytes.




Figure 9 — Format of key bytes

Table 11 defines the key byte.

Table 11 — Definition of key byte

FMT	= 0	= 1
AL0	length information in format byte not supported	length information in format byte supported
AL1	additional length byte not supported	additional length byte supported
HB0	1 byte header not supported	1 byte header supported
HB1	Target/Source address in header not supported	Target/Source address in header supported
TP0 ^a	normal timing parameter set	extended timing parameter set
TP1 ^a	extended timing parameter set	normal timing parameter set

^a Only TP0, TP1 = 0, 1 and 1, 0 allowed.

8.4.2 Key bytes for emissions-related OBD protocols of ISO 9141-2

ISO 9141-2 protocol defines two different pairs of key bytes which can be implemented by the server (ECU). These are either [KB2] 08₁₆ (High Byte) and [KB1] 08₁₆ (Low Byte) or [KB2] 94₁₆ (High Byte) and [KB1] 94₁₆ (Low Byte). The difference between both pairs is the value of P2_{min} according to Table 12.

Table 12 — Key bytes for emissions-related OBD of ISO 9141-2 protocol and the required

Key byte #2 (high byte)	Key byte #1 (low byte)	Key byte (dec)	P2 _{min} (ms)	Timing	Description
08 ₁₆	08 ₁₆	1032 _d	25	Normal	Request Header: [FMT: 68 ₁₆] [TA: 6A ₁₆] [SA: F1 ₁₆]
94 ₁₆	94 ₁₆	2580 _d	0	Extended	Response Header: [FMT: 48 ₁₆] [TA: 6B ₁₆] [SA: XX ₁₆] Response PDU: [SID] [DATA] (maximum 7 data bytes) Response Trailer: [CS]

8.4.3 Key bytes for emissions-related OBD protocol ISO 14230-4

ISO 14230-4 defines four different pairs of key bytes which can be implemented in the server (ECU). The header format of the protocol messages is different for these four pairs according to Table 11. Normal timing is specified for all pairs of key bytes.

IMPORTANT — For legislated emissions-related OBD communication, the client and the server shall always use the functionality of key bytes [KB2] 8F₁₆ (High Byte), [KB1] E9₁₆ (Low Byte) (i.e. 3 byte header, no additional length byte, normal timing).

The difference between the key bytes is specified in Table 13.

Table 13 — Key bytes for emissions-related OBD of ISO 14230-4 protocol and the required header format

Key byte #2 (high byte)	Key byte #1 (low byte)	Key byte (dec)	P2 _{min} (ms)	Timing	Description
8F ₁₆	E9 ₁₆	2025 _d	25	Normal	Request Header: [FMT: C2 ₁₆] [TA: 33 ₁₆] [SA: F1 ₁₆] Response Header: [FMT: 8X ₁₆] [TA: F1 ₁₆] [SA: XX ₁₆] Response PDU: [SID] [DATA] (maximum 7 data bytes) Response Trailer: [CS]
8F ₁₆	E9 ₁₆	2025 _d			Request Header: [FMT: C2 ₁₆] [TA: 33 ₁₆] [SA: F1 ₁₆] [optional LEN] Response Header: [FMT: 8X ₁₆] [TA: F1 ₁₆] [SA: XX ₁₆] [optional LEN] Response PDU: [SID] [DATA] Response Trailer: [CS]
8F ₁₆	6B ₁₆	2027 _d			Request Header: [FMT: C2 ₁₆] Response Header: [FMT: 8X ₁₆] Response PDU: [SID] [DATA] Response Trailer: [CS] or Response Header: [FMT: C2 ₁₆] [TA: 33 ₁₆] [SA: F1 ₁₆] Response PDU: [SID] [DATA] Response Trailer: [CS]
8F ₁₆	6D ₁₆	2029 _d			Request Header: [FMT: C2 ₁₆] [optional LEN] Response Header: [FMT: 8X ₁₆] [optional LEN] Response PDU: [SID] [DATA] Response Trailer: [CS] or Response Header: [FMT: C2 ₁₆] [TA: 33 ₁₆] [SA: F1 ₁₆] [optional LEN] Response PDU: [SID] [DATA] Response Trailer: [CS]

8.4.4 Key bytes for enhanced diagnostics with support of ISO 14230-4

The protocol given in this document defines 19 different pairs of key bytes which can be implemented by the server (ECU).

For OBDOnK-Line implementations (ISO 15031-5 on ISO 14230-4), only one of the four key bytes as defined in 8.4.2 are allowed to be supported.

[Table 14](#) defines the valid key bytes of protocol given in this document and the required P2_{min} timing.

Table 14 — Valid key bytes of protocol given in this document and the required P2_{min} timing

Key byte #2 (high byte)	Key byte #1 (low byte)	Key byte [dec]	P2 _{min} [ms]	Timing	Header ISO 14230-2 protocol message	PDU
8F ₁₆	D0 ₁₆	2000 _d	—	No further information	[FMT] no further information	[SID] [DATA]
8F ₁₆	D5 ₁₆	2005 _d	0	Extended (see Table 18)	[FMT]	
8F ₁₆	D6 ₁₆	2006 _d			[FMT] [LEN]	
8F ₁₆	57 ₁₆	2007 _d			[FMT] [optional LEN]	
8F ₁₆	D9 ₁₆	2009 _d			[FMT] [TA] [SA]	
8F ₁₆	DA ₁₆	2010 _d			[FMT] [TA] [SA] [LEN]	
8F ₁₆	5B ₁₆	2011 _d			[FMT] [TA] [SA] [optional LEN]	
8F ₁₆	5D ₁₆	2013 _d			[FMT] [optional TA] [optional SA]	
8F ₁₆	5E ₁₆	2014 _d			[FMT] [optional TA] [optional SA] [LEN]	
8F ₁₆	DF ₁₆	2015 _d			[FMT] [optional TA] [optional SA] [optional LEN]	
8F ₁₆	E5 ₁₆	2021 _d			25	
8F ₁₆	E6 ₁₆	2022 _d	[FMT] [LEN]			
8F ₁₆	67 ₁₆	2023 _d	[FMT] [optional LEN]			
8F ₁₆ ^a	E9 ₁₆ ^a	2025 _d	[FMT] [TA] [SA] ^b			
8F ₁₆	EA ₁₆	2026 _d	[FMT] [TA] [SA] [LEN]			
8F ₁₆ ^a	6B ₁₆ ^a	2027 _d	[FMT] [TA] [SA] [optional LEN]			
8F ₁₆ ^a	6D ₁₆ ^a	2029 _d	[FMT] [optional TA] [optional SA]			
8F ₁₆	6E ₁₆	2030 _d	[FMT] [optional TA] [optional SA] [LEN]			
8F ₁₆ ^a	EF ₁₆ ^a	2031 _d	[FMT] [optional TA] [optional SA] [optional LEN]			

^a Allowed key bytes for ISO 14230-4.

^b The client and server shall always use this message format for legislated emissions-related OBD communication.

8.4.5 Calculation of decimal value of key bytes

To calculate the decimal value, clear the parity bit of both key bytes and then multiply key byte #2 by 27 and add key byte #1.

The key byte value of 2 000_d is out of scope of this document.


9 Message definition

9.1 Message structure

The message structure consists of three parts:

- header;
- protocol data unit (data bytes);
- checksum.

[Figure 10](#) illustrates the content of a message.



Key

1 optional, depends on FMT (format byte value)

Figure 10 — Message structure

9.2 Message header

9.2.1 Format byte (FMT)

The format byte (FMT) contains six bit length (L) information and two bit address mode (A1, A0) information. The client is informed about the use of header bytes by the key bytes.

[Figure 11](#) illustrates the definition of the address mode (A) and the length (L) information.

Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
A1	A0	L5	L4	L3	L2	L1	L0
		← L5 .. L0 = 0xXX: 1 .. 63 bytes → ← L5 .. L0 = 0x00: additional length byte →					
0 _b	0 _b	no address information included in header					
0 _b	1 _b	ISO 9141-2: fixed header bytes: 0x68, 0x48					
1 _b	0 _b	with address information incl. in header, physical addressing					
1 _b	1 _b	with address information incl. in header, functional addressing					

Figure 11 — Format byte structure

The format byte structure includes address mode and length information and is defined as follows.

- L5 .. L0: defines the length of a message from the beginning of the PDU (SID and data) to checksum byte (not included). A message length of 1 to 63 bytes is possible. If L0 to L5 = 00000_b, then the additional length byte is included in the header as the fourth byte.
- A1, A0 = '0, 1' ISO 9141-2 mode is an exception mode. This mode is not specified in this document. ISO 9141-2 uses the format bytes 68₁₆ (0110 1000_b) and 48₁₆ (0100 1000_b). For further details refer to ISO 9141-2 and ISO 15031-5.

9.2.2 Target address byte (TA)

The target address of the header defines the target node for the message to be received and is always used together with the source address byte.

The target address value specifies either physical or functional addressing. There are reserved address values defined to address the messages to specific functional systems, e.g. emissions-related systems.

- Physical addresses may be either the address byte at 5 baud as specified in ISO 9141 (see [A.1](#) and [Annex B](#)).
- Functional address ranges are given in [A.2](#).

— For emissions-related messages, this byte is defined in ISO 14230-4 or ISO 9141-2.

The target address is an optional byte and only necessary on multi-node bus topologies. For node-to-node connections, it may be omitted.

9.2.3 Source address byte (SA)

The source address of the header defines the source address of the transmitting device (server or client). The source address value shall always be interpreted as a physical address.

There are the same possibilities for the values as described for physical target address bytes.

Available addresses for the external test equipment are specified in [Annex B](#).

The source address is an optional byte (always used together with the target address byte) and only necessary on multi-node bus topologies. For node-to-node connections, it may be omitted.

9.2.4 Length byte (LEN)

The additional length byte is provided in the header of the message if the length in the header format byte (L0 to L5) is set to 0 0000_b. It allows the transmitting node to send messages with data fields longer than 63 bytes. With shorter messages, it may be omitted.

This byte defines the length of a message from the beginning to the end of the PDU [header byte(s) and checksum byte not included]. A data length of 1 to 255 bytes is possible. The longest message consists of a maximum of 260 bytes.

For messages with data fields of less than 64 bytes, there are two possibilities:

- length may be included in the format byte;
- length may be included in the additional length byte;

A server is not required to support both possibilities. The external test equipment is informed about the capability of a server via the key bytes whether an additional length byte is generally supported. The server has to support the features according to transmitted key bytes.


[Table 15](#) defines the usage of the Length byte.

Table 15 — Length byte definition

Length	Length provided in	
	Format byte (FMT)	Length byte (LEN)
<64 _d	XX00 0000 _b	present
<64 _d	XXLL LLLL _b	not present
≥64 _d	XX00 0000 _b	present

9.2.5 Message header configurations

The format byte in the header defines two bits (A1, A0) which allow four different header configurations. [Figure 12](#) shows the message header configurations.



Key

- 1 header = format byte (FMT)
- 2 header = format byte (FMT) + length byte (LEN)
- 3 header = format byte (FMT) + target address (TA) + source address (SA)
- 4 header = format byte (FMT) + target address (TA) + source address (SA) + length byte (LEN)

Figure 12 — Message header configurations

9.3 Protocol data unit (PDU)

The PDU shall contain 1 to 63 bytes or 1 to 255 bytes of data depending on the value of the format byte (FMT: A1, A0) and the availability of the additional length (LEN) byte. The first byte of the data field is the Service Identifier (SID). All additional data bytes depend on the selected service. The PDUs of each service are defined in ISO 14229-6 UDSONK-Line or ISO 14230-3 Keyword protocol 2000.

9.4 Checksum byte (CS)

The checksum byte (CS) inserted at the end of the message block is defined as the simple 8-bit sum series of all bytes in the message, excluding the checksum.

Definition 1:

If the message is $\langle 1 \rangle \langle 2 \rangle \langle 3 \rangle \dots \langle N \rangle, \langle CS \rangle;$

where $\langle i \rangle$ ($1 \leq i \leq N$) is the numeric value of the i^{th} byte of the message;

then $\langle CS \rangle = \langle CS \rangle_N;$

where $\langle CS \rangle_i$ ($i = 2$ to N);

is defined as $\langle CS \rangle_i = \{ \langle CS \rangle_{i-1} + \langle i \rangle \}$ Modulo 256 and $\langle CS \rangle_1 = \langle 1 \rangle.$

10 Protocol timing requirements

10.1 General timing measurement requirements

A UART provides interrupt capabilities in order to notify the communication driver software to perform necessary operations to ensure reliable communication. The interrupt is generated by the UART at the end of a valid stop bit sampling.

The UART communication driver will generate either of the following:

- DL_Data.con (in case of sending the byte);
- DL_DataFB.ind (in case of receiving the first byte of a message);
- DL_Data.ind (in case of receiving any byte after the first byte of a message).

10.2 Protocol timing parameter definition

10.2.1 Inter-byte and inter-message timing parameters

[Table 16](#) defines the inter-byte and inter-message protocol timing parameters. The inter-byte timing parameters are only active between the bytes of a message (request and response message).

The inter-message timing parameters refer to the time between messages either from the client to the server or the time between several messages from one or more server(s).

Table 16 — DoK-Line protocol timing parameter

Value	Description
P1	Inter-byte time for receiver of a message
P2	Inter-message time between client request and server response or multiple server responses
P3	Inter-message time between end of server responses and start of new client request
P4	Inter-byte time for a sender of a message

10.2.2 Inter-byte timing parameter set

[Table 17](#) defines the normal protocol timing parameters minimum value, default value, maximum value and the resolution which shall be used to set a new value by using the communication service AccessTimingParameter.

Table 17 — Normal inter-byte timing parameter set (for functional and physical addressing)

Timing parameter	Minimum values (ms)			Maximum values (ms)		
	Default	Lower limit (min)	Resolution	Default	Upper limit (max)	Resolution
P1	0	0	—	20	20	—
P2	25	0	0,5	50	Calculation, see Table 19	See Table 19
P3	55	0	0,5	5 000	∞ (FF ₁₆)	250
P4	5	0	0,5	20	20	—

[Table 18](#) defines the extended protocol timing parameters, respectively.

Table 18 — Extended inter-byte timing parameter set (for functional and physical addressing)

Timing parameter	Minimum values (ms)			Maximum values (ms)		
	Default	Lower limit (min)	Default	Lower limit (min)	Default	Lower limit (min)
P1	0	0	—	20	20	—
P2	0	0	0,5	1 000	calculation; see Table 19	see Table 19
P3	0	0	0,5	5 000	(FF ₁₆)	250
P4	5	0	0,5	20	20	—


[Table 19](#) defines the P2_{max} timing parameter calculation.

Table 19 — P2_{max} timing parameter calculation

Timing parameter	Value (hex)	Resolution	Maximum value (ms)	Maximum value calculation method (ms)
P2 _{max}	01 ₁₆ - F0 ₁₆	25	25 to 6 000	(hex value) x (resolution)
	F1 ₁₆	see maximum value calculation method	6 400	(low nibble of hex value) × 256 × 25 Example of FA ₁₆ : (FA ₁₆ × 0100 ₁₆) × 25 = 64 000
	F2 ₁₆		12 800	
	F3 ₁₆		19 200	
	F4 ₁₆		25 600	
	F5 ₁₆		32 000	
	F6 ₁₆		38 400	
	F7 ₁₆		44 800	
	F8 ₁₆		51 200	
	F9 ₁₆		57 600	
	FA ₁₆		64 000	
	FB ₁₆		70 400	
	FC ₁₆		76 800	
	FD ₁₆		83 200	
	FE ₁₆		89 600	
FF ₁₆	—	—	Not applicable	

10.3 Inter-byte message timing

[Figure 13](#) illustrates the service primitive interface of the data link layer and the inter-byte timing parameter of the sender (P4) and the receiver (P1).



Key


- 1 Sender DL_Data.req: data link layer sends byte 1
- 2 Receiver DL_Data.FB.ind: data link layer indicates a first byte reception; the server starts the P4 timer using the value of $P1_{Receiver} = P1_{Receiver_max}$
Sender DL_Data.con: data link layer issues a confirmation on reception of transmitted byte via K-Line read back; the client starts the P4 timer using the value of $P4_{Sender} = P4_{Sender_max}$
- 3 Sender DL_Data.req: data link layer sends byte 2
- 4 Receiver DL_Data.ind: data link layer indicates a byte reception; the server starts the P4 timer using the value of $P1_{Receiver} = P1_{Receiver_max}$
Sender DL_Data.con: data link layer issues a confirmation on reception of transmitted byte via K-Line read back; the client starts the P4 timer using the value of $P4_{Client} = P4_{Client_max}$
- 5 Sender DL_Data.req: data link layer sends byte 3
- 6 Receiver DL_Data.ind: data link layer indicates a byte reception; the server starts the P4 timer using the value of $P1_{Receiver} = P1_{Receiver_max}$
Sender DL_Data.con: data link layer issues a confirmation on reception of transmitted byte via K-Line read back; the client starts the P4 timer using the value of $P4_{Client} = P4_{Client_max}$
- 7 Same routine with consecutive bytes
- 8 Sender DL_Data.req: data link layer sends last byte (i.e. CS)
Receiver DL_Data.ind: data link layer indicates a byte reception; the server starts the P4 timer using the value of $P1_{Receiver} = P1_{Receiver_max}$
Sender DL_Data.con: data link layer issues a confirmation on reception of transmitted byte via K-Line read back

- 9 Receiver: reception of message complete upon P1 timer indicates $P1_{\text{Receiver}} > P1_{\text{Receiver_max}}$

Figure 13 — Data link layer request message timing

10.4 Data link layer timing at T-Data interface

[Figure 14](#) shows the data link layer timing at the T-Data interface.



Key

- 1 Client_T_Data.req, Client_N_Data.req, Client_DL_Data.req: send byte 1 of request message.
- 2 Client_DL_Data.con, Client_N_Data.con: request byte 1 confirmation.
Server_T_Data, Server_N_DataFB.ind, Server_DL_DataFB.ind: request byte 1 (first byte) indication and start of message indication.
- 3 Client_N_Data.req, Client_DL_Data.req: send byte 2 of request message.
- 4 Client_DL_Data.con, Client_N_Data.con: request message byte 2 confirmation.

- Server_DL_Data.ind, Server_N_Data.ind: request message byte 2 indication.
- 5 Client_N_Data.req, Client_DL_Data.req: send byte 3 of request message.
 - 6 Client_DL_Data.con, Client_N_Data.con: request message byte 3 confirmation.
Server_DL_Data.ind, Server_N_Data.ind: request message byte 3 indication.
 - 7 Client_N_Data.req, Client_DL_Data.req: send byte checksum (CS) of request message.
 - 8 Client_T_Data.con, Client_DL_Data.con, Client_N_Data.con: request message checksum (CS) byte confirmation.
Start P2_{Client} timer.
Server_DL_Data.ind, Server_N_Data.ind, Server_T_Data: request message checksum (CS) byte indication.
Start P2_{Server} timer.
 - 9 Sender P4 timeout expired.
 - 10 Server_T_Data.req, Server_N_Data.req, Server_DL_Data.req: send byte 1 of response message.
Stop P2_{Server} timer.
 - 11 Client_T_DataSOM.ind, Client_N_DataFB.ind, Client_DL_DataFB.ind: response message byte 1 indication and start of message indication.
Stop P2_{Client} timer.
 - 12 Server_N_Data.req, Server_DL_Data.req: send byte 2 of response message.
 - 13 Client_DL_DataFB.ind, Client_N_DataFB.ind: response message byte 2 indication.
 - 14 Server_N_Data.req, Server_DL_Data.req: send byte 3 of response message.
 - 15 Client_DL_DataFB.ind, Client_N_DataFB.ind: response message byte 3 indication.
 - 16 Server_N_Data.req, Server_DL_Data.req: send checksum (CS) byte of response message.
 - 17 Client_DL_DataFB.ind, Client_N_DataFB.ind: response message checksum (CS) byte indication.
Start P2_{Client} timer.
 - 18 Receiver P1 timeout expired.
 - 19 P2_{Client} timeout expired.

Figure 14 — Data link layer timing at T-Data interface

11 Communication services

11.1 StartCommunication service

11.1.1 Service definition

11.1.1.1 Service purpose

The purpose of this communication layer service is to establish communication to one or more servers after successful transmission of the WuP (see [8.3.3](#)).

11.1.1.2 Service procedure

Upon reception of a StartCommunication request service from the client, the server shall respond either with a positive or negative response message. Any positive response message shall contain the appropriate key bytes for the header format and timing valid for this server. The first message of a FAST_INIT always uses a header with target and source address and without additional length byte. A server may answer back with or without address information and length byte and tells its supported mode within the key bytes.

The negative response message shall not include the key bytes. For ISO 14229-6 implementations, the negative response codes are defined in ISO 14229-1 and for Keyword Protocol 2000 implementations, the negative response codes are defined in ISO 14230-3.

11.1.2 Implementation

[Table 20](#) defines the StartCommunication request message implementation.

Table 20 — StartCommunication request message implementation

Byte	Parameter name	Cvt	Byte Value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^a	XX ₁₆	TGT
3	Source address byte	C ^a	XX ₁₆	SRC
4	Additional length byte	C ^b	XX ₁₆	LEN
5	StartCommunication Request Service Identification	M	81 ₁₆	STC
6	Checksum	M	XX ₁₆	CS

^a The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^b The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

[Table 21](#) defines the StartCommunication positive response message implementation.

Table 21 — StartCommunication positive response message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^a	XX ₁₆	TGT
3	Source address byte	C ^a	XX ₁₆	SRC
4	Additional length byte	C ^b	XX ₁₆	LEN
5	StartCommunication Positive Response Service Identification	M	C1 ₁₆	STCPR
6	Key byte 1 (see 8.4)	M	XX ₁₆	KB1
	Key byte 2		XX ₁₆	KB2
7	Checksum	M	XX ₁₆	CS

^a The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^b The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

[Table 22](#) defines the StartCommunication negative response message implementation.

Table 22 — StartCommunication negative response message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^b	XX ₁₆	TGT
3	Source address byte	C ^b	XX ₁₆	SRC
4	Additional length byte	C ^c	XX ₁₆	LEN
5	negative Response Service Identification	M	7F ₁₆	STCNR
6	StartCommunication Request Service Identification	M	81 ₁₆	STC
7	ResponseCode ^a = generalReject	M	10 ₁₆	RC
8	Checksum	M	XX ₁₆	CS

^a For ISO 14229-6 implementations, other negative response codes are possible and are defined in ISO 14229-1. For other implementations, the negative response codes apply as defined in ISO 14230-3.

^b The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^c The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

11.2 StopCommunication service

11.2.1 Service definition

11.2.1.1 Service purpose

The purpose of this communication layer service is to terminate a diagnostic communication.

11.2.1.2 Service procedure

Upon receiving a StopCommunication indication primitive, the server (ECU) shall check if the current conditions allow terminating the communication. In this case, the server shall perform all actions necessary to terminate this communication.

If it is possible to terminate the communication, the server (ECU) shall issue a StopCommunication response primitive with the positive response parameters selected before the communication is terminated. If the communication cannot be terminated by any reason, the server shall issue a StopCommunication response primitive with the negative response parameter selected.

11.2.2 Implementation

[Table 23](#) defines the StopCommunication request message implementation.

Table 23 — StopCommunication request message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^a	XX ₁₆	TGT
3	Source address byte	C ^a	XX ₁₆	SRC
4	Additional length byte	C ^b	XX ₁₆	LEN
5	StopCommunication Request Service Identification	M	82 ₁₆	SPC
6	Checksum	M	XX ₁₆	CS

^a The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^b The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

[Table 24](#) defines the StopCommunication positive response message implementation.

Table 24 — StopCommunication positive response message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^a	XX ₁₆	TGT
3	Source address byte	C ^a	XX ₁₆	SRC
4	Additional length byte	C ^b	XX ₁₆	LEN
5	StopCommunication Positive Response Service Identification	S	C2 ₁₆	SPCPR
6	Checksum	M	XX ₁₆	CS

^a The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^b The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

[Table 25](#) defines the StopCommunication negative response message implementation.

Table 25 — StopCommunication negative response message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^b	XX ₁₆	TGT
3	Source address byte	C ^b	XX ₁₆	SRC
4	Additional length byte	C ^c	XX ₁₆	LEN
5	negative Response Service Id	M	7F ₁₆	SPCNR
6	StopCommunication Request Service Identification	M	82 ₁₆	SPC
7	ResponseCode ^a = generalReject	M	10 ₁₆	RC
8	Checksum	M	XX ₁₆	CS

^a For ISO 14229-6 implementations, other negative response codes are possible and are defined in ISO 14229-1. For other implementations, the negative response codes apply as defined in ISO 14230-3.

^b The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^c The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

11.3 AccessTimingParameter service

11.3.1 Service definition

11.3.1.1 Service purpose

The purpose of this communication layer service is to read and to change the default timing parameters of a communication link for the duration this communication link is active.

NOTE The use of this service is complex and depends on the server's (ECU's) capability and the physical topology in the vehicle. The user of this service is responsible for proper communication on the K-line with other servers (ECUs).

11.3.1.2 Service procedure

This procedure has four different modes:

- readLimitsOfPossibleTimingParameters;
- setTimingParametersToDefaultValues;
- readCurrentlyActiveTimingParameters;
- setTimingParametersToGivenValues.

Upon receiving an AccessTimingParameter indication primitive with TPI = 00 (see [11.3.2](#)), the server (ECU) shall read the timing parameter limits, that is the values that the server (ECU) is capable of supporting. If the read access to the timing parameters is successful, the server (ECU) shall send an AccessTimingParameter response primitive with the positive response parameters. If the read access to the timing parameters is not successful, the server (ECU) shall send an AccessTimingParameter response primitive with the negative response parameters.

Upon receiving an AccessTimingParameter indication primitive with TPI = 01, the server shall change all timing parameters to the default values and send an AccessTimingParameter response primitive with the positive response parameters before the default timing parameters become active. If the timing parameters cannot be changed to default values for any reason, the server (ECU) shall maintain the communication link and send an AccessTimingParameter response primitive with the negative response parameters.

Upon receiving an AccessTimingParameter indication primitive with TPI = 10, the server (ECU) shall read the currently used timing parameters. If the read access to the timing parameters is successful, the server (ECU) shall send an AccessTimingParameter response primitive with the positive response parameters.

If the read access to the currently used timing parameters is impossible for any reason, the server (ECU) shall send an AccessTimingParameter response primitive with the negative response parameters.

Upon receiving an AccessTimingParameter indication primitive with TPI = 11, the server (ECU) shall check if the timing parameters can be changed under the present conditions. If the conditions are valid, the server (ECU) shall perform all actions necessary to change the timing parameters and send an AccessTimingParameter response primitive with the positive response parameters before the new timing parameter limits become active.

If the timing parameters cannot be changed by any reason, the server (ECU) shall maintain the communication link and send an AccessTimingParameter response primitive with the negative response parameters.

11.3.2 Implementation

Selection of mode (read/write/current/limits) is affected by the TimingParameterIdentifier (TPI).

[Table 26](#) defines the TimingParameterIdentifier values implementation.

Table 26 — TimingParameterIdentifier values implementation

Byte value	Description	Mnemonic
00 ₁₆	readLimitsOfPossibleTimingParameter	RLOPTP
01 ₁₆	setTimingParametersToDefaultValues	STPTDV
02 ₁₆	readCurrentlyActiveTimingParameters	RCATP
03 ₁₆	setTimingParametersToGivenValues	STPTGV
04 ₁₆ - FF ₁₆	reservedByDocument	RBD

[Table 27](#) defines the AccessTimingParameter request message implementation.

Table 27 — AccessTimingParameter request message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^a	XX ₁₆	TGT
3	Source address byte	C ^a	XX ₁₆	SRC
4	Additional length byte	C ^b	XX ₁₆	LEN
5	AccessTimingParameter Request Service Identification	M	83 ₁₆	ATP

^a The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^b The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

^c The presence of timing parameter bytes depends on the value of the TimingParameterIdentifier byte: TPI = setTimingParametersToGivenValues.

Table 27 (continued)

Byte	Parameter name	Cvt	Byte value	Mnemonic
6	TimingParameterIdentifier = [readLimitsOfPossibleTimingParameter, setTimingParametersToDefaultValues, readCurrentlyActiveTimingParameters, setTimingParametersToGivenValues]	M	XX ₁₆ = [00 ₁₆ , 01 ₁₆ , 02 ₁₆ , 03 ₁₆]	TPI_ RLOPTP STPTDV RCATP STPTGV
7	P2 _{Server_min}	C ^c	XX ₁₆	P2SERVERMIN
8	P2 _{Server_max}	C ^c	:	P2SERVERMAX
9	P3 _{Client_min}	C ^c	:	P3CLIENTMIN
10	P3 _{Client_max}	C ^c	:	P3CLIENTMAX
11	P4 _{Sender_min}	C ^c	XX ₁₆	P4SENDERMIN
12	Checksum	M	XX ₁₆	CS

^a The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^b The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

^c The presence of timing parameter bytes depends on the value of the TimingParameterIdentifier byte: TPI = setTimingParametersToGivenValues.

Table 28 defines the AccessTimingParameter positive response message implementation.

Table 28 — AccessTimingParameter positive response message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^a	XX ₁₆	TGT
3	Source address byte	C ^a	XX ₁₆	SRC
4	Additional length byte	C ^b	XX ₁₆	LEN
5	AccessTimingParameter Positive Response Service Identification	M	C3 ₁₆	ATPPR
6	TimingParameterIdentifier = [readLimitsOfPossibleTimingParameter, setTimingParametersToDefaultValues, readCurrentlyActiveTimingParameters, setTimingParametersToGivenValues]	M	XX ₁₆ = [00 ₁₆ , 01 ₁₆ , 02 ₁₆ , 03 ₁₆]	TPI_ RLOPTP STPTDV RCATP STPTGV
7	P2 _{Server_min}	C ^c	XX ₁₆ :	P2SERVERMIN
8	P2 _{Server_max}	C ^c	:	P2SERVERMAX
9	P3 _{Client_min}	C ^c	:	P3CLIENTMIN
10	P3 _{Client_max}	C ^c	:	P3CLIENTMAX
11	P4 _{Sender_min}	C ^c	XX ₁₆	P4SENDERMIN
12	Checksum	M	XX ₁₆	CS

^a The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^b The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

^c The presence of timing parameter bytes depends on the value of the TimingParameterIdentifier byte: TPI = readLimitsOfPossibleTimingParameter, readCurrentlyActiveTimingParameters.

Table 29 defines the AccessTimingParameter negative response message implementation.

Table 29 — AccessTimingParameter negative response message implementation

Byte	Parameter name	Cvt	Byte value	Mnemonic
1	Format byte	M	XX ₁₆	FMT
2	Target address byte	C ^b	XX ₁₆	TGT
3	Source address byte	C ^b	XX ₁₆	SRC
4	Additional length byte	C ^c	XX ₁₆	LEN
5	Negative Response Service Id	M	7F ₁₆	ATPNR
6	AccessTimingParameter Request Service Identification	M	83 ₁₆	ATP
7	ResponseCode ^a = generalReject	M	10 ₁₆	RC
8	Checksum	M	XX ₁₆	CS

^a For ISO 14229-6 implementations, other negative response codes are possible and are defined in ISO 14229-1. For other implementations, the negative response codes apply as defined in ISO 14230-3.

^b The presence of the target and source address byte depends on the content of the format byte: '10xx xxxx_b' or '11xx xxxx_b'.

^c The presence of the additional length byte depends on the content of the format byte: 'xx00 0000_b'.

11.4 SendData service

11.4.1 Service definition

11.4.1.1 Service purpose

The purpose of this communication layer service is to transmit the data from the service request over an ISO 14230 communication link.

11.4.1.2 Service table

[Table 30](#) defines the SendData service.

Table 30 — SendData service

Description	Mnemonic
SendData Request	M
Service Data	M
SendData Positive Response	S
SendData Negative Response	S
Response Code	M

11.4.1.3 Service procedure

Upon a SendData request from the application layer, the respective data link layer entity of the message transmitter will perform all actions necessary to transmit the parameters of the request by an ISO 14230 message. This includes the determination of the message header (incl. the format byte), the concatenation of the message data, the checksum calculation, idle recognition, the transmission of message bytes and the timing surveillance (arbitration).

Upon receiving a message over an ISO 14230 communication link, the respective data link layer entity of the message receiver will perform all actions necessary to provide the received information to the respective application layer. This includes the recognition of a message start, the timing surveillance, the reception of message bytes, a checksum check, segmenting of the message data based on the format information and delivery of the message data to the application layer with a SendData indication primitive.

If the service was successfully completed (i.e. the message was transmitted), a SendData response primitive with the positive response parameter selected is delivered from the data link layer entity of the transmitting device to the respective application layer entity.

If the service cannot be performed by the data link layer entity of the transmission device, a SendData response primitive with the negative response parameters selected is delivered to the respective application layer entity.

12 Data collisions

During normal communication on K-Line, a server determines if the line is idle (level high) prior to sending a message. If the P2 timing requirements are met and the server verified idle state, it begins to transmit the first byte of its response message. Between the validation of the idle state and the point of time when the first byte is transmitted, there may be a dead time where the server cannot watch the K-Line state.

A data collision can occur, if two servers verify the idle state at the same time and then transmit their first byte. These first two bytes may be synchronously transmitted or with a shift in means of bits or the entire byte length (depending on the dead time described above). Unless transmitted exactly at the same point of time and with the same byte value, both servers shall be able to detect an error related to the regressive bits of their transmitted byte, when reading this one back. If both servers transmit a message with equal contents synchronously, the SA byte will result in a conflict which shall be detected by at least one server.

Upon detection of an error, the server(s) shall employ an arbitration methodology and repeat its response/their responses. Alternatively, the server/servers may not retransmit the response/responses.

For node-to-node connections, collision detection may be omitted.

In all cases where the client detects an error in the vehicle response for K-line protocols, the client shall retransmit the original request.

13 Error handling

13.1 Error handling during physical/functional 5-BAUD initialization

13.1.1 Client (external test equipment) error handling during physical/functional 5-BAUD-INIT

[Table 31](#) defines the client (external test equipment) error handling during physical/functional 5-BAUD_INIT.

Table 31 — Client (external test equipment) error handling during physical/functional 5-BAUD_INIT

Client (external test equipment) detects an ...	Action
error in synchronization byte	Start a new initialization attempt after an appropriate wait time as specified in Table 2 .
error in key bytes	Start a new initialization attempt after an appropriate wait time as specified in Table 2 .
error in inverted address byte	Start a new initialization attempt after an appropriate wait time as specified in Table 2 .

Table 31 (continued)

Client (external test equipment) detects an ...	Action
error in W1	No observation necessary. The server (ECU) is responsible to keep to the time W1 (see Table 2).
error in W2	No observation necessary. The server (ECU) is responsible to keep to the time W2 (see Table 2).
error in W3	No observation necessary. The server (ECU) is responsible to keep to the time W3 (see Table 2).

13.1.2 Server (ECU) error handling during physical/functional 5-BAUD_INIT

[Table 32](#) defines the server (ECU) error handling during physical/functional 5-BAUD_INIT.

Table 32 — Server (ECU) error handling during physical/functional 5-BAUD_INIT

Server (ECU) detects an ...	Action
error in address byte	Prepare for a new initialization attempt.
error in inverted key byte	Reset into 5-baud transmission/receive state to prepare for a new initialization attempt.
error in W0	No observation necessary. The client (external test equipment) is responsible to keep to the time W0 (see Table 2).
error in W4	No observation necessary. The client (external test equipment) is responsible to keep to the time W4 (see Table 2).
error in W5	No observation necessary. The client (external test equipment) is responsible to keep to the time W5 (see Table 2).

13.2 Error handling during physical/functional FAST_INIT

13.2.1 Client (external test equipment) error handling during physical/functional FAST_INIT

[Table 33](#) defines the client (external test equipment) error handling during physical/functional FAST_INIT.

Table 33 — Client (external test equipment) error handling during physical/functional FAST_INIT

Client (external test equipment) detects an ...	Action
error in T_{idle} (W5 or P3min)	The client (external test equipment) is responsible to keep to the idle time. The server (ECU) is responsible to keep to the time $P1_{Receiver_min}$. In case of an error, the client (external test equipment) shall wait for T_{idle} again.
error in $P1_{Receiver_min}$	No observation necessary. $P1_{Receiver_min}$ is always 0 ms.
error in $P1_{Receiver_max}$ ($P1_{Sender_max}$ timeout)	The client (external test equipment) shall ignore the response and shall open a new timing window $P2_{Client_max}$ to receive a directly repeated response from the same server (ECU) or a response from another server (ECU). If the server (ECU) does not repeat the response, the client (external test equipment) shall wait for $P3_{Client_max}$ timeout and afterwards the client (external test equipment) may start a new initialization beginning with a wake up pattern ($T_{idle} = 0$ ms).

Table 33 (continued)

Client (external test equipment) detects an ...	Action
error in P2 _{Client_min}	No observation necessary. P2 _{Client_min} is always 0 ms during initialization.
error in P2 _{Client_max} [no valid response from any server (ECU)]	If the client (external test equipment) does not receive any response, the client (external test equipment) shall wait for P3 _{Client_max} timeout and afterwards may start a new initialization beginning with a wake up pattern (T _{idle} = 0 ms).
error in StartCommunication positive response (byte collision) (response contents) (response checksum)	The client (external test equipment) shall ignore the response and shall open a new timing window P2 _{Client_max} to receive a directly repeated response from the same server (ECU) or a response from another server (ECU). If the server (ECU) does not repeat the response, the client (external test equipment) shall wait for P3 _{Client_max} timeout and afterwards the client (external test equipment) may start a new initialization beginning with a wake up pattern (T _{idle} = 0 ms).

13.2.2 Server (ECU) error handling during physical FAST_INIT

[Table 34](#) defines the server (ECU) error handling during physical initialization.

Table 34 — Server (ECU) error handling during physical initialization

Server (ECU) detects an ...	Action
error in T _{idle} (W5 or P3 _{min})	No observation necessary. The client (external test equipment) is responsible to keep to the idle time T _{idle} .
error in wake-up-pattern	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.
error in P4 _{Sender_min}	No observation necessary. The client (external test equipment) is responsible to keep to the time P4 _{Sender_min} .
error in P4 _{Sender_max} (P4 _{Sender_max} timeout)	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.
error in StartCommunication request (checksum, contents)	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.
not allowed client (external test equipment) source address or server (ECU) target address	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.

13.2.3 Server (ECU) error handling during functional FAST_INIT (normal timing only)

[Table 35](#) defines the server (ECU) error handling during functional initialization.

Table 35 — Server (ECU) error handling during functional initialization

Server (ECU) detects an ...	Action
error in T _{idle} (W5 or P3 _{Client_min})	No observation necessary. The client (external test equipment) is responsible to keep to the idle time T _{idle} .
error in wake-up-pattern	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.
error in P4 _{Sender_min}	No observation necessary. The client (external test equipment) is responsible to keep to the time P4 _{Sender_min} .

Table 35 (continued)

Server (ECU) detects an ...	Action
error in P4 _{Sender_max} (P4 _{Sender_max} time-out)	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.
error in StartCommunication request (checksum), (contents)	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.
error in StartCommunicationPositive response, (byte collision)	The server (ECU) shall repeat the response within a new timing window P2 _{Server_max} considering arbitration.
not allowed client (external test equipment) target address or server (ECU) source address	The server (ECU) shall not respond and shall be able to detect immediately a new wake-up pattern sequence.

13.3 Error handling after physical/functional initialization

13.3.1 Client (external test equipment) communication error handling (after physical/functional initialization)

Table 36 defines the client (external test equipment) communication error handling after physical/functional initialization.

Table 36 — Client (external test equipment) communication error handling after physical/functional initialization

Client (external test equipment) detects an ...	Action
error in P1 _{Receiver_min}	No observation necessary. P1 _{Receiver_min} is always 0 ms.
error in P1 _{Receiver_max} (P1 _{Receiver_max} timeout)	The client (external test equipment) shall ignore the response and shall open a new timing window P2 _{Client_max} to receive a directly repeated response from the same server (ECU) or a response from another server (ECU). If the server (ECU) does not repeat the response, the client (external test equipment) may repeat the same request in a new timing window P3 _{Client_max} .
error in P2 _{Receiver_min}	No observation necessary. The server (ECU) is responsible to keep to the time P2 _{Server_min} .
error in P2 _{Receiver_max} (no valid response from any server (ECU) or missing responses)	The client (external test equipment) shall repeat the last request twice, each within in a new timing window P3 _{Client_max} (i.e. three transmission total). Any following appropriate action is client (external test equipment) dependent if the client (external test equipment) does not receive a response.
error in server (ECU) response (checksum), (contents)	The client (external test equipment) shall repeat the last request twice, each within in a new timing window P3 _{Client_max} (i.e. three transmission total). Any following appropriate action is client (external test equipment) dependent if the client (external test equipment) does not receive a response.

13.3.2 Server (ECU) communication error handling after physical initialization

Table 37 defines the server (ECU) communication error handling after physical initialization.

Table 37 — Server (ECU) communication error handling after physical initialization

Server (ECU) detects an	Action
error in P3 _{Client_min}	No observation necessary. The client (external test equipment) is responsible to keep to the time P3 _{Client_min} .
error in P3 _{Client_max} (P3 _{Client_max} time-out)	The server (ECU) shall reset communication and shall be able to detect immediately a new wake-up-pattern sequence.
error in P4 _{Sender_min}	No observation necessary The client (external test equipment) is responsible to keep to the time P4min.
error in P4 _{Sender_max} (P4 _{Sender_max} time-out)	The server (ECU) shall ignore the request and shall open a new timing window P3 _{Client_max} to receive a new request from the client (external test equipment).
error in client (external test equipment) request (header or checksum)	The server (ECU) shall ignore the request and shall open a new timing window P3 _{Client_max} to receive a new request from the client (external test equipment).
not allowed source or target address	The server (ECU) shall ignore the request and shall open a new timing window P3 _{Client_max} to receive a new request from the client (external test equipment).

13.3.3 Server (ECU) error handling after functional initialization

[Table 38](#) defines the server (ECU) error handling after functional initialization.

Table 38 — Server (ECU) error handling after functional initialization

Server (ECU) detects an ...	Action
error in P3 _{Client_min}	No observation necessary. The client (external test equipment) is responsible to keep to the time P3 _{Client_min} .
error in P3 _{Client_max} (P3 _{Client_max} time-out)	The server (ECU) shall reset communication and shall be able to detect immediately a new wake-up-pattern sequence.
error in P4 _{Sender_min}	No observation necessary. The client (external test equipment) is responsible to keep to the time P4min.
error in P4 _{Sender_max} (P4 _{Sender_max} timeout)	The server (ECU) shall ignore the request and shall open a new timing window P3 _{Client_max} to receive a new request from the client (external test equipment).
error in client (external test equipment) request (header or checksum)	The server (ECU) shall ignore the request and shall open a new timing window P3 _{Client_max} to receive a new request from the client (external test equipment).
not allowed source or target address	The server (ECU) shall ignore the request and shall open a new timing window P3 _{Client_max} to receive a new request from the client (external test equipment).
error in its own response (byte collision)	If the server (ECU) detects a byte collision within its own response, it shall repeat the response within a new timing window P2 considering the arbitration.

Annex A (normative)

Server and client addresses for 5-BAUD_INIT

A.1 Physical addresses

Requirements for a 5-baud physical address are as follows.

- Physical addresses shall be according to ISO 9141.
- Address byte consists of 1 start bit, 7 bit address, 1 parity bit (odd parity), at least 1 stop bit.
- Addresses are controlled by car manufacturers.

A.2 Functional addresses

Requirements for a 5-baud functional address are as follows.

- For ISO 9141-2, in case of FMT 68_{16} , the functional address TA is $6A_{16}$.
- For ISO 14230-4, emission-related communication, the functional address TA is 33_{16} .
- The remaining addresses with values $<80_{16}$ are reserved for future standardization.
- Addresses with values $\geq 80_{16}$ are vehicle manufacturer specific.
- Functional addresses shall be according to ISO 9141 or ISO 14230-4.

Annex B (informative)

Recommended server and client addresses

[Table B.1](#) defines the recommended server and client addresses.

Table B.1 — Recommended server and client addresses

Controller type	Description	Address value
Powertrain	Integration/manufacture expansion	00 ₁₆ to 0F ₁₆
	Engine controllers	10 ₁₆ to 17 ₁₆
	Transmission controllers	18 ₁₆ to 1F ₁₆
Chassis	Integration/manufacture expansion	20 ₁₆ to 27 ₁₆
	Brake controllers	28 ₁₆ to 2F ₁₆
	Steering controllers	30 ₁₆ to 37 ₁₆
	Suspension controllers	38 ₁₆ to 3F ₁₆
Body	Integration/manufacture expansion	40 ₁₆ to 57 ₁₆
	Restraints	58 ₁₆ to 5F ₁₆
	Driver information/Displays	60 ₁₆ to 6F ₁₆
	Lightning	70 ₁₆ to 7F ₁₆
	Entertainment/Audio	80 ₁₆ to 8F ₁₆
	Personal communication	90 ₁₆ to 97 ₁₆
	Climate control (HVAC)	98 ₁₆ to 9F ₁₆
	Convenience (doors, seats, windows, etc.)	A0 ₁₆ to BF ₁₆
	Security	C0 ₁₆ to C7 ₁₆
Future expansion	Manufacturer specific	D0 ₁₆ to EF ₁₆
	Test equipment/diagnostic tools	F0 ₁₆ to FD ₁₆
	All nodes	FE ₁₆
	Null nodes	FF ₁₆

Annex C (informative)

Protocol comparison of initialization sequence

[Table C.1](#) shows two regular 5-BAUD_INIT initializations for ISO 9141-2 and ISO 14230-4 and a following communication flow of request and response messages with one exemplary pair of key bytes for each protocol.

[Table C.1](#) shows a comparison of the initialization sequences for ISO 9141-2 and ISO 14230-4 5-BAUD_INIT.

Table C.1 — Comparison of initialization sequences for ISO 9141-2 and ISO 14230-4 5-BAUD_INIT

Message bytes ISO 9141-2	Description	Message bytes ISO 14230-4
Address byte 33 ₁₆ at 5 baud	Address byte is the same for both protocols	Address byte 33 ₁₆ at 5 baud
55 ₁₆	synchronization byte	55 ₁₆
08 ₁₆	key byte #1	E9 ₁₆
08 ₁₆	key byte #2	8F ₁₆
F7 ₁₆	inverted key byte #2	70 ₁₆
CC ₁₆	inverted 5 baud address	CC ₁₆
68 ₁₆	header bytes request message	C2 ₁₆
6A ₁₆		33 ₁₆
F1 ₁₆		F1 ₁₆
01 ₁₆	service identifier request message 01 ₁₆	01 ₁₆
00 ₁₆	PID 00 ₁₆ (supported PIDs)	00 ₁₆
C4 ₁₆	checksum	E7 ₁₆
48 ₁₆	header bytes response message	86 ₁₆
6B ₁₆		F1 ₁₆
10 ₁₆		10 ₁₆
41 ₁₆	service identifier response message 41 ₁₆	41 ₁₆
00 ₁₆	PID 00 ₁₆ (supported PIDs)	00 ₁₆
BE ₁₆	response message data bytes	BE ₁₆
1F ₁₆		1F ₁₆
E8 ₁₆		E8 ₁₆
11 ₁₆		DA ₁₆
DA ₁₆	checksum	9E ₁₆
68 ₁₆	next request message	C2 ₁₆
..
..

Bibliography

- [1] ISO/IEC 7498-1, *Information technology — Open Systems Interconnection — Basic Reference Model: The Basic Model — Part 1*
- [2] ISO 9141-2:1989, *Road vehicles — Diagnostic systems — Part 2: CARB requirements for interchange of digital information*
- [3] ISO/IEC 10731, *Information technology — Open Systems Interconnection — Basic Reference Model — Conventions for the definition of OSI services*
- [4] ISO 11898-1, *Road vehicles — Controller area network (CAN) — Part 1: Data link layer and physical signalling*
- [5] ISO 11898-2, *Road vehicles — Controller area network (CAN) — Part 2: High-speed medium access unit*
- [6] ISO 13400 (all parts), *Road vehicles — Diagnostic communication over Internet Protocol (DoIP)*
- [7] ISO 14229-2, *Road vehicles — Unified diagnostic services (UDS) — Part 2: Session layer services*
- [8] ISO 14229-6, *Road vehicles — Unified diagnostic services (UDS) — Part 6: Unified diagnostic services on K-Line implementation (UDSonK-Line)*
- [9] ISO 14230-1, *Road vehicles — Diagnostic communication over K-Line (DoK-Line) — Part 1: Physical layer*
- [10] ISO 14230-4, *Road vehicles — Diagnostic systems — Keyword Protocol 2000 — Part 4: Requirements for emission-related systems*
- [11] ISO 15031-4, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 4: External test equipment*
- [12] ISO 15031-2, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 2: Guidance on terms, definitions, abbreviations and acronyms*
- [13] ISO 15031-5, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 5: Emissions-related diagnostic services*
- [14] ISO 15031-6, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 6: Diagnostic trouble code definitions*
- [15] ISO 15765-2, *Road vehicles — Diagnostic communication over Controller Area Network (DoCAN) — Part 2: Transport protocol and network layer services*
- [16] ISO 15765-4, *Road vehicles — Diagnostic communication over Controller Area Network (DoCAN) — Part 4: Requirements for emissions-related systems*
- [17] ISO 27145-2, *Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements — Part 2: Common data dictionary*
- [18] ISO 27145-3, *Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements — Part 3: Common message dictionary*
- [19] ISO 27145-4, *Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements — Part 4: Connection between vehicle and test equipment*
- [20] SAE J1930-DA, *Electrical/Electronic Systems Diagnostic Terms, Definitions, Abbreviations, and Acronyms Web Tool Spreadsheet*

- [21] SAE 1939DA, J1939 Digital Annex Spreadsheet
- [22] SAE J1939-73:2010, *Application layer — Diagnostics*
- [23] SAE J1979-DA, Digital Annex of E/E Diagnostic Test Modes
- [24] SAE J2012-DA, Digital Annex of Diagnostic Trouble Code Definitions and Failure Type Byte Definitions
- [25] SAE TECHNICAL PAPER. 950041

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK