

BS ISO 17743:2016



BSI Standards Publication

Energy savings — Definition of a methodological framework applicable to calculation and reporting on energy savings

National foreword

This British Standard is the UK implementation of ISO 17743:2016.

The UK participation in its preparation was entrusted to Technical Committee SEM/1/2, Energy Efficiency Saving Calculations and Benchmarking.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016. Published by BSI Standards Limited 2016

ISBN 978 0 580 81822 6

ICS 27.010

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2016.

Amendments issued since publication

Date	Text affected
------	---------------

**Energy savings — Definition of a
methodological framework applicable
to calculation and reporting on
energy savings**

*Économies d'énergie — Définition d'un cadre méthodologique pour le
calcul et la déclaration des économies d'énergies*



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Energy savings and methods for determination	3
4.1 General.....	3
4.2 Principles.....	4
4.3 Energy savings.....	4
4.4 System boundary(s).....	5
4.5 Energy baseline determination.....	5
4.6 Unadjusted energy savings and adjusted energy savings.....	7
4.6.1 General.....	7
4.6.2 Use of adjustment(s).....	9
4.6.3 Types of adjustments.....	10
5 Reporting energy savings	11
5.1 General information on reporting energy savings.....	11
5.2 Communication of energy saving results.....	12
Annex A (informative) Energy savings for different levels of analyses	13
Annex B (informative) Example of adjustment used in different energy saving calculation methods	15
Bibliography	16

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 257, *Evaluation of energy savings*.

Introduction

This International Standard aims to provide standards used to determine the energy savings covering regions, cities, organizations and projects.

This International Standard provides a framework with definitions, types of information used to evaluate the energy savings in order to enable consistency for the standards developed by ISO/TC 257.

[Figure 1](#) illustrates the relationship between the different working groups of ISO/TC 257, as well as ISO 50015, developed by ISO/TC 242 which is about energy management.




Figure 1 — Work programme of ISO TC 257

This International Standard may be used by any stakeholder (policy maker, decision maker, company, organization, NGOs, etc.) that aims to determine energy savings.

Energy savings — Definition of a methodological framework applicable to calculation and reporting on energy savings

1 Scope

This International Standard establishes a methodological framework that applies to the calculation and reporting of energy savings from existing (implemented) and prospective measures and actions which intend to save energy. This framework standard will be applicable to other standards in the field of energy saving determination.

This International Standard addresses the following in the context of energy savings:

- terminology;
- definition of the system boundaries;
- principles for the determination of a baseline;
- principles for statistical indicator-based methods;
- data used;
- principles for reporting.

The development of the methodology for measurement and verification of the energy savings is not in the scope of this International Standard.

The methodology of construction of the scenarios for future energy saving measures and actions is not in the scope of this International Standard.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

baseline period

specific period of time before the implementation of *energy performance improvement action* (3.7) selected for the comparison with the *reporting period* (3.11) and the calculation of *energy savings* (3.9)

[SOURCE: ISO/IEC 13273-1:2015, 3.3.8.1, modified — “energy performance” replaced by “energy savings” and deleted “and of energy performance improvement action”]

3.2

energy

capacity of a system to produce external activity or to perform work

Note 1 to entry: Commonly, the term energy is used for electricity, fuel, steam, heat, compressed air and other like media.

Note 2 to entry: Energy is commonly expressed as a scalar quantity.

Note 3 to entry: Work, as used in this definition, means external supplied or extracted energy to a system. In mechanical systems, forces in or against direction of movement; in thermal systems, heat supply or heat removal.

Note 4 to entry: In the International Systems of Units, the reference unit for energy is Joule (J).

[SOURCE: ISO 13273-1:2015, 3.1.1, modified — added Note 4 to entry]

3.3 energy baseline

quantitative reference(s) providing a basis for comparison of *energy performance* (3.6)

Note 1 to entry: An energy baseline usually reflects a specified period of time.

Note 2 to entry: An energy baseline can be adjusted using variables which affect energy use and/or consumption, e.g. production level, degree days (outdoor temperature), occupancy period, etc.

Note 3 to entry: The energy baseline is also used for calculation of energy savings, as a reference before and after implementation of energy performance improvement actions.

[SOURCE: ISO 50001:2011, 3.6]

3.4 energy consumption

quantity of *energy* (3.2) applied

Note 1 to entry: Energy consumption can be determined with and without or before and after any energy performance improvement action.

[SOURCE: ISO 50001:2011, 3.7, modified — added Note 1 to entry]

3.5 energy end-user

individual or a group of individuals or organization with responsibility for operating an energy using system

Note 1 to entry: The energy end-user may differ from the customer who might purchase the energy but does not necessarily use it.

[SOURCE: ISO 13273-1:2015, 3.1.10, modified — added Note 1 to entry]

3.6 energy performance

measurable results related to energy efficiency, energy use, and *energy consumption* (3.4)

[SOURCE: ISO 13273-1:2015, 3.3.1]

3.7 energy performance improvement action EPIA

action or measure (or group of actions or measures) implemented or planned within an organization intended to achieve energy performance improvement through technological, management, behavioural, economic or other changes

Note 1 to entry: EPIAs are also applicable at project level or country, regions and city level.

Note 2 to entry: In the context of energy savings calculation, EPIAs are generally concerned with energy efficiency.

Note 3 to entry: In some International Standards, “elementary unit of action” is used instead of EPIA.

[SOURCE: ISO 13273-1:2015, 3.3.7, modified — added Note 1 to entry, Note 2 to entry and Note 3 to entry]

3.8 energy savings

reduction of *energy consumption* (3.4) compared to an energy baseline

Note 1 to entry: Energy savings can be actual (realized) or expected (predicted).

Note 2 to entry: Energy savings may be the result of implementation of an EPIA (energy performance improvement action) or autonomous progress.

3.9 energy using system

physical items with defined system boundaries, using *energy* (3.2)

EXAMPLE Facility, building, part of a building, machine, equipment, product, etc.

[SOURCE: ISO 13273-1:2015, 3.1.9]

3.10 adjusted energy savings

energy savings with use of adjustment(s)

Note 1 to entry: The difference in energy consumption with and without or before and after the energy performance improvement action(s) with the use of adjustment(s).

3.11 reporting period

defined period of time selected for determination and reporting of energy savings

[SOURCE: ISO 50006:2014, 3.15, modified, “calculation” replaced by “determination” and “energy performance” replaced by “energy savings”]

3.12 routine adjustment

determinable adjustment made to energy consumption to account for changes in relevant variables according to a predetermined method

Note 1 to entry: In some International Standards, the term “normalization” is used in preference to “routine adjustment”, in order to enable different methods of adjustment (commonly based on reference conditions, baseline period conditions or reporting period conditions) to be distinguished.

[SOURCE: ISO 50015:2014, 3.20, modified — “determinable” and Note 1 to entry added and “energy baseline” replaced by “energy consumption”]

3.13 unadjusted energy savings

energy savings (3.8) without any adjustment

4 Energy savings and methods for determination

4.1 General

The choice for the method for calculating and reporting energy savings should be suitable for the intended use of the results. There are three main methods:

- statistical indicator-based method[2][8];
- measure-based method, including EPIA based methods[1][3][8];
- total consumption-based method[3].

The statistical indicator-based method starts from indicators that relate energy consumption to a relevant variable (driver). The change in this efficiency indicator is used to calculate savings, by multiplying it with the value of the relevant variable (driver).

The measure-based method, including EPIA-based methods, aggregates energy savings calculated for each EPIA or other measure implemented.

Total consumption-based method starts from the change in measured energy consumption between the baseline period and the reporting period.

4.2 Principles

This framework standard introduces the key concepts for calculating energy savings. Energy savings will be determined as a difference in energy consumption with and without or before and after the energy performance improvement action(s).

Energy savings are dependent on the system boundary being considered.

If an energy performance improvement action results in an increase in the energy consumption, then the energy savings are negative.

This Clause describes the different characteristics of methods as to the following:

- energy savings (4.3);
- system boundary(s) (4.4);
- energy baseline and adjustment of energy savings (4.5 to 4.6).

4.3 Energy savings

Energy savings may result from the following:

- facilitating measures intended to encourage an end-user action;
- EPIAs independently taken by energy end-users;
- autonomous progress, other market changes or policies that arise without end-user actions intended to save energy (these are described in more detail in 4.6.3.3).

Facilitating measures, such as regulation, subsidy schemes or voluntary agreements, may encourage energy end-users to implement energy performance improvement actions. Facilitating measures do not by themselves result directly in energy savings.

EXAMPLES Minimum energy efficiency performance standards for refrigerators, power transformers and appliance in general, tax reduction for efficient car, subsidized loans for higher efficiency industrial electric motors and voluntary agreements with manufacturers to reduce standby energy consumption of televisions.

Energy end-users may take actions that lead to energy savings. These actions are known as energy performance improvement actions (EPIAs). The EPIAs may be physical, organizational, or behavioural.

EXAMPLES A physical action may be to replace old refrigerators or power transformers by more efficient ones; an organizational action may be to identify oversized and underloaded electric motors and redistribute the load; a behavioural action may be to apply eco-driving principles.

Statistical indicator-based methods relate energy consumption at an aggregated level (sector, targeted energy use, such as all refrigerators or all electric motors in a country) to one relevant variable (driver) that is (statistically) defining the change in energy consumption. The change in the indicator value is used to calculate the savings. Part of these savings is considered as the result of EPIAs that focus on the energy use covered by the indicator.

EXAMPLE Average floor area of dwellings, energy consumption per m² in buildings, average fuel consumption per car.

End-user actions can be the result of facilitating measures but can also be caused by other factors like high energy prices, autonomous progress, market forces or non-energy government policy. The indicator values incorporate the effect of all relevant facilitating measures. However, the indicators can only show their combined effect.

In cases of facilitating measures, the energy savings will be derived from the effect of the end-user actions stimulated (e.g. for energy audits, the end-user actions to implement the energy saving measures mentioned in the audit report). These energy savings can be directly calculated and may or may not be linked to one or more facilitating measures.

For organizations or projects, the change in statistical indicators can be used to calculate energy savings, as well as direct measurements in the considered system.

4.4 System boundary(s)

The system boundary(s) should be established for the entity to which the energy savings apply, such as country, region, city, multi-site company, a project, an organization, a system or a specific appliance.

EXAMPLE System boundary could be limited to all buildings operated by an organization or to a single building.

Allocation rules should be established to avoid double counting of energy savings between different EPIAs that apply within the same boundary. These allocation rules should, when possible, be aligned with the logical order of energy using systems and processes. These allocation rules should be recorded.

EXAMPLE In a building (physical boundary), two actions are implemented, insulation of the building envelope and change of the central heating boiler. Double counting occurs when their interaction is not taken into account. The building's manager will determine the energy savings by firstly considering the energy savings due to improvement of the building envelope and then the savings due to the higher efficiency boiler for the reduced heating load.

4.5 Energy baseline determination

The energy baseline represents the reference situation appropriate to the energy savings determination and should be documented. The choice of this baseline and the baseline period affects the resulting energy savings^{[4][5]}.

The energy baseline may be time related (for comparing energy consumption before and after EPIA, see Keys 1 and 2 in Figure 2 below) or case related (for comparing energy consumption with and without EPIA, see Keys 4 and 2 in Figure 2 below).

NOTE 1 Using a representative sample (participating / non-participating) is an illustration of a case-dependant energy baseline.

The relevant variables (e.g. production volume, temperature, building area) affecting energy use or consumption in the baseline period should be documented. If this is different from the service level in the reporting period, then the energy consumption of the baseline period or the reporting period or both should be adjusted to enable a fair comparison to be made. It will be for the person determining the energy savings to decide and report on whether or not adjustment is required, taking into account factors, such as the purpose for which the energy savings are being determined, type of available data and data quality.

There can be multiple types of baseline.


- If the equipment having the average energy performance in the market at reporting period is applied.
- If the equipment having the average energy performance in the market at baseline period was applied.
- The equipment used in the baseline period is still in use.

When determining energy savings at a regional level due to changes in energy using systems (e.g. building, appliance, car, etc.), the baseline may be determined by [Figure 2](#), reference to the stock in use, as one possible option for [Figure 2](#), Key 1.

NOTE 2 The energy savings can be determined using the difference in the values for a statistical indicator such as specific energy consumption (SEC) of the new energy using system compared to the average energy performance of energy using system for an equivalent service level which is already in use.

Reference to the market, as one possible option for [Figure 2](#), Key 4.

NOTE 3 The energy savings can be determined using the difference in the values for a statistical indicator such as specific energy consumption (SEC) of the new energy using system and the average of solutions available on the market in the baseline period.



Key

Y energy consumption, in Joules

- 1 energy baseline based on the situation before the EPIA (can be determined based on specific conditions or on average conditions such as stock average for buildings or equipment)
- 2 energy consumption of the reporting period [after (or with) the EPIA]
- 3 energy savings based on a before/after comparison (1-2)
- 4 energy baseline based on the situation without the EPIA (can be determined based on market average or minimum energy performance standards for example)
- 5 energy savings based on a without/with comparison (4-2)

NOTE All quantities are expressed in energy units.

Figure 2 — Qualification of unadjusted energy savings depending on the reference situation

Criteria for the choice of one of these options could be linked to the lifespan of the EPIA or the speed of stock turnover.

— With equipment with a short lifetime, the reference to the market-share weighted performance of the products available on the market is relevant (e.g. changing domestic appliances, such as refrigerators, television, light bulbs).

— For an investment planned with the intention to save energy for a long period of time, reference to the stock in use is more relevant (e.g. improvement of the thermal performance of the building shell).

Depending on the availability of data (such as with large scale programmes of EPIAs), a representative sample may be used for defining the baseline. The energy savings are accounted as the difference between the reference representative sample not participating in the energy performance improvement action and a sample participating in the said action.

The energy baseline should be reviewed periodically to ensure it is still appropriate for the purpose of the determination of energy savings.

NOTE 4 In organizations undertaking continuous improvement as part of an energy management system, a moving baseline calculated with reference to the immediately preceding year or years' energy consumption may be appropriate.


4.6 Unadjusted energy savings and adjusted energy savings

4.6.1 General

Unadjusted energy savings are the change in energy consumption expressed as the difference between the energy baseline and the energy consumption for the reporting period. The unadjusted energy savings are presented in [Figure 3](#) as Key C.

The adjusted energy savings ([Figure 4](#), Key F or Key I or [Figure 5](#), Key N) are derived for the observed situation using adjustment on the energy baseline ([Figure 4](#), Key E) or on energy consumption of the reporting period ([Figure 4](#), Key H), or on both the baseline ([Figure 5](#), Key K) and the energy consumption of the reporting period ([Figure 5](#), Key M).

The influence of adjustment can be positive or negative as their influence can result in a reduction or an increase of the adjusted energy savings as compared to the unadjusted energy savings.




Keys

- Y energy consumption, in Joules
- A energy baseline
- B energy consumption of the reporting period [after (or with) the EPIA]
- C unadjusted energy savings $([A]-[B])$

NOTE All quantities are expressed in energy units.

Figure 3 — Determination of unadjusted energy savings




Keys

- Y energy consumption, in Joules
- A energy baseline
- B energy consumption of the reporting period [after (or with) the EPIA]
- D adjusted energy baseline $([A]+[E])$
- E adjustments (difference in the value for the energy consumption) on energy baseline (can be a positive or negative value)
- F adjusted energy savings (adjustment on the energy baseline) $([D]-[B])$
- G adjusted energy consumption of the reporting period $([B]+[H])$
- H adjustments (difference in the value for the energy consumption) on the energy consumption of the reporting period (can be a positive or negative value)
- I adjusted energy savings (adjustment on the energy consumption of the reporting period) $([A]-[G])$

NOTE All quantities are expressed in energy units.

Figure 4 — Determination of adjusted energy savings with adjustment on the energy baseline or on the energy consumption of the reporting period



Keys

- Y energy consumption, in Joules
- A energy baseline
- B energy consumption of the reporting period
- J adjusted energy baseline $([A]+[K])$
- K adjustments (difference in the value for the energy consumption) on the energy baseline (can be a positive or negative value)
- L adjusted energy consumption of the reporting period $([B]+[M])$
- M adjustments (difference in the value for the energy consumption) on the energy consumption of the reporting period (can be a positive or negative value)
- N adjusted energy savings (adjustment on both the energy baseline and the energy consumption of the reporting period) $([J]-[L])$

NOTE All quantities are expressed in energy units.

Figure 5 — Determination of adjusted energy savings with adjustment on both the energy baseline and the energy consumption during the reporting period

[Annexes A](#) and [B](#) present the application of [Figures 3, 4](#) and [5](#) to different cases applicable at the country level or at the organization level.

4.6.2 Use of adjustment(s)

Unadjusted energy savings include all effects due to EPIAs, policy-induced actions (from external authorities or inside an organization), autonomous progress. Where energy savings need to be allocated between different energy performance improvement actions, the assumptions and decisions should be explained and recorded for traceability.

Adjusted energy savings ([Figure 4](#), Key F or I, or [Figure 5](#), Key N) are derived from the unadjusted energy savings ([Figure 4](#), Key C) after adjustment of the energy baseline ([Figure 4](#), Key E), or of the energy consumption of the reporting period ([Figure 4](#), Key H), or both of the energy baseline ([Figure 5](#), Key K), and of the energy consumption of the reporting period ([Figure 5](#), Key M).

These adjustments may impact the determination of the structure effects and the value of energy consumption in the reporting period.

EXAMPLE Adjustment(s) may be done by considering weather conditions (temperature), occupancy patterns for hours of operation, production amount or quantity of products manufactured, compared to identical situation as presented in the baseline.

NOTE In practice, impacts on energy savings due to autonomous progress can often be included in the (adjusted) energy baseline when using statistical indicator-based method.

4.6.3 Types of adjustments

4.6.3.1 General

The adjustments can be grouped into two main types:

- routine adjustments;
- non-routine adjustments.

The use of these adjustments may be applied to the energy baseline or the unadjusted energy savings or both.

4.6.3.2 Routine adjustments

In order to understand calculated energy savings, energy consumption before and after (or with and without) end-user actions may need to be adjusted to provide an estimate of energy consumption under comparable conditions.

Routine adjustments are based on an energy consumption model which is used to take into account changes in relevant variables under conditions where the model is considered to be valid.

Example of relevant variable 1: adaptation for weather conditions (e.g. degree days for heating).

Example of relevant variable 2: changes in production volume.

Routine adjustments should be applied consistently, even if they may appear to be quite small in magnitude. Otherwise, there is a risk that when comparing resultant energy savings between different periods or between similar systems, one set of savings will have been adjusted but another may not have been, which could lead to an incorrect assessment of the effectiveness of the end-user actions.

EXAMPLE Energy savings are being compared between two stores in a retail chain that both had improvements made to their air-conditioning systems. One store is in an area where there is a large difference between summer and winter climate conditions, in the other external temperatures do not vary so much. However, both stores have to make routine adjustments for local climate, in order to provide a fair comparison between the two EPIA interventions.

4.6.3.3 Non-routine adjustments

Non-routine adjustment(s) may be required where there are effects that significantly influence energy consumption, but which occur relatively infrequently and are not as a result of any intentional EPIAs or policy-induced measures.

4.6.3.3.1 Structural effects

Structural effects arise as a result of change in activities or services:

Example 1: longer opening hours of shops and/or public buildings.

Example 2: change from hand washing of clothes to washing machines.

Example 3: changes in the floor area of dwellings.

Example 4: modal shift from road transportation to rail transportation.

Example 5: shift from energy intensive industry (steel, paper, cement) to light industry (equipment industry, electronics, software) and services.

One way to reduce the impact of the structure effects is by the disaggregation of activities. This can be done for organizations, cities, regions, or countries. The level of disaggregation may have a strong influence on the results of structure effects. Due to restricted data availability, it is not always possible to correct for all structure effects. For example, at national level, instead of analysing the relationship between energy consumption and variables at overall industry level, it can be done at sectoral levels, chemicals versus equipment or sub-sectoral levels (basic chemicals, pharmaceutical).

4.6.3.3.2 Autonomous progress

Savings due to autonomous progress occur without being a direct consequence of the EPIA(s) considered. Autonomous savings are driven by competitive pressure to save costs (including energy costs) and/or normal technological progress to provide new products or services. They are included in [Figure 4](#) in Key H.

Example 1: electronic control systems instead of electromechanical control systems for energy using systems

Example 2: development of catalysts operating at lower temperature leads to reduced energy consumption

Example 3: use of plastics for car bodies reduces the weight and as a consequence reduces the energy consumption

Autonomous progress can also lead to negative savings.

Example Use of membrane technologies (reverse osmosis, ultra-filtration) replacing resins for water treatment as this technology requires higher pressure and consequently uses more electrical energy.

4.6.3.3.3 Other non-routine adjustments

Other non-routine adjustments arise from price effects, multiplier effects and the rebound effect.

Methods for applying these non-routine adjustments are presented in References [\[1\]](#), [\[2\]](#) and [\[3\]](#).

5 Reporting energy savings

5.1 General information on reporting energy savings

The basis of reporting is the transparency and traceability of information used for the different options and choices of the energy saving determination during the entire process.

This requires that information is presented in sufficient detail to allow the user to assess the quality of the information.

Reporting of energy savings may include the following information and/or assumptions regarding the following:

- purpose of the energy saving determination (intended use and scope);
- identification of the EPIA(s) or measure(s);
- who ordered;
- who undertook the determination of energy savings;

- period of time for which the energy savings are accounted for;
 - date of report and period for which the results are valid, if relevant;
 - method used for the energy savings determination
 - system boundary(s);
 - energy baseline;
 - assumptions for adjustment of the energy savings measured/observed/estimated;
 - allocation of energy savings when different EPIAs apply within the same system boundary(s) to avoid double counting;
 - type of data (metered, monitored, estimated, calculated, including methods used for routine and non-routine adjustments)
 - data sources (official statistics, energy bills, etc.);
 - additional characteristics may be presented if relevant and useful;
 - data collection methods (e.g. frequency, sampling characteristics);
- If applicable, reasons for exclusion of data should be reported
- preservation of data;
 - accuracy of results (uncertainty);
 - statement regarding verification of the results, if relevant.

5.2 Communication of energy saving results

The communication from the report may be simplified according to the following rules.

- The expression of results in final energy for the different category of energy carriers or primary energy should be documented.


NOTE Energy savings may be expressed in terms of energy delivered to the boundaries or as equivalent primary energy, but it is outside the scope of this International Standard to explain how these are related.

- Care should be taken that they do not give a misleading impression of the overall energy savings, for example, by focusing on successful EPIAs but omitting ones that have shown poor results. Reporting should, as far as possible, be fair and give a complete picture of the overall savings.
- Results may be presented separately for all EPIAs or measures (if relevant).

Annex A (informative)

Energy savings for different levels of analyses

Figure A.1 shows how the change in energy consumption over a period (Key 10) can be split into different contributions. The base year energy consumption (Key 2) changes due to volume effect (Key 6), structural effect (Key 7), and total savings (Key 8), resulting in the actual energy consumption (Key 9) for the calculation year (Key 3).



Key

1	energy consumption (unit)	8	total savings
2	base year	9	energy consumption in calculation year
3	calculation year	10	observed change in energy consumption
4	energy consumption in base year	11	autonomous savings
5	energy trend (due to socio-economic activities)	12	deliberate action savings
6	volume effect	13	policy direct savings
7	structural effect	14	policy indirect savings

Figure A.1 — Split of change in energy consumption including policy/deliberate savings

The total savings can be divided further into autonomous savings (Key 11), deliberate savings (Key 12), and direct or indirect policy savings (Keys 13 and 14).

Autonomous savings occur without a deliberate intervention to save energy, either from the users, themselves, or the policy makers. Technology might progress, even without any policy, for example by the introduction of hybrid vehicles, or production of base chemicals at lower temperature by using catalysts.

Savings due to policy measures are called policy-induced savings. These are important from the viewpoint of policy effectiveness. Policy can have a direct result (Key 13), e.g. national standards about maximum energy consumption of appliances. Or it can have an indirect result (Key 14), for example, requirements placed on other organizations (e.g. lowering of the speed limit implemented for safety reasons results in energy savings).

Other savings can be realized by stakeholders, such as socially responsible companies, non-governmental organizations (NGO), or cities on their own accord. These deliberate savings (Key 12) are neither autonomous nor policy induced. The deliberate and policy savings can overlap, e.g. because behavioural changes as to use of appliances have a smaller effect when appliances consume less electricity due to minimum efficiency standards. Therefore, the three saving effects do not add up to the overall effect.

When policy measures to stimulate savings are already in place for a long time, the demarcation between autonomous savings (Key 11) and policy/deliberate savings (Keys 12 to 14) can be difficult to determine.

Annex B (informative)

Example of adjustment used in different energy saving calculation methods

[Table B.1](#) presents some adjustments that can be used depending on the selection of the method used for the determination of the energy savings.

Table B.1 — Example of adjustment according to the general types of methods

Adjustments	Statistical Indicator-based methods	Measure-based methods	Total-energy-consumption-based method
Weather conditions	Applicable	Applicable	Applicable
Structural effects	Applicable	Not applicable	Depending on the system boundaries
Activity effects	Applicable	Applicable	Applicable
Autonomous trends	Applicable	May be partly addressed through the free-rider effect	May be partly addressed through the free-rider effect
Rebound effect	Not applicable	Applicable	Applicable
Free-rider and multiplier effect	Not applicable	Applicable	Applicable
Double counting	Not applicable	Applicable	Not Applicable

NOTE The free rider effect can be estimated through, for example, a comparison with energy savings realized in similar circumstances but without the subsidy scheme.

multiplier effect

effect of a facilitating measure after the measure has ended or in fields outside the focus

EXAMPLE Temporarily promotion of efficient appliances changes the market for these appliances in such a way that further penetration occurs after ending the promotion activity.

Note 1 to entry: In this International Standard, the multiplier effect is used for calculations at high aggregation level (e.g. all dwellings), while the term consequential effects can be used at lower aggregation level (e.g. individual company) in other standards.

rebound effect

change in energy using behaviour that yields an increased level of service and that occurs as a result of taking an end-use action

EXAMPLE Some households can take some of the benefits of energy efficiency improvements to their home in the form of higher internal temperatures, and so use more energy than might be calculated from the end-user action.

Note 1 to entry: The rebound effect can take many forms. Apart from the case in the example (higher internal temperature setting), the effect is often difficult to determine.

Bibliography

- [1] ISO 17741, *General technical rules for measurement, calculation and verification of energy savings of projects*
- [2] ISO 17742, *Energy efficiency and savings calculation for countries, regions and cities*
- [3] ISO 17747, *Determination of energy savings in organizations*¹⁾
- [4] ISO 50001:2011, *Energy management systems — Requirements with guidance for use*
- [5] ISO 50006:2014, *Energy management systems — Measuring energy performance using energy baselines (EnB) and energy performance indicators (EnPI) — General principles and guidance*
- [6] ISO 50015:2014, *Energy management systems — Measurement and verification of energy performance of organizations — General principles and guidance*
- [7] ISO/IEC 13273-1:2015, *Energy efficiency and renewable energy sources — Common international terminology — Part 1: Energy efficiency*
- [8] EN 16212, *Energy Efficiency and Savings Calculation, Top-down and Bottom-up Methods*

1) To be published.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK