

BS ISO 18312-1:2012



BSI Standards Publication

**Mechanical vibration and shock
— Measurement of vibration
power flow from machines into
connected support structures**
Part 1: Direct method

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 18312-1:2012.

The UK participation in its preparation was entrusted to Technical Committee GME/21/2, Mechanical vibration, shock and condition monitoring - Vibration and shock measuring instruments and testing equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012. Published by BSI Standards Limited 2012

ISBN 978 0 580 55234 2

ICS 17.160

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2012.

Amendments issued since publication

Date	Text affected
------	---------------

**Mechanical vibration and shock —
Measurement of vibration power flow
from machines into connected support
structures**

Part 1: Direct method

Vibrations et chocs mécaniques — Mesurage du flux de puissance vibratoire transmis par des machines aux structures de support dont elles sont solidaires — Partie 1: Méthode directe





COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Fundamentals	3
5 Measurement	5
5.1 General	5
5.2 Arrangement of vibration transducers	5
5.3 Measurement of forces	5
5.4 Measurement equipment	7
5.5 Metrological specifications	8
5.6 Determination of upper frequency limit	9
5.7 Choice of number of joints to measure from	9
5.8 Determination of total vibration power by measuring from a limited number of joints	9
6 Measurement uncertainty	10
7 Data presentation and test report	10
Bibliography	12

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 18312-1 was prepared by Technical Committee ISO/TC 108, *Mechanical vibration, shock and condition monitoring*.

ISO 18312 consists of the following parts, under the general title *Mechanical vibration and shock — Measurement of vibration power flow from machines into connected support structures*:

- *Part 1: Direct method*
- *Part 2: Indirect method*

Mechanical vibration and shock — Measurement of vibration power flow from machines into connected support structures —

Part 1: Direct method

1 Scope

This part of ISO 18312 specifies a method for evaluating the vibration power emitted by machines or pipelines, referred to hereinafter as machines, under operational conditions on to supporting structures to which the machines are directly connected via bolted joints. This part of ISO 18312 specifies the method for evaluating the vibration power components emitted in the six degrees of freedom of a Cartesian coordinate system at each joint, i.e. three translations and three rotations. The vibration power is determined by processing the signals from force and velocity (or acceleration) transducers mounted on to the bolted joints under operational conditions of interest. This method is applicable for machines under the assumption that their vibration can be characterized by a stationary random process.

The components of emitted vibration power in the frequency domain are obtained by computing the cross-spectrum of the force and velocity measurement pairs with a given narrow band width at each bolted joint.

This direct method assumes that the supporting structures are adequately rigid and, hence, it is not applicable to cases where the foundation or supporting structures are resilient, which will potentially go into a state of resonance within the frequency range of interest. Practical frequency limits of the method are specified in this part of ISO 18312.

This part of ISO 18312 can be used in operational conditions for:

- a) specification of vibration power emission of machines at the (bolted) joints;
- b) identification of vibration power severity;
- c) resolving diagnostics issues;
- d) planning vibration control measures.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2041, *Mechanical vibration, shock and condition monitoring — Vocabulary*

ISO 5348, *Mechanical vibration and shock — Mechanical mounting of accelerometers*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 2041 and the following apply.

3.1

vibration velocity vector

v^n

velocity vector at the n th bolt joint, consisting of three translational and three rotational components along the coordinate axes x , y and z

3.2
vibration velocity component

v_i^n
component of the vibration velocity vector in the degree of freedom i at the n th bolted joint; $i = 1, 2$ and 3 for linear components in the x -, y -, and z -directions, respectively, and $i = 4, 5$ and 6 for angular components in the x -, y - and z -directions, respectively

3.3
vibration acceleration component

a_i^n
vibration acceleration component in the degree of freedom i at the n th bolted joint

3.4
root mean square value of acceleration component
r.m.s. value of acceleration component

$a_{i:\text{rms}}^n$
root mean square value of the vibration acceleration component in the degree of freedom i at the n th bolted joint

3.5
force vector

F^n
vibration force vector at the n th joint, consisting of three components of linear force and three components of angular force, i.e. moment, along the coordinate axes x, y and z

3.6
force component

F_i^n
component of the vibration force vector in the degree of freedom i at the n th joint; $i = 1, 2$ and 3 for force components in the x -, y - and z -directions, respectively, and $i = 4, 5$ and 6 for moment components in the x -, y - and z -directions, respectively

3.7
vibration power component

P_i^n
vibration power in the degree of freedom i at the n th bolted joint, equal to the time-averaged scalar product of the vibration force vector and vibration velocity vector in the degree of freedom i at the n th bolted joint

Note to entry: A vibration power component is expressed in watts.

3.8
vibration power at a joint

P^n
vibration power at the n th bolted joint, equal to the sum of the vibration power components in each degree of freedom at that point

3.9
vibration power

P
sum of vibration power of the machine over all joints and in every degree of freedom

3.10
vibration power spectrum

$P(f, \Delta f)$
decomposition of the vibration power of the machine into frequency domain with a given centre frequency, f , narrow frequency band, Δf , equal to the sum of the vibration power spectra over all joints and in every degree of freedom

3.11
component of vibration power spectrum

$$P_i^n(f, \Delta f)$$

spectrum of the vibration power transmitted in the degree of freedom i at the n th joint

3.12
vibration power spectrum at a joint n

$$P^n(f, \Delta f)$$

spectrum of the vibration power transmitted at the n th joint

3.13
component of vibration power cross spectrum

$$G_{F_i v_i}^n(f)$$

cross spectrum of a vibration force component, $F_i(t)$, and a vibration velocity component, $v_i(t)$, in the degree of freedom i at the n th joint


3.14
vibration power level

$$L_W = 10 \lg \frac{P}{P_0} \text{ dB}$$

common logarithm of the ratio of measured vibration power to the reference value, $P_0 = 1 \text{ pW}$, corresponding to zero level of vibration power

4 Fundamentals


The layout of a machine bolted directly on to the foundation structure at multiple joints is shown in Figure 1 and the detail of a bolted joint is shown in Figure 2 together with a coordinate system, where the z -axis is chosen in parallel with the bolt axis.



Key

- 1 machine
- 2 bolted joints
- 3 foundation

Figure 1 — Layout of machine bolted on to foundation directly at multiple joints



- Key**
- 1 machine leg
 - 2 bolt
 - 3 nut
 - 4 foundation flange

Figure 2 — Coordinate system of a bolted joint

Vibration power emitted by the machine on to the foundation via the n th bolted joint is defined as the time average of scalar product of the force vector and velocity vector as follows:

$$P^n = \frac{1}{L} \int_0^L \mathbf{F}^n(t) \cdot \mathbf{v}^n(t) dt = \frac{1}{L} \int_0^L \sum_{i=1}^6 F_i^n(t) v_i^n(t) dt = \sum_{i=1}^6 \frac{1}{L} \int_0^L F_i^n(t) v_i^n(t) dt \quad (1)$$

where the term within the summation on the most right hand side

$$\frac{1}{L} \int_0^L F_i^n(t) v_i^n(t) dt \equiv P_i^n$$

denotes vibration power emitted in the degree of freedom i at the n th joint with the index $i = 1$ to 3 denoting the linear or translational degrees of freedom and the index $i = 4$ to 6 denoting the angular or rotational degrees of freedom. The record length L in Equation (1) shall be far greater than the fundamental period of the measured signals. In practice, contributions of the rotational components in Equation (1) due to angular velocities and moments may be omitted when difficulty of measurements exists. The total vibration power emitted by a machine with multiple bolted joints on to the support structure can be obtained just by summing up the vibration power transmitted via each bolted joint in Equation (1). Vibration power is a scalar quantity and, hence, the total vibration power emitted from a machine with a number of bolted joints, K , is given simply by a sum:

$$P = \sum_{n=1}^K P^n \quad (2)$$

The vibration power in the i th degree of freedom at the n th joint, P_i^n , can be resolved into the frequency domain by taking real parts of the cross power spectrum $G_{F_i v_i}^n(f, \Delta f)$ from the force signal $F_i^n(t)$ and velocity signal $v_i^n(t)$ using a commercial signal analyser as follows:

$$P_i^n(f, \Delta f) = \text{Re} \left[G_{F_i v_i}^n(f, \Delta f) \right] \quad (3)$$

where $\text{Re}[\bullet]$ denotes the real part of a complex quantity \bullet and the unit of $P_i^n(f, \Delta f) = \text{Re} \left[G_{F_i v_i}^n(f, \Delta f) \right]$ is watt at a centre frequency, f , over a narrow frequency band, Δf , e.g. 1 Hz when the units of the force and velocity are newton and metre per second, respectively. If acceleration $a_i^n(t)$ in metre per second squared is measured

instead of the velocity $v_i^n(t)$ in metre per second, the vibration power in Equation (3) is given in a slightly different format as follows:

$$P_i^n(f, \Delta f) = \frac{1}{2\pi f} \operatorname{Im} \left[G_{F_i a_i}^n(f, \Delta f) \right] \quad (4)$$

where $\operatorname{Im}[\bullet]$ denotes the imaginary part of the complex quantity \bullet . The sum of the vibration power over frequencies, degrees of freedom, and all the mounts of interest can now be easily calculated. When a partial vibration power over a specific frequency range of interest, in hertz, e.g. from f_{\min} to f_{\max} is of interest, it can be obtained simply by summing the vibration power spectrum $P_i^n(f, \Delta f)$ in Equation (3) or (4) as follows:

$$P_i^n(f_{\min} \sim f_{\max}) = \sum_{k=1}^N P_i^n \left\{ [f_{\min} + (k-1)\Delta f], \Delta f \right\} \quad (5)$$

where N is the number of frequency points over the frequency range of interest given by

$$N = \frac{f_{\max} - f_{\min}}{\Delta f}$$

in case of a narrow frequency band analysis. Once the vibration power spectrum is available in a narrow band from Equations (3) and (4), the vibration power spectrum over one-third octave band or other octave bands can be obtained by simply summing over the bandwidths of interest.

5 Measurement

5.1 General

This part of ISO 18312 specifies how to evaluate the vibration power transmitted by a machine on to its foundation from the measurement of forces and vibration at the bolted joints. Such measurements are not limited to translational degrees of freedom, but may be extended to rotational degrees of freedom, depending upon the capabilities of the employed transducers. This clause explains how to install the vibration and force transducers.

5.2 Arrangement of vibration transducers


One multi-axial vibration transducer is placed on a joint bolt head as shown in Figures 3 and 4 such that the directions of measurement are aligned with the x - and z -coordinates described in Figure 2. A flat surface on the machine's leg, close to the bolted joint, can also be used if multiple uni-axial transducers are to be placed individually. Details of mounting shall be in accordance with ISO 5348.

5.3 Measurement of forces

5.3.1 General


The forces acting through the bolted joints from the machine on to the foundation can be measured by placing one transducer (see Figure 3) or two transducers (see Figure 4) in the bolted joints. In both cases, this part of ISO 18312 assumes the use of integrated triaxial force transducers.

There should be no local resonance near the bolting joint for the method of force measurement by inserting the force transducers at the joint to be effective. A torque wrench should be used to maintain the torque with the force transducers inserted at the value without those.



Key	
1	machine leg
2	vibration transducer
3	force transducer
4	foundation structure
	a_i acceleration in the degree of freedom i
	$F_{t,i}$ force measured by a transducer in the degree of freedom i
	l_b length of bolt

Figure 3 — Layout of transducers in one force transducer method



Key	
1	machine leg
2	vibration transducer
3	force transducer 1
4	force transducer 2
	a_i acceleration in the degree of freedom i
	$F_{t1,i}$ force measured by transducer 1 in the degree of freedom i
	$F_{t2,i}$ force measured by transducer 2 in the degree of freedom i
	l_{b1} length of bolt 1

Figure 4 — Layout of transducers in two force transducer method

5.3.2 Measurement of forces by one transducer

One force transducer is mounted into the bolted joint between the machine and the foundation, as shown in Figure 3. In this configuration, the transducer measures only a part of the joint force actually transmitted to

the foundation. The other part is transmitted through the bolt itself. Letting F_i and $F_{t,i}$ be the actual transmitted force and the (partial) force measured by the transducer, respectively; they are related to each other as follows:

$$F_i = F_{t,i} \left(1 + \frac{k_{b,i}}{k_{t,i}} \right) \quad (6)$$

where $k_{b,i}$ and $k_{t,i}$ are the stiffnesses of the bolted joint and transducer, respectively, along the axes $i = x, y, z$. The stiffness of force transducers is obtained from their specifications and the stiffness of the bolt joint is calculated as follows:

$$k_{b,x} = \frac{G_b S_b}{l_b} = k_{b,y}; k_{b,z} = \frac{E_b S_b}{l_b} \quad (7)$$

where G_b and E_b are respectively the shear and Young modulus of the bolt material, and S_b and l_b are, respectively, the cross-sectional area and length of the bolt. When the stiffness of the force transducer is very high relative to that of the bolt, which is often the case in practice, $F_i \approx F_{t,i}$.

5.3.3 Measurement of forces by two transducers

In order to avoid possible inaccuracy in calculation of the stiffness of the bolted joint, it is expedient to take another measuring scheme using two force transducers. The layout of force measurement using two force transducers is shown in Figure 4. The first force transducer is located between the machine leg and the foundation to measure $F_{t1,i}$ and the second force transducer is located between the bolt and the machine leg to measure $F_{t2,i}$. Under this configuration, the net force transmitted on to the foundation in the degree of freedom i is the difference of the measurements as follows:


$$F_i = F_{t1,i} - F_{t2,i} \quad (8)$$

5.4 Measurement equipment

A flow chart of a possible measurement to determine the vibration power spectral density function is presented in Figure 5. A multi-channel analyser may also be used.

The subtraction of one signal from the other in the two force transducer method can be performed using an operational amplifier or with the help of digital equipment. Before processing the signals, it is important to check and correct for possible phase differences between channels of accelerometers, force transducers, analogue devices and fast Fourier transform analyser. If the phase shift is less than $0,1^\circ$, the correction is not necessary.

One method to correct the phase characteristics between two channels is to apply one wideband signal (e.g. white noise) to both channels and compute the complex transmissibility ratio in narrow frequency band. Usually, a signal analyser has a phase correction program between channels for more accurate cross-spectral density function estimation.



Key	
1	channel selector
2	preamplifier
3	two-channel signal analyser
4	computer
a_i	acceleration in the degree of freedom i
F_i	force transmitted in the degree of freedom i
$F_{t1:i}$	force measured by transducer 1 in the degree of freedom i
$F_{t2:i}$	force measured by transducer 2 in the degree of freedom i
$P_i(f, \Delta f)$	spectrum of the vibration power transmitted in the degree of freedom i

Figure 5 — Typical signal flow chart for estimation of vibration power transmitted via bolted joints

5.5 Metrological specifications

The metrological specifications of the equipment used in measurements of vibration power are shown in Table 1.

Table 1 — Metrological specifications

Measurement equipment	Frequency and voltage range	Accuracy
Dual channel or multi-channel FFT analyser	From 0,5 Hz to 10 000 Hz From 1 μ V to 100 V (r.m.s.)	Amplitude ripple: 2 % Phase difference between channels: <0,1°
Signal conditioner	From 0,5 Hz to 10 000 Hz Electric noise level $\leq 5 \mu$ V	Amplitude ripple: 2 % Phase difference between channels: <0,1°
Force transducer	Vary on applications	Calibration uncertainty: <2,5 %
Acceleration transducer	Vary on applications	Calibration uncertainty: <2,5 %

5.6 Determination of upper frequency limit

Rough guidelines for the upper frequency limit, f_{\max} , in hertz, of the vibration power measurements are given as follows. In the one force transducer method:

$$f_{\max} = \frac{300}{l_b} \quad (9)$$

where l_b , in metres, is the sum of thickness of machine leg, foundation, and forces transducers in the one force transducer method. In the two force transducer method:

$$f_{\max} = \frac{300}{l_{b1}} \quad (10)$$

where l_{b1} , in metres, is the sum of thickness of machine leg, foundation, and forces transducers in the two force transducer method. See Figure 3 and Figure 4.

5.7 Choice of number of joints to measure from

In order accurately to obtain the total vibration power emitted by a machine, or identify precisely critical zones of vibration power emission along the machine perimeter, it is preferable to make measurements at all the bolted joints. If this cannot be done in practice, choice of a limited number of bolted joints to measure from can be realized in the following way. While the machine is on, measure the r.m.s. values of the vibration acceleration along the axes $i = x, y, z$, $a_{i:\text{rms}}^n$ from all, say, K mounts:

$$L_i^K = 20 \lg \left[\frac{\sqrt{\sum_{n=1}^K (a_{i:\text{rms}}^n)^2 / K}}{a_0} \right] \text{ dB} \quad (11)$$

where a_0 is the reference acceleration, 10^{-6} m/s^2 , for representation in the decibel scale. Then choose, say, M bolted joints where measurements of vibration power flow are to be performed. The distance between measurements along the sides of the machine should be $<1 \text{ m}$, as a rule of thumb.

The root mean square level of vibration acceleration from the M chosen bolted joints is determined using the following formulae:

$$L_i^M = 20 \lg \left[\frac{\sqrt{\sum_{n=1}^M (a_{i:\text{rms}}^n)^2 / M}}{a_0} \right] \text{ dB} \quad (12)$$

The difference between the root mean square levels from the K and M bolted joints should be $<1 \text{ dB}$, i.e.

$$L_i^K - L_i^M \leq 1 \text{ dB} \quad (13)$$

Otherwise, the number of measurement points, M , should be increased closer to the total number of mounts, K .

5.8 Determination of total vibration power by measuring from a limited number of joints

If the vibration power spectrum emitted by a machine is measurable from only M joints, the total vibration power spectrum emitted via all K joints is determined simply using an extrapolation formula:

$$P_i(f, \Delta f) = \frac{K}{M} \sum_{n=1}^M P_i^n(f, \Delta f) \quad (14)$$


6 Measurement uncertainty

Uncertainty in the measurements of vibration power flow made according to this part of ISO 18312 is mostly dependent on the ratio of stiffness of the force transducer to that of the machine or the foundation. That is, the higher the ratio, the less the uncertainty. For example, stiffness of a force transducer with a hole of diameter 8 mm is known as 2×10^9 N/m and that of 40 mm as 3×10^{10} N/m although accurate values in practice can be obtained from specifications of the force transducers. It is known from experience that stiffness of main machines and foundations are less than $1,25 \times 10^9$ N/m and stiffness of auxiliary machines and foundations are less than $3,0 \times 10^8$ N/m. If the ratio of stiffness of the force transducer to that of the machine or the foundation is less than 5, the stiffness of machine or foundation shall be taken into account in the force measurement.

7 Data presentation and test report

The test report should include at least the following information:

- a) a reference to this part of ISO 18312 (ISO 18312-1:2012);
- b) name of organization which has performed the measurements;
- c) measurement date;
- d) machine specifications (type, mass, capacity, supports, etc.);
- e) description of place, conditions and scheme of testing on the vibration isolators;
- f) machine operating modes;
- g) vibration noise levels on the test rig;
- h) specifications of vibration and force transducers;
- i) specifications of measurement equipment, including type, serial number, manufacturer, and calibration characteristics;
- j) total vibration power emitted by the machine with the frequency range indicated, total vibration power spectrum with the analysis frequency bandwidth indicated, vibration power spectrum in each of the directions of the concerned motion;
- k) total vibration power spectrum with the analysis frequency bandwidth indicated, vibration power spectrum for each bolt (depending on customer's or investigator's request);
- l) uncertainty of the results, if any;
- m) graphs of vibration power spectrums in a lg(or dB)-lg format as shown in Figure 6 or lg(or dB)-linear format.



Key

- | | | | |
|-------|-----------------------|-------|---|
| P | vibration power | P_0 | reference value, corresponding to zero level of vibration power |
| L_W | vibration power level | (+) | positive |
| | | (-) | negative |

Figure 6 — Graphs for report of vibration power transmission

Bibliography

- [1] ISO 9611, *Acoustics — Characterization of sources of structure-borne sound with respect to sound radiation from connected structures — Measurement of velocity at the contact points of machinery when resiliently mounted*.
- [2] POPKOV, V.I. *Vibroacoustic diagnostics and the reduction of the vibration of shipboard machinery*, (translated from Russian). Arlington, VA: Joint Publications Research Service, 1975.
- [3] SYKES, A.O. Isolation of vibration when machine and foundation are resilient and wave effects occur in the mounts. *Noise Control* 1960, **6**, pp. 23–38.
- [4] SYKES, A.O. Multi-mount isolation systems. 4th International Congress on Acoustics, Copenhagen, 1962.
- [5] POPKOV, V.I. Inventors certificate No. 147789, *Measuring equipment for vibration power radiated by machines into supporting connection*, 1962-03-30, USSR, National USSR committee on inventions and discoveries.
- [6] GENKIN, M.D., YABLONSKIY, V.V. Energy flux of vibrations as the criterion of the vibration activity of machinery. *Mashinovedeniye* [Mechanical Engineering], 1965, No 5, pp. 55–58
- [7] POPKOV, V.I. Characteristics of mechanisms as the sources of vibration. *Izvestiya LETI V.I. Ulianov (Lenin)*, 1968, No. 11, pp. 52–56
- [8] POPKOV, V.I. Flux of energy through the multi-point vibro-isolating systems. In: TARNÓCZY, T., editor. *Proceedings of the Seventh International Congress on Acoustics*, Budapest, 1971, 24P1, pp. 325–328.
- [9] Guide on the ship acoustics, under N.I. Klukin, I.I. Bogolepov, “Sudostroenie”, Leningrad, USSR, 1978.
- [10] POPKOV, V.I. Inventors certificate No. 957001, *Measuring equipment for vibration power radiated by machines into foundation*, 1980-01-04, USSR, National USSR committee on inventions and discoveries.
- [11] PINNINGTON, R.J., WHITE, R.G. Power flow through machine isolators to resonant and non-resonant beams. *J. Sound Vib.* 1981, **75**, pp. 179–197.
- [12] VERHEIJ, J.W. Multi-path sound transfer from resiliently mounted shipboard machinery, TPD TNO-TN, Delft-1986.
- [13] PETERSSON, B., PLUNT, J. On effective mobilities in the prediction of structure-borne sound transmission between a source structure and receiving structure, part II. *J. Sound Vib.* 1982, **82**, pp. 531–540
- [14] POPKOV, V.I., MISHINSKY, E.L., POPKOV, O.I. *Vibroacoustic diagnostics in shipbuilding*, Leningrad, “Sudostroenie”, 1989, USSR.
- [15] BEZYAZICHNY, V.V., POPKOV, V.I. Application of energy methods for localization of sources and determination of vibration-isolating efficiency of three-dimensional system, International Congress on Intensity Techniques, CETIM, Senlis, France, 1990
- [16] POPKOV, V.I. Estimation of vibrational power emitted by machinery through vibration isolation mountings and calculation of energy coefficients of three-dimensional vibroisolating systems, International Congress on Intensity Techniques, CETIM, Senlis, France, 1990
- [17] POPKOV, V.I. Propagation of vibration power in vibroisolation elements and systems of machinery, 4th International congress on intensity techniques, France, Senlis, 1993
- [18] MOORHOUSE, A.T., GIBBS, B.M. Prediction of the structure-borne noise emission of machines: development of methodology. *J. Sound Vib.* 1993, **167**, pp. 223–237
- [19] MOORHOUSE, A.T., GIBBS, B.M. Measurement of structure-borne sound emission from resiliently mounted machines *in situ*. *J. Sound Vib.* 1995, **180**, pp. 143–161

- [20] MOORHOUSE, A.T., GIBBS, B.M. Structure-borne sound power emission from resiliently mounted fans: Case studies and diagnosis. *J. Sound Vib.* 1995, **186**, pp. 781–803
- [21] POPKOV, V.I., BEZYAZICHNY, V.V., VOLKOVA, G.S. A study of vibrational energy flows in multi machine units, International congress on NOVEM 2000, Lyon, France, 2000
- [22] POPKOV, V.I. An energy model for oscillations of the system “machine-vibration isolation-foundation”. International conference NOVEM 2000, Lyon, France, 2000
- [23] POPKOV, V.I. Characteristic of mechanisms as the sources of vibration. The 2001 International Congress and Exhibition on Noise Control Engineering, The Hague, the Netherlands, 2001 August
- [24] LEE, H.J., KIM, K.J. Multi-dimensional vibration power flow analysis of compressor system mounted in outdoor unit of an air conditioner. *J. Sound Vib.* 2004, **272**, pp. 607–625
- [25] POPKOV, V.I., POPKOV, S.V. The vibration of machines and constructions, Saint Petersburg, Russia, 2009

ICS 17.160

Price based on 13 pages

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™