

BS ISO 18321:2015



BSI Standards Publication

Essential oils — Determination of peroxide value

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 18321:2015.

The UK participation in its preparation was entrusted to Technical Committee AW/54, Essential oils.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 80825 8

ICS 71.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

Amendments issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

BS ISO 18321:2015

ISO
18321

First edition
2015-05-15

**Essential oils — Determination of
peroxide value**

Huiles essentielles — Détermination de l'indice de peroxyde



Reference number
ISO 18321:2015(E)

© ISO 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents		Page
Foreword		iv
1 Scope		1
2 Normative references		1
3 Terms and definitions		1
4 Principle		1
5 Reagents		1
6 Apparatus		2
7 Sampling		2
8 Preparation of test sample		2
9 Procedure		2
9.1 Test portion.....		2
9.2 Determination.....		3
9.3 Automated potentiometric titration.....		3
10 Expression of results		3
10.1 Calculation.....		3
10.2 Conversion from mmol/l to meq/kg.....		3
11 Precision		4
11.1 Repeatability.....		4
11.2 Reproducibility.....		4
Bibliography		5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 54, *Essential oils*.

Essential oils — Determination of peroxide value

1 Scope

This International Standard specifies a method for the determination of the peroxide value in an essential oil. The peroxide value is a measure of the oxidation present.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 212, *Essential oils — Sampling*

ISO 356, *Essential oils — Preparation of test samples*

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

3.1

peroxide value

Ip

number that expresses, in millimoles (or milliequivalents), the quantity of peroxide contained in 1 000 ml of the substance

4 Principle

It is a redox titration of the iodometry type. The iodide ions added to the essential oil oxidize when reacting with peroxides, obtaining iodine which is titrated with thiosulphate. It can be carried out by volumetric or potentiometric titration.

Potentiometric titration is particularly recommended for highly coloured essential oils for which are difficult to appreciate the end point of the coloured indicator (e.g. vetiver essential oil).

5 Reagents

During the analysis, only reagents of recognized analytical grade and reverse osmosis or distilled or deionized water of Grade 3, as defined in ISO 3696, should be used.

5.1 Trichloromethane (chloroform), 99 % (volume/fraction), or cyclohexane, 99,5 % (volume/fraction) for laboratories with restrictions on the use of chloroform.

5.2 Glacial acetic acid, 99,5 % (volume/fraction). Degassed in an ultrasonic bath or by purging with a current pure and dry inert gas (carbon dioxide or nitrogen).

5.3 Potassium iodide, saturated solution of potassium iodide in deionised water, freshly prepared. The solution must remain saturated (undissolved crystals must be present). The solution has to be kept protected from light.

5.4 Sodium thiosulfate solution, 0,01 mol/l (0,01 N) or 0,1 mol/l (0,1 N).

5.5 Coloured standard indicator, starch solution 1 % (volume/fraction). It is not necessary for potentiometric titration.

6 Apparatus

Usual laboratory apparatus and, in particular, the following.

6.1 Balance, ± 1 mg.

6.2 Erlenmeyer flask, of capacity 250 ml.

6.3 Shaker.

6.4 Pipettes, of capacity 1 ml, 10 ml, graduated in 0,1 ml.

6.5 Burette, of capacity 10 ml graduated in 0,05 ml.

6.6 Test tubes, of capacity 50 ml, 100 ml.

6.7 Potentiometer.

7 Sampling

Sampling is not included in the method specified in this International Standard. A recommended sampling method is given in ISO 212.

It is important that the laboratory receives a representative sample, not damaged or modified during the transport or storage, before the arrival at the laboratory.

8 Preparation of test sample

The test sample shall be prepared according to ISO 356.

The test sample for the determination of peroxide value shall be taken first and the peroxide value shall be determined immediately. Homogenize the sample, preferably without heating and without aeration. Avoid direct solar radiation. Heat solid samples carefully to 10 °C above their melting point. Samples with visible impurities shall be filtered.

For some products, the amount of extracted essential oil can be lower than 5 g, or the peroxide value of the essential oil can be over 30 meq of active oxygen per kilogram. In these cases, the user should choose a smaller sample mass.

9 Procedure

9.1 Test portion

Introduce in an Erlenmeyer flask 10 ml of essential oil to be titrated (see [6.1](#), [6.3](#)).

9.2 Determination

Add with a test tube (see 6.6) 20 ml of trichloromethane or cyclohexane, 30 ml of glacial acetic acid and 1 ml of potassium iodide, saturated solution (see 5.1, 5.2, 5.3) and add 2 drops starch solution if volumetric titration is carried out.

Shake for approximately 1 min. The dissolution acquires an orangey colour.

Add about 100 ml of distilled water.

Titrate with sodium thiosulfate solution. Use 0,1 mol/l when the expected peroxide value are over 20 mmol/l. Use 0,01 mol/l sodium thiosulfate solution when the expected peroxide value are less than 20 mmol/l.

The end point is obtained when the dissolution becomes white.

Carry out a blank titration under the same conditions. No more than 0,5 ml of 0,01 mol/l sodium thiosulfate solution should be consumed for this purpose.

9.3 Automated potentiometric titration

Many laboratories often use automated equipment for titration. In this case, some points have to be taken into consideration.

- If the system works with autosampler, it is strictly necessary to use amber beaker glasses in order to stop the formation of Iodine while the sample remains in the tray.
- If the addition of potassium iodide wants to be automated, prepare 70 % (volume/fraction) solution in distilled water instead of saturated solution, fill an opaque bottle, and replace it every week. Therefore, the addition of potassium iodide in 9.2 shall be 10 ml instead of 1 ml.

10 Expression of results

10.1 Calculation

The peroxide value, I_p , in mmol/l, is given by Formula (1):

$$I_p = (V_1 - V_0) \times (N_{\text{titrant}}) \times 50 \quad (1)$$

where

V_1 is the volume, in millilitres, of titrant sodium thiosulphate, used in the main test;

V_0 is the volume, in millilitres, of titrant sodium thiosulphate, used in the blank test;

N_{titrant} is the concentration of titrant, sodium thiosulphate, 0,1 N (see 5.4).

10.2 Conversion from mmol/l to meq/kg

The conversion from mmol/l to meq/kg is calculated by Formula (2):

$$\text{meq/kg} = \text{mmol/l} \times 2 / \text{density (kg/l)} \quad (2)$$

11 Precision

11.1 Repeatability

The absolute difference between two independent single test results, obtained using this method on the same essential oil tested in the same laboratory by the same operator using the same equipment within a short period of time, was not, in more than 5 % in absolute values or 0,1 in relative values

11.2 Reproducibility

The absolute difference between two single test results, obtained using the same method on the same essential oil tested in different laboratories with different operators using different equipment, was not, in more than 10 % in absolute values or 0,3 in relative values.

Bibliography

- [1] ISO 385-1¹⁾, *Laboratory glassware — Burettes — Part 1: General requirements*

1) This standard has been replaced by ISO 385.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™