

BS ISO 18642:2016



BSI Standards Publication

Fertilizer and soil conditioners — Fertilizer grade urea — General requirements

National foreword

This British Standard is the UK implementation of ISO 18642:2016.

The UK participation in its preparation was entrusted to Technical Committee CII/37, Fertilisers and related chemicals.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 82551 4

ICS 65.080

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

BS ISO 18642:2016

ISO
18642

First edition
2016-07-15

**Fertilizer and soil conditioners —
Fertilizer grade urea — General
requirements**

Matières fertilisantes — Engrais à l'urée — Exigences générales



Reference number
ISO 18642:2016(E)

© ISO 2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirement	2
5 Testing methods	2
6 Sampling and preparation of test sample	3
7 Marking and labelling	3
8 Package, transport, and storage	4
Bibliography	5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

The committee responsible for this document is ISO/TC 134, *Fertilizers and soil conditioners*.

Introduction

Urea, also known as carbamide, is the world's most widely used nitrogen fertilizer product. The production of urea globally has reached 198 million tons and the volume of global trade has reached 45 million tons in the year 2013. About 85 % of the world's production of urea is destined for use as a nitrogen-release fertilizer. Urea has the highest nitrogen content of all solid nitrogenous fertilizers in common use. The standard crop-nutrient rating of urea is 46-0-0.

For facilitating international fertilizer trade, it is necessary to have an international and general standard for fertilizer grade urea.

Fertilizer and soil conditioners — Fertilizer grade urea — General requirements

1 Scope

This International Standard specifies the general requirements regarding testing methods, sampling and preparation of test sample, marking and labelling, package, transport, and storage of fertilizer grade urea.

This International Standard is applicable to urea in solid form, e.g. granular, prilled, or pastilled, which is made by the reaction of ammonia with carbon dioxide. Urea can be classified by its intended use, industrial and/or agricultural. It is mainly used as fertilizer in the field of agriculture. This International Standard is only applicable to fertilizer grade urea in the field of agriculture.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5315, *Fertilizers — Determination of total nitrogen content — Titrimetric method after distillation*

ISO 7410, *Fertilizers and soil conditioners — Final samples — Practical arrangements*

ISO 7742:1988, *Solid fertilizers — Reduction of samples*

ISO 8397, *Solid fertilizers and soil conditioners — Test sieving*

ISO 8633, *Solid fertilizers — Simple sampling method for small lots*

ISO 18643, *Fertilizers and soil conditioners — Determination of biuret content of urea-based fertilizers — HPLC method*

EN 13466-1:2001, *Fertilizers — Determination of water content — (Karl Fischer methods) — Part 1: Methanol as extracting medium*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

urea

white crystalline, or granular, or prill, or pastill, solid synthesized from ammonia and carbon dioxide under high temperature and pressure by a number of processes

Note 1 to entry: The molecular formula is $\text{CO}(\text{NH}_2)_2$. The molecular weight is 60,053 according to IUPAC's 2011 report on standard atomic weights.

[SOURCE: ISO 8157:2015, 2.2.1.9, modified — In the definition, “or prill, or pastill,” has been added. Note 1 to entry has been added.]

4 Requirement

4.1 Appearance: The product shall be solid, such as in granular or prilled or pastill form, generally white in colour.

4.2 Fertilizer grade urea products shall be tested to demonstrate conformance with all the requirements specified in [Table 1](#).

Table 1 — Requirements of fertilizer grade urea

Items	Requirements (%)
Total nitrogen (N, mass fraction)	≥45,0 ^d
Biuret (mass fraction) ^a	≤1,2
Moisture content (H ₂ O) (mass fraction)	≤1,0
Particle size ^{b,c}	1,00 ~ 4,75 mm ≥ 90 %
^a Regarding the biuret content, the related requirements specified by the countries or regions shall be followed. ^b Particle size numbers given in this table are indicative. The related parameters such as the diameter which are specified by other countries shall be followed therein. Also, size guide number (SGN), uniformity index (UI), and granulometric spread index (GSI) values can be negotiated between the buyer and seller. (For the definitions of SGN, UI, and GSI, please refer to ISO 8157:2015; definitions are available on http://www.iso.org/obp). ^c If the product is intended for use in a blended fertilizer, then a UI range should be specified. ^d Total N in some countries/regions is 44 %.	

5 Testing methods

5.1 Appearance

Visually inspect for the presence of contaminant and foreign matter.

5.2 Determination of total nitrogen contents

Nitrogen contents shall be determined in accordance to ISO 5315.

NOTE EN 15478:2009 and AOAC 993.13:1996 are similar in principle to ISO 5315.

5.3 Determination of biuret content

Biuret content shall be determined according to ISO 18643.

5.4 Determination of moisture (H₂O) content

Moisture (H₂O) content shall be determined according to EN 13466-1:2001.

5.5 Determination of particle sizes

Particle sizes shall be determined according to ISO 8397.

6 Sampling and preparation of test sample

6.1 Sampling method

6.1.1 Products in bags

Carry out sampling operation by following the procedure described in ISO 8633. Care should be taken to avoid damage to the particles.

6.1.2 Products in bulk

Carry out sampling operation by following the procedure described in ISO 8633.

6.2 Reduction of samples

Mix all the increments (collected as in [6.1](#)) uniformly and promptly to form a single aggregate sample using a device or by hand. The aggregate sample is reduced to about 1 kg by the riffle sample divider method (see ISO 7742:1988, A.2) or the quartering method (see ISO 7742:1988, A.3). Next, divide into two parts for final laboratory samples. The two laboratory samples are put into two clean and dry glass or plastic containers or any other inert material of adequate resistance capable of maintaining the sample in its original condition. The containers shall be fitted with airtight closures. Carry out all the operations described earlier as rapidly as possible to avoid loss or gain of moisture. Each container shall be secured and sealed following the instruction given in ISO 7410. Each laboratory sample shall be labelled following the instructions given in ISO 7410. The label shall, at minimum, carry the following information:

- a) the name of manufacturer;
- b) the name of product and type;
- c) the manufacturer's reference and batch number or production date (if available);
- d) the lot size;
- e) the date of sampling;
- f) the place of sampling;
- g) the signature of the sampler;
- h) the signature and name of the person or his representative on whose premises the sample was taken.

One of the containers is used for quality analysis, while the other is kept for potential re-analyses on a later date.

6.3 Test sample preparation

Select one of the laboratory samples from the two containers obtained in [6.2](#). Mix the content within the container according to the procedure in ISO 7742:1988, reduce the sample to 100 g as one of the test samples used for determination of all the content indexes required in [Table 1](#). All test samples are to be put into clean dry bottles to be used for further analysis.

7 Marking and labelling

Marking and labelling should comply with the applicable national or regional regulations, ISO 7409 and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

8 Package, transport, and storage

8.1 The net mass of each package can be identified as per contractual requirements.

8.2 During transportation, the packaged products should be handled with care to avoid moisture, sunlight, and damage.

8.3 The products should be stored in a dry, cool place away from sunlight and moisture.

Bibliography

- [1] ISO 7409, *Fertilizers — Marking — Presentation and declarations*
- [2] ISO 8157:2015, *Fertilizers and soil conditioners — Vocabulary*
- [3] AOAC 955.04:1995, *Nitrogen (Total) in fertilizers. Kjeldahl*
- [4] AOAC 993.13:1996, *Nitrogen (Total) in fertilizers. Combustion method*
- [5] EN 15478:2009, *Fertilizers — Determination of total nitrogen in urea*
- [6] EN 15479:2009, *Fertilizers — Spectrometric determination of biuret in urea*
- [7] Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK