



BSI Standards Publication

Clothing — Digital fittings

Part 2: Vocabulary and terminology used for attributes of the virtual human body

National foreword

This British Standard is the UK implementation of ISO 18825-2:2016.

The UK participation in its preparation was entrusted to Technical Committee TCI/66/-/3, Clothing sizing systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 84141 5

ICS 61.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Clothing — Digital fittings —
Part 2:
Vocabulary and terminology used for
attributes of the virtual human body

Habillement — Bien-être virtuel —

*Partie 2: Vocabulaire et terminologie utilisés pour les caractéristiques
du corps humain virtuel*



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Terms and definitions relating to the virtual torso, arms and legs	1
2.1 Virtual body landmark.....	1
2.2 Virtual body dimension.....	4
2.3 Virtual skeletal structure — Virtual bone.....	8
3 Expression of the virtual torso, arms and legs	9
3.1 Composition of the virtual torso, arms and legs.....	9
3.1.1 Virtual body region.....	9
3.1.2 Virtual skeletal structure.....	15
3.1.3 Virtual joint.....	16
3.2 Alteration of the virtual torso, arms and legs.....	17
3.2.1 Virtual body size alteration.....	17
3.2.2 Virtual skin colour alteration.....	18
3.2.3 Virtual body pose and motion alteration.....	19
4 Expression of the virtual head and face	20
4.1 Composition of the virtual head and face.....	20
4.1.1 Virtual head and face region.....	20
4.1.2 Virtual body landmark.....	21
4.1.3 Virtual body dimension.....	23
4.1.4 Virtual skeletal structure.....	25
4.1.5 Virtual head pose and motion.....	27
4.1.6 Virtual facial expression.....	27
4.2 Alteration of the virtual head and face.....	28
4.2.1 Virtual size alteration.....	28
4.2.2 Virtual body texture alteration.....	29
4.2.3 Virtual head pose and motion alteration.....	31
4.2.4 Virtual facial expression alteration.....	33
4.2.5 Overall virtual head and face alteration.....	33
5 Expression of the virtual hand	35
5.1 Composition of the virtual hand.....	35
5.1.1 Virtual hand region.....	35
5.1.2 Virtual body landmark.....	35
5.1.3 Virtual dimension.....	37
5.1.4 Skeletal structure.....	40
5.1.5 Virtual hand pose and motion.....	43
5.2 Alteration of the virtual hand.....	43
Annex A (informative) Comparison between virtual bones of the virtual torso, arms and legs of virtual human body and H-Anim	44
Bibliography	45

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 133, *Clothing sizing systems – size designation, size measurement methods and digital fittings*.

ISO 18825 consists of the following parts, under the general title *Clothing — Digital fittings*:

- *Part 1: Vocabulary and terminology used for the virtual human body*
- *Part 2: Vocabulary and terminology used for attributes of the virtual human body*

Introduction

The virtual human body in the virtual garment system is intended to reproduce the actual shape and size of the human body with known reliability. It is also intended to have attributes applicable to making and wearing clothes. Among these attributes it is essential that the definitions of virtual body landmarks and virtual body dimensions are consistent with those defined for actual humans.

The virtual human body is not defined based on human anatomy. However, since the virtual human body needs to have body dimensions very close to those of the actual human body, virtual body landmarks are closely associated with anatomical landmarks defined on the human body.

Definitions and the procedure of body measurement were prescribed in ISO 8559. In addition to this, virtual body dimensions of the virtual human body need to be defined in the three-dimensional virtual space because the surface of the virtual human body cannot be touched in reality. And virtual body landmarks of the virtual human body are detected from x, y, z axes using a visual detective method on the screen. Therefore, virtual body dimensions and virtual body landmarks of the virtual human body need to be modified and defined for use in three-dimensional virtual space while maintaining similarity to existing anthropometric body dimensions.

When a virtual human body of the same size is made with each different virtual garment system, the results of the virtual human body size and shape, etc. are different., not only because the current virtual garment systems have different size changing algorithms, but also because they use different definitions of body dimensions of the virtual human body. This confuses users on the terms related to the body dimensions of the virtual human body, and online sales using unstandardized virtual garment systems could lead to more errors in clothing size. This can be solved by standardizing terms and definitions of body dimensions of the virtual human body and suggesting essential body dimensions of the virtual human body.

This part of ISO 18825 is the second in a series of standards that deal with the virtual human body. The purpose of this series of International Standards is to improve online communication and reliability of fashion products sold online and in-store through visual confirmation of size, shape, fit, and design by standardizing the terms related to the virtual garment system.

Following ISO 18825-1 which deals with composition and attributes of the virtual human body, this part of ISO 18825 defines terms necessary to describe virtual human body, and thus supports online and in-store consumers, fashion designers, product developers, technologists, manufacturers and retailers who have an interest in the style and fit of clothes. Developers of the virtual garment system should use the same terms described in this part of ISO 18825.

Clothing — Digital fittings —

Part 2:

Vocabulary and terminology used for attributes of the virtual human body

1 Scope

This part of ISO 18825 defines the terms used to describe the virtual human body which is used in virtual garment systems. Specifically, virtual body landmarks and virtual body dimensions are described.

This part of ISO 18825 mainly deals with vocabulary and terminology of essential virtual body dimensions of the virtual torso, arm, leg, head, face, hands and bones and joints of virtual human body.

Since there are many body landmarks on the head and hand, landmarks on these parts are defined separately from those on other parts of the body.

This part of ISO 18825 is intended for developers of virtual garment systems. Although this part of ISO 18825 does not aim at users of virtual human body in online communication, the improved reliability of virtual human body will benefit them.

2 Terms and definitions relating to the virtual torso, arms and legs

2.1 Virtual body landmark

Note See Figure 2.

2.1.1

virtual top head point

highest point of the head on the midsagittal plane with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.2

virtual neck point

middle point of the front neck between the virtual top neck point and *virtual front neck-base point* (2.1.3) on the midsagittal plane with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.3

virtual front neck-base point

most concave point under the front neck on the midsagittal plane with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.4

virtual side neck-base point

intersection point of the concave contour line at the neck-base passing through the shoulder ridge line with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.5

virtual back neck-base point

most posterior point at the back neck-base on the midsagittal plane with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.6

virtual shoulder point

most lateral point of the shoulder ridge line passing through the cross section covering the middle plane of the torso and arm with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.7

virtual axillia point

lowest point under the axillary passing through the cross section between the torso and arm with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.8

virtual front axillia point

most anterior point of upper arm at the same level as the *virtual axillia point* ([2.1.7](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.9

virtual back axillia point

most posterior point of upper arm at the same level as the *virtual axillia point* ([2.1.7](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.10

virtual bust point

most anterior point of the bust with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.11

virtual underbust point

lowest point under the bust projection with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.12

virtual side waist point

most concave point of the (right) side waist when viewed from the front with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.13

virtual back waist point

point of the back waist on the midsagittal plane at the level of the *virtual side waist point* ([2.1.12](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.14

virtual abdomen point

most anterior point of the abdomen on the midsagittal plane with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.15

virtual hip point

most posterior point of the hip with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.16

virtual crotch point

lowest point of the torso on the midsagittal plane with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.17

virtual elbow point

most protruding point of the elbow

2.1.18

virtual wrist point

most concave point of the extended line of the little finger passing through the cross section between the arm and hand with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.19

virtual middle finger tip point

distal point of the middle finger with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.20

virtual gluteal fold point

most concave point on the sagittal plane passing through the *virtual hip point* ([2.1.15](#)) between hip and thigh with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.21

virtual mid-thigh point

point of the (right) side thigh when viewed from the side at the middle level between the *virtual hip point* ([2.1.15](#)) and *virtual knee point* ([2.1.22](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.22

virtual knee point

centre point of the anterior part of the knee with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.23

virtual calf point

most posterior point of the calf with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.24

virtual lower leg point

most concave point of under the front lower leg above the virtual side ankle point with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.25

virtual outside ankle point

most lateral point of the lateral malleolus with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

2.1.26

virtual landing heel point

lowest point of the posterior calcaneus with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.4.

Note 2 to entry: The virtual landing heel point can reach the floor or the top of the shoe heel.

2.2 Virtual body dimension

Note See Figure 3.

2.2.1

virtual height

vertical distance between the *virtual landing heel point* ([2.1.26](#)) and *virtual top head point* ([2.1.1](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.2

virtual bust height

vertical distance between the *virtual landing heel point* ([2.1.26](#)) and *virtual bust point* ([2.1.10](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

Note 2 to entry: When the value of the *virtual bust height* ([2.2.2](#)) based on the relation between parameters through data analysis of classified virtual human bodies is set in the virtual garment system, value input is not necessary. When the value of the virtual bust height can be acquired through measurement of an actual person, value input is recommended.

2.2.3

virtual waist height

vertical distance between the *virtual landing heel point* ([2.1.26](#)) and *virtual side waist point* ([2.1.12](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

Note 2 to entry: When the value of the virtual waist height based on the relation between parameters through data analysis of classified virtual human bodies is set in the virtual garment system, value input is not necessary. When the value of the virtual waist height can be acquired through measurement of an actual person, value input is recommended.

2.2.4 virtual hip height

vertical distance between the *virtual landing heel point* (2.1.26) and *virtual hip point* (2.1.15) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

Note 2 to entry: to entry When the value of the virtual hip height based on the relation between parameters through data analysis of classified virtual human bodies is set in the virtual garment system, value input is not necessary. When the value of the virtual hip height can be acquired through measurement of an actual person, value input is recommended.

2.2.5 virtual crotch height; virtual inside leg length

vertical distance between the *virtual landing heel point* (2.1.26) and virtual crotch with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.6 virtual knee height

vertical distance between the *virtual landing heel point* (2.1.26) and virtual knee point with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

Note 2 to entry: to entry When the value of the virtual knee height based on the relation between parameters through data analysis of classified virtual human bodies is set in the virtual garment system, value input is not necessary. When the value of the virtual knee height can be acquired through measurement of an actual person, value input is recommended.

2.2.7 virtual calf height

vertical distance between the *virtual landing heel point* (2.1.26) and *virtual calf point* (2.1.23) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

Note 2 to entry: When the value of the virtual calf height based on the relation between parameters through data analysis of classified virtual human bodies is set in the virtual garment system, value input is not necessary. When the value of the virtual calf height can be acquired through measurement of an actual person, value input is recommended.

2.2.8 virtual shoulder width

horizontal distance between right and left *virtual shoulder points* (2.1.6)

Note 1 to entry: In case of using 'virtual shoulder width' which refers 'the surface length', it is marked that there has been a change in meaning.

2.2.9 virtual back waist length

surface distance between the *virtual back neck-base point* (2.1.5) and *virtual back waist point* (2.1.13) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.10

virtual arm length

sum of the distance of the straight line between *virtual shoulder point* (2.1.6) and *virtual elbow point* (2.1.17), and the distance of the straight line between virtual elbow point and *virtual wrist point* (2.1.18) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

Note 2 to entry: to entry In case 'virtual arm length' is used to mean 'surface length', it is marked that there has been a change in meaning.

2.2.11

virtual neck girth

perpendicular girth to the neck axis passing through the *virtual neck point* (2.1.2) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.12

virtual neck-base girth

girth of the contour line passing through the *virtual front neck-base point* (2.1.3), *virtual side neck-base point* (2.1.4) and *virtual back neck-base point* (2.1.5) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.13

virtual armscye girth

girth of the contour cross section between the torso and arm passing through the *virtual shoulder points* (2.1.6) and *virtual axillia points* (2.1.7) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.14

virtual upper arm girth

maximum girth of the upper arm perpendicular to the main axis of the upper arm and passing through the *virtual axillia points* (2.1.7) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.15

virtual elbow girth

girth of the arm perpendicular to the main axis of the upper arm and passing through the *virtual elbow point* (2.1.17) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.16

virtual wrist girth

girth of the forearm perpendicular to the main axis of the forearm and passing through the *virtual wrist point* (2.1.18) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.17

virtual chest girth

horizontal girth of the torso passing through the *virtual axillia points* (2.1.7) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.18

virtual bust girth

horizontal girth of the torso passing through the *virtual bust point* ([2.1.10](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.19

virtual underbust girth

horizontal girth of the torso passing through the *virtual underbust point* ([2.1.11](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.20

virtual waist girth

horizontal girth of the torso passing through the *virtual side waist point* ([2.1.12](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.21

virtual abdomen girth

horizontal girth of the torso passing through the *virtual abdomen point* ([2.1.14](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.22

virtual hip girth

horizontal girth of the torso passing through the *virtual hip point* ([2.1.15](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.23

virtual thigh girth

horizontal girth of the leg at the level of *virtual crotch point* ([2.1.16](#)) gluteal fold point with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.24

virtual mid-thigh girth

horizontal girth of the leg at the level of *virtual mid-thigh point* ([2.1.21](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.25

virtual knee girth

horizontal girth of the leg passing through the *virtual knee point* ([2.1.22](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.26

virtual calf girth

horizontal girth of the leg passing through the *virtual calf point* ([2.1.23](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.27

virtual lower leg girth

smallest horizontal girth of the leg passing through the *virtual lower leg point* ([2.1.24](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.2.28

virtual ankle girth

horizontal girth of the leg passing through the *virtual outside ankle point* ([2.1.25](#)) with the virtual human body in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.3.

2.3 Virtual skeletal structure — Virtual bone

2.3.1

virtual neck bone

hypothetical bone connecting the middle point between the two virtual tragion points (see [4.1.2](#)) and the centre point of the cross section of the *virtual neck-base girth* ([2.2.12](#)) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.2

virtual upper arm bone

hypothetical bone connecting the centre point of of the cross section of the *virtual armscye girth* ([2.2.13](#)) and the centre point of the cross section of the *virtual elbow girth* ([2.2.15](#)) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.3

virtual forearm bone

hypothetical bone connecting the centre point of the cross section of the *virtual elbow girth* ([2.2.15](#)) and the centre point of the cross section of the *virtual wrist girth* ([2.2.16](#)) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.4

virtual thigh bone

hypothetical bone connecting the centre point of the cross section of the *virtual knee girth* ([2.2.25](#)) and the *virtual hip girth* ([2.2.22](#)) with a perpendicular line in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.5

virtual leg bone

hypothetical bone connecting the centre point of the cross section of the *virtual knee girth* ([2.2.25](#)) and the centre point of the cross section of the *virtual minimum leg girth* ([2.2.27](#)) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.6

virtual neck joint

uppermost point of the *virtual neck bone* ([2.3.1](#)) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.7

virtual neck-base joint

lowest point of the *virtual neck bone* (2.3.1) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.8

virtual shoulder joint

uppermost point of the *virtual upper arm bone* (2.3.2) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.9

virtual elbow joint

point where the virtual arm bone and *virtual forearm bone* (2.3.3) meet in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.10

virtual wrist joint

lowest point where the *virtual forearm bone* (2.3.3) and virtual hand meet in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.11

virtual waist joint

centre point of the cross section of the *virtual waist girth* (see 2.2.20) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.12

virtual hip joint

uppermost point of the *virtual thigh bone* (2.3.4) in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.13

virtual knee joint

point where the *virtual thigh bone* (2.3.4) and virtual lower leg bone meet in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

2.3.14

virtual ankle joint

lowest point where the virtual lower leg bone and virtual foot meet in the virtual standing position

Note 1 to entry: See ISO 18825-1:2016, 2.2.5.

3 Expression of the virtual torso, arms and legs

3.1 Composition of the virtual torso, arms and legs

3.1.1 Virtual body region

The criteria dividing the human body in the apparel area is different from those in the anatomy area. In the apparel industry, visual appearance as the result of garment fitting is important, and basic construction lines of garment are used to divide the human body. This part of ISO 18825 follows the criteria from basic construction lines of a garment to refer to virtual body segments of the virtual human body.

The virtual torso is divided into the virtual neck region, virtual shoulder region, virtual chest (bust) region, virtual waist region, virtual abdomen region and virtual crotch region. Virtual arms consist of 2 virtual upper arm regions and 2 virtual forearm regions, and virtual legs also consist of 2 virtual thigh regions and 2 virtual calf regions (see [Table 1](#) and [Figure 1](#)).

NOTE Virtual body landmarks and virtual body dimensions follow existing definitions.

Table 1 — Virtual body regions of the virtual torso, arms and legs


Class	Virtual body region	Definitions
Virtual torso	Virtual neck region	From the girth line passing the virtual top neck point (see 4.1.2) and virtual back head-base point (see 4.1.2) and to the virtual neck-base girth (see 2.2.12) line.
	Virtual shoulder region	Upper and lower boundaries: From the virtual neck-base girth (see 2.2.12) line to the virtual chest girth (see 2.2.17) line. Right and left boundaries: The inner side of each virtual armscye girth (see 2.2.13) line.
	Virtual chest region (male)	From the virtual chest girth (see 2.2.17) line to the virtual waist girth (see 2.2.20) line.
	Virtual bust region (female)	
	Virtual waist region	From the virtual waist girth (see 2.2.20) line to the virtual abdomen girth (see 2.2.21) line.
	Virtual abdomen region	From the virtual abdomen girth (see 2.2.21) line to the virtual hip girth (see 2.2.22) line.
	Virtual crotch region	From the virtual hip girth (see 2.2.22) line to the virtual thigh girth (see 2.2.23) line.
Virtual arms	Virtual upper arm region	From the virtual armscye girth (see 2.2.13) line to the virtual elbow girth (see 2.2.15) line.
	Virtual forearm region	From the virtual elbow girth (see 2.2.15) line to the virtual wrist girth (see 2.2.16) line.
Virtual legs	Virtual thigh region	From the virtual thigh girth (see 2.2.23) line to the virtual knee girth (see 2.2.25) line.
	Virtual calf region	From the virtual knee girth (see 2.2.25) line to the virtual ankle girth (see 2.2.28) line.




Key

- 1 virtual neck region
- 2 virtual shoulder region
- 3 virtual chest region
- 4 virtual waist region
- 5 virtual abdomen region
- 6 virtual crotch region
- 7 virtual upper arm region
- 8 virtual forearm region
- 9 virtual thigh region
- 10 virtual calf region


Figure 1 — Virtual body regions of the virtual torso, arms and legs



a)



b)




c)


Key

- | | | | |
|----|---------------------------------|----|----------------------------|
| 1 | virtual top head point | 14 | virtual underbust point |
| 2 | virtual side neck-base point | 15 | virtual elbow point |
| 3 | virtual shoulder point | 16 | virtual abdomen point |
| 4 | virtual front axillia point | 17 | virtual hip point |
| 5 | virtual side waist point | 18 | virtual gluteal fold point |
| 6 | virtual crotch point | 19 | virtual mid-thigh point |
| 7 | virtual middle finger tip point | 20 | virtual knee point |
| 8 | virtual outside ankle point | 21 | virtual calf point |
| 9 | virtual neck point | 22 | virtual lower leg point |
| 10 | virtual front neck-base point | 23 | virtual landing heel point |
| 11 | virtual back neck-base point | 24 | virtual back axillia point |
| 12 | virtual axillia point | 25 | virtual back waist point |
| 13 | virtual bust point | 26 | virtual wrist point |


Figure 2 — Virtual body landmarks of the virtual torso, arms and legs



a)



b)



c)

Key

1	virtual neck girth	15	virtual knee girth
2	virtual neck-base girth	16	virtual calf girth
3	virtual chest girth	17	virtual lower leg girth
4	virtual bust girth	18	virtual ankle girth
5	virtual underbust girth	19	virtual height
6	virtual waist girth	20	virtual bust height
7	virtual abdomen girth	21	virtual waist height
8	virtual hip girth	22	virtual hip height
9	virtual armscye girth	23	virtual crotch height; virtual inside leg length
10	virtual upper arm girth	24	virtual knee height
11	virtual elbow girth	25	virtual calf height
12	virtual wrist girth	26	virtual back waist length
13	virtual thigh girth	27	virtual shoulder width
14	virtual mid-thigh girth	28	virtual arm length

Figure 3 — Virtual body dimensions of the virtual torso, arms and legs


3.1.2 Virtual skeletal structure

Virtual joints of the virtual human body for clothing simulation are not the same as articulations of the actual human body. Virtual bones and virtual joints in the virtual human body are simplified (see [Figure 4](#) and [Table 3](#)).

There is a difference between the actual human body and the virtual human body such as the number and position of joints. For example, the actual human body has three shoulder joints, but there is only

one virtual shoulder joint. The virtual joint is a hypothetical spherical joint. The virtual bone is a hypothetical bone shaped like a one-dimensional bar.

NOTE Virtual bones and virtual joints follow existing definitions (see ISO/IEC 19774).



Key

- | | | | |
|---|-------------------------|----|------------------------|
| 1 | virtual neck bone | 8 | virtual shoulder joint |
| 2 | virtual upper arm bone | 9 | virtual elbow joint |
| 3 | virtual forearm bone | 10 | virtual wrist joint |
| 4 | virtual thigh bone | 11 | virtual waist joint |
| 5 | virtual lower leg bone | 12 | virtual hip joint |
| 6 | virtual neck joint | 13 | virtual knee joint |
| 7 | virtual neck-base joint | 14 | virtual ankle joint |

Figure 4 — Virtual bones and virtual joints of virtual torso, arms and legs

3.1.3 Virtual joint

The number of axes of rotation of virtual joints is as follows (see [Table 2](#)). The DOF of each virtual joint that has a different the number of axes of rotation. There is no limit of the ROM for virtual joints

NOTE 1 The DOF refers to the degree of freedom.

NOTE 2 The ROM refers to the range of motion.

Table 2 — The number of axes of rotation of the virtual joints

Virtual joint	Number of axes of rotation
Virtual neck joint	3
Virtual neck-base joint	2
Virtual shoulder joint	3
Virtual elbow joint	2
Virtual wrist joint	3
Virtual waist joint	3

Table 2 (continued)

Virtual joint	Number of axes of rotation
Virtual hip joint	3
Virtual knee joint	1
Virtual ankle joint	2

Table 3 — Spot where virtual bones and virtual joints meet

Virtual joint	Virtual bone				
	Virtual neck bone	Virtual upper arm bone	Virtual forearm bone	Virtual thigh bone	Virtual lower leg bone
Virtual neck joint	X				
Virtual neck-base joint	X				
Virtual shoulder joint		X			
Virtual elbow joint			X		
Virtual wrist joint ^b			X		
Virtual waist joint					
Virtual hip joint				X	
Virtual knee joint				X	X
Virtual ankle joint ^b					X

^a Shaded: Points where virtual bones and virtual joints meet.

^b The virtual wrist joint and virtual ankle joint also meet with the virtual hand and virtual foot, respectively.

3.2 Alteration of the virtual torso, arms and legs

3.2.1 Virtual body size alteration

Users want to take their real size or similar virtual human body to evaluate garment fit on online. Therefore, it is essential for the user to alter the size fit for them easily and correctly. The virtual body size alteration method of virtual human body is divided into body type selection and body dimension change. For body type selection, users get a virtual human body similar to their own body from a 3D model library of the virtual human body, through manual or automatic measurement input and statistical searching method. And for alteration to the details of virtual body dimensions, users can use parameter input from the operator list. For instance, a user can choose the virtual body regions that need to be changed and adjust virtual body dimensions of the virtual body regions by entering the target size from the operator list. If a measurement is increased, the size grows bigger. Moreover, virtual body dimensions such as virtual height and virtual shoulder width can be changed in real time, and users can get changed size data from the operator's list (see [Figure 5](#)).



Figure 5 — Examples of virtual body size alterations

3.2.2 Virtual skin colour alteration

Virtual skin colour is an important element whether it matches the garment colour or not. And changing the virtual skin colour can also express a person's skin tone. Through loading the replaceable body texture map and controlling the colour, opacity and shine, not only the skin colour of the virtual human body, but also details such as wrinkles and hair, can be changed to make the virtual body texture similar to the appearance of the real body (see [Figure 6](#)).

NOTE General virtual body texture follows existing definitions (see ISO 18825-1:2016, 2.2.6).




Figure 6 — Examples of virtual skin colour alteration

3.2.3 Virtual body pose and motion alteration

Because people make pose and motion wearing clothes in everyday life, changing body pose and motion is also necessary for fit evaluation. By loading the existing body pose and motion library or making a new body pose and motion, users can alter virtual body poses and motions. Users can choose the virtual bone to be changed, and then adjust the angle of the virtual joint and virtual bone directly from the operator list. Or, functions such as “move”, “tilt”, “fold”, and “turn” can be used to adjust the angle of a virtual joint or bone(see [Figure 7](#)).

NOTE Virtual bones and virtual joints follow existing definitions (see ISO 18825-1:2016, 2.2.5).



Figure 7 — Examples of virtual body poses and motion alterations

4 Expression of the virtual head and face

4.1 Composition of the virtual head and face


4.1.1 Virtual head and face region

Boundary line between the head and neck of the virtual human body is the curve connecting the concave points of upper neck which meets the lower jaw part and lower back head area.

The head of the virtual human body is divided into the virtual forehead region, virtual face region, virtual lower jaw region, and virtual head region, and there are eyes, nose, mouth, jaw, ears and cheeks on the head of the virtual human body (see [Table 4](#) and [Figure 8](#)).

Table 4 — Virtual head and face regions

Class	Virtual body region	Definitions
Virtual head	Virtual head region	From the horizontal line passing virtual sellion point (see 4.1.2), including the ears and back head part, to the girth line passing the virtual back head-base point (see 4.1.2).
	Virtual face region	From the horizontal line passing virtual sellion point (see 4.1.2), inside the line where the ear starts, to the line connecting the lowest points, virtual jaw point (see 4.1.2) of the face.
	Virtual lower jaw region	From the line connecting the lowest points, virtual jaw point (see 4.1.2) of the face, to the girth line passing the virtual top neck point (see 4.1.2).



Key

- 1 virtual head region
- 2 virtual face region
- 3 virtual lower jaw region

Figure 8 — Virtual head and face regions


4.1.2 Virtual body landmark

Virtual body dimensions on the head and face of the virtual human body are established based on landmarks. Virtual body landmarks on the head and face of the virtual human body are as follows (see [Table 5](#) and [Figure 9](#)).

NOTE Other virtual body landmarks such as the virtual nose tip, virtual lateral mouth point and virtual medial eye point can be added to express appearance of the head and face more elaborately, depending on the user's purpose.

Table 5 — Virtual body landmarks on the virtual head and face

Class	Virtual body landmark	Definition
Virtual head and face	Virtual top head point	The highest point of the head on the midsagittal plane with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual sellion point	The point of greatest indentation of the nasal root depression on the midsagittal plane with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual centre eyebrow point	The centre point between the eyebrows at which the face and forehead meet on the midsagittal plane with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual eyeball point	The centre point of the front eyeball with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual side head point	The most lateral point above the ears with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual tragion point	The point just above the the small flap in front of the ear hole with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual jaw point	The most curved point of the jaw on the midsagittal plane with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual top neck point	The most concave point of the front lower jaw and the highest point of the front neck on the midsagittal plane with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual back head point	The most posterior point of the back head on the midsagittal plane with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).
	Virtual back head-base point	The point of the line at which the back neck and hair of the back head meet and the highest point of the back neck on the midsagittal plane with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.4).



Key

- | | | | |
|---|------------------------------|----|------------------------------|
| 1 | virtual centre eyebrow point | 6 | virtual tracion point |
| 2 | virtual eyeball point | 7 | virtual jaw point |
| 3 | virtual side head point | 8 | virtual top neck point |
| 4 | virtual top head point | 9 | virtual back head point |
| 5 | virtual sellion point | 10 | virtual back head-base point |

Figure 9 — Virtual body landmarks on the virtual head and face


4.1.3 Virtual body dimension

Virtual body dimensions on the head and face of the virtual human body are as follows (see [Table 6](#) and [Figure 10](#)).

Other virtual body landmarks such as the virtual nose tip, virtual lateral mouth point and virtual medial eye point can be added to express appearance of the head and face more elaborately, depending on the user's purpose.

Table 6 — Virtual body dimension on the virtual head and face

Class	Virtual body dimensions	Definition
Virtual head and face	Virtual head height	The vertical distance between the virtual jaw point and virtual top head point with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.3).
	Virtual face length	The vertical distance between the virtual sellion point with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.3).
	Virtual head girth	The girth of the contour line passing through the virtual centre eyebrow point and virtual back head point with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.3).
	Virtual head width	The horizontal distance between the virtual side head point extremities with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.3).
	Virtual tragion width	The horizontal distance between the virtual tragion point extremities with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.3).
	Virtual eyeball width	The horizontal distance between virtual eyeball points with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.3).
	Virtual head depth	The straight distance between the virtual centre eyebrow point and virtual back head point with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.3).



Key

- 1 virtual head width
- 2 virtual tracion width
- 3 virtual eyeball width
- 4 virtual head girth
- 5 virtual head height
- 6 virtual face length
- 7 virtual head depth

Figure 10 — Virtual body dimensions of the virtual head and face

4.1.4 Virtual skeletal structure

4.1.4.1 Virtual bone

Virtual bones of the virtual head connect to the virtual neck joint (see 2.3.6 and 4.1.4.2) which is located between the virtual head and virtual neck (see Table 7 and Figure 11).

Unlike bones of the head and face of the real human body divided into 4 sections consisting of several bones, virtual bones of the virtual head and face of virtual human body consists of 2 bones, or virtual head bone, and virtual jaw bone.

Table 7 — Virtual bones of the virtual head

Class	Virtual bone
Virtual head	Virtual head bone
	Virtual jaw bone

4.1.4.2 Virtual joint


As suggested in ISO/IEC 19774, there is just one kind of joint, 2 virtual jaw joints on the virtual head and face of the virtual human body, which are different from the joints of real human. This is why the virtual jaw joint can move the mouth and make virtual facial expressions (see [Table 8](#) and [Figure 11](#)).

The virtual jaw joint has the same definition as the virtual tragion point (see [4.1.2](#)) which refers to the point just above the small flap in front of the ear hole.

NOTE The virtual neck joint is located at the centre between the virtual jaw joint extremities with the virtual human body in the virtual standing position (see ISO 18825-1:2016, 2.2.5).

Table 8 — Virtual joints of the virtual head

Class	Virtual joint
Virtual head	Virtual neck joint
	Virtual jaw joint



Key

- 1 virtual neck joint
- 2 virtual jaw joint
- 3 virtual head bone
- 4 virtual jaw bone
- 5 virtual jaw joint
- 6 virtual neck bone

Figure 11 — Virtual bones and joints of the virtual head

4.1.5 Virtual head pose and motion

Virtual head poses and motions of the virtual human body follow the vocabulary and terminology used for virtual bones, virtual joints, virtual body poses and virtual motions of the virtual human body. This is why it is necessary to use the virtual head joint in virtual head poses and motions of the virtual human body.

The virtual human body can strike head poses such as tilting the head, or averting the head using head joints. Furthermore, head motions can be created by interpolating individual head poses.

4.1.6 Virtual facial expression

Virtual poses and motions related to the face of virtual human body make virtual facial expressions. As suggested in ISO/IEC 19774, virtual facial expression simulation of the virtual human body can be controlled with a muscle group, meaning a mesh structure instead of joints. As an exception the virtual jaw joint is the only virtual joint to make a facial expression. Mouth poses and motions can be created using the virtual jaw joint and mesh structure.

NOTE Rotation of eyes, eyelids and eyebrows are also possible.

4.2 Alteration of the virtual head and face

4.2.1 Virtual size alteration

4.2.1.1 Virtual head size alteration

The virtual head size of the virtual human body can be altered, controlling approximate visual size, or setting specific parameters of length, width, and depth (see [Figure 12](#)).




Figure 12 — Examples of head size alterations

4.2.1.2 Virtual face shape alteration

Virtual face fatness of virtual human body can be altered. The first way is to choose a model from the model library in which there are already created models, and the second way is to control the level of shape. The second way means increasing or decreasing the amount of the flesh on the cheek and jaw (see [Figure 13](#)).



a) Choosing a body model from the library



b) Controlling level of shape

Figure 13 — Examples of virtual face shape alterations

4.2.2 Virtual body texture alteration

4.2.2.1 Virtual facial skin colour alteration

If the virtual garment system has the function to control virtual facial skin colour of the virtual human body, users can choose the virtual facial skin colour, or level of skin tone they want to change into (see [Figure 14](#)).



Figure 14 — Examples of virtual facial colour alterations

4.2.2.2 Virtual hairstyle alteration

If the virtual garment system has the function to change the virtual hairstyle of the virtual human body, users can choose a virtual hairstyle from the hairstyle options library (see [Figure 15](#)). In addition, the virtual hairstyle of the virtual human body can be altered, choosing a virtual hairstyle from the head model library in which there are head models with different virtual hairstyles (see [Figure 16](#)).




Figure 15 — Example of a hairstyles option library



a) Choosing virtual hairstyles from a hairstyles option library



b) Choosing virtual hairstyles from a head model library

Figure 16 — Examples of virtual hairstyle alterations

4.2.3 Virtual head pose and motion alteration

A virtual garment system may have a function that allows the user to change the position of the virtual head of the virtual human body. Specifically, the angle of the virtual neck joint (see [4.1.4.2](#)) can be altered to hold the head up or look down. Also, the location of the neck joint can be altered to extend or reduce the length of the neck, and the virtual neck joint can move forward and back to change the horizontal location of the virtual head. Furthermore, the individual virtual head poses created with different angles and locations can be connected to create virtual head motions (see [Figure 17](#)).



a) Virtual head angle alterations



b) Virtual horizontal head position alterations



c) Virtual vertical head position alterations

Figure 17 — Examples of virtual head pose and motion alterations

4.2.4 Virtual facial expression alteration

The virtual facial expression of a virtual human body can be altered by changing virtual flesh structure, or mesh structure. If the virtual garment system has the function to change the facial expression of the virtual human body, the user can choose a virtual facial expression from the facial expressions option library. Virtual face motions can be created by connecting each virtual facial expression (see [Figures 18](#) and [19](#)).




Figure 18 — Example of a facial expressions option library




Figure 19 — Examples of virtual facial expression alterations

4.2.5 Overall virtual head and face alteration

The overall virtual head and face alterations of the virtual human body refers to the expression of composition elements such as the shape, size, wrinkles, skin colour, hairstyle and hair colour, which are changed synthetically (see [Figure 20](#)).

The virtual head and face can be altered by choosing a head model or whole body model from the library which has models already created to express individual characteristics.



a) Choosing head models from the library



b) Choosing a whole body model from the library


Figure 20 — Examples of overall virtual head and face alterations

5 Expression of the virtual hand

5.1 Composition of the virtual hand

5.1.1 Virtual hand region

The boundary of the hand for the virtual human body is from wrist to end of finger. The virtual hand is divided into three regions, virtual body of hand, virtual fingers and virtual thumb by the curve connecting virtual thumb root point, virtual index finger-thumb crease point, virtual hand inside point, virtual index finger root point, virtual middle finger root point, virtual ring finger root point, virtual pinky root point and virtual hand outside point (see 5.1.2. and Figure 21).



Key

- 1 virtual body of hand
- 2 virtual thumb
- 3 virtual fingers

Figure 21 — Virtual hand regions of the virtual hand

5.1.2 Virtual body landmark


Virtual dimensions on the hand of the virtual human body are established by landmarks. Virtual body landmarks on the hand of the virtual human body are as follows (see Table 9 and Figure 22).

Table 9 — Virtual body landmarks on the virtual hand

Class	Landmark	Definition
	Virtual wrist centre point	The intersection point where extension line from the root of the middle finger and virtual wrist girth (see 2.2.16) meet.
	Virtual hand inside point	The innermost point of the root joint of the index finger.
	Virtual hand outside point	The most protruding point of the root joint of the little finger.

Table 9 (continued)

Class	Landmark	Definition
	Virtual index finger-thumb crease point	The crease point between thumb and index finger.
	Virtual thumb root point	The starting point of the thumb.
	Virtual thumb first point	The first folding point of the thumb from the virtual thumb root point.
	Virtual thumb tip point	The tip of the thumb.
	Virtual index finger root point	The starting point of the index finger.
	Virtual index finger first point	The first folding point of the index finger from the virtual index finger root point.
Virtual hand	Virtual index finger second point	The second folding point of the index finger from the virtual index finger root point.
	Virtual index finger tip point	The tip of the index finger.
	Virtual middle finger root point	The starting point of middle finger.
	Virtual middle finger first point	The first folding point of the middle finger from the virtual middle finger root point.
	Virtual middle finger second point	The second folding point of the middle finger from the virtual middle finger root point.
	Virtual middle finger tip point	The tip of the middle finger.
	Virtual ring finger root point	The starting point of the ring finger.
	Virtual ring finger first point	The first folding point of the ring finger from the virtual ring finger root point.
	Virtual ring finger second point	The second folding point of the ring finger from the virtual ring finger root point.
	Virtual ring finger tip point	The tip of the ring finger.
	Virtual pinky root point	The starting point of the little finger.
	Virtual pinky first point	The first folding point of the little finger from the virtual little finger root point.
	Virtual pinky second point	The second folding point of the little finger from the virtual little finger root point.
	Virtual pinky tip point	The tip of the little finger.



Key

- | | | | |
|----|---|----|------------------------------------|
| 1 | virtual wrist centre point | 13 | virtual middle finger first point |
| 2 | virtual hand inside point | 14 | virtual middle finger second point |
| 3 | virtual hand outside point | 15 | virtual middle finger tip point |
| 4 | virtual index finger-thumb crease point | 16 | virtual ring finger root point |
| 5 | virtual thumb root point | 17 | virtual ring finger first point |
| 6 | virtual thumb first point | 18 | virtual ring finger second point |
| 7 | virtual thumb tip point | 19 | virtual ring finger tip point |
| 8 | virtual index finger root point | 20 | virtual pinky root point |
| 9 | virtual index finger first point | 21 | virtual pinky first point |
| 10 | virtual index finger second point | 22 | virtual pinky second point |
| 11 | virtual index finger tip point | 23 | virtual pinky tip point |
| 12 | virtual middle finger root point | | |




Figure 22 — Virtual body landmarks on the virtual hand

5.1.3 Virtual dimension

Virtual dimensions on the hand of the virtual human body are as follows (see [Table 10](#) and [Figure 23](#)).

Table 10 — Virtual dimensions on the virtual hand

Class	Virtual dimension	Definition
Virtual hand	Virtual hand length	The straight length from the virtual wrist girth to the virtual middle finger tip point.
	Virtual palm length	The straight length from the virtual wrist girth to the virtual middle finger root point.
	Virtual thumb hand width	The distance from the virtual thumb root point to the virtual hand outside point.
	Virtual hand width	The distance from the virtual inside point to the virtual hand outside point.
	Virtual hand girth	The girth of the virtual hand passing through the virtual hand inside point and the virtual hand outside point.
	Virtual hand depth	The maximum depth from the virtual middle finger root point toward the palm.
	Virtual thumb length	The length from the virtual thumb tip point to the virtual thumb root point.
	Virtual thumb width	The width of the thumb at the virtual thumb first joint.
	Virtual thumb girth	The girth of the thumb at the virtual thumb first joint.
	Virtual index finger length	The length from the the virtual index finger tip point to the virtual index finger root point
	Virtual index finger width	The width of the index finger the the virtual index finger first joint.
	Virtual index finger girth	The girth of the index finger at the virtual index finger first joint.
	Virtual middle finger length	The length from the virtual middle finger tip point to the virtual middle finger root point.
	Virtual middle finger width	The width of the middle finger at the virtual middle finger first joint.
	Virtual middle finger girth	The girth of the middle finger at the virtual middle finger first joint.
	Virtual ring finger length	The length from the virtual ring finger tip point to the virtual ring finger root point.
	Virtual ring finger width	The width of the ring finger at the virtual ring finger first joint.
	Virtual ring finger girth	The girth of the ring finger at the virtual ring finger first joint.
	Virtual little length	The length from the virtual little finger tip point to the virtual little finger root point.
	Virtual little width	The width of the little finger at the virtual little finger first joint.
Virtual little finger girth	The girth of the little finger at the virtual little finger first joint.	



Key

- | | | | |
|----|------------------------------|----|-----------------------------|
| 1 | virtual hand length | 12 | virtual ring finger girth |
| 2 | virtual palm length | 13 | virtual little length |
| 3 | virtual thumb hand width | 14 | virtual little width |
| 4 | virtual index finger length | 15 | virtual little finger girth |
| 5 | virtual index finger width | 16 | virtual hand depth |
| 6 | virtual index finger girth | 17 | virtual thumb length |
| 7 | virtual middle finger length | 18 | virtual thumb width |
| 8 | virtual middle finger width | 19 | virtual thumb girth |
| 9 | virtual middle finger girth | 20 | virtual hand width |
| 10 | virtual ring finger length | 21 | virtual hand girth |
| 11 | virtual ring finger width | | |

Figure 23 — Virtual body dimensions of the virtual hand

5.1.4 Skeletal structure

5.1.4.1 General

The skeleton construction of an actual human hand consists of each phalanx of fingers, the metacarpal and the carpal bone. The skeletal structure of the virtual human body is similar to actual human hand for hand poses and motions.

5.1.4.2 Virtual bone

Virtual bones on the virtual hand are as follows (see [Table 11](#)).

Table 11 — Virtual bones of the virtual hand

Classification	Bone
Virtual hand	Virtual thumb first bone
	Virtual thumb tip bone
	Virtual index finger root bone
	Virtual index finger first bone
	Virtual index finger second bone
	Virtual index finger tip bone
	Virtual middle finger root bone
	Virtual middle finger first bone
	Virtual middle finger second bone
	Virtual middle finger tip bone
	Virtual ring finger root bone
	Virtual ring finger first bone
	Virtual ring finger second bone
	Virtual ring finger tip bone
	Virtual pinky root bone
	Virtual pinky first bone
	Virtual pinky second bone
Virtual pinky tip bone	


5.1.4.3 Virtual joint

The hand of the virtual human body includes finger joints between the end of finger bones.

Virtual joints on the hand of the virtual human body are as follows (see [Table 12](#) and [Figure 24](#)).

Table 12 — Virtual joints of the virtual hand

Classification	Joint
Virtual hand	Virtual wrist joint (see 2.3.10)
	Virtual thumb root joint
	Virtual thumb first joint
	Virtual index finger root joint
	Virtual index finger first joint
	Virtual index finger second joint
	Virtual middle finger root joint
	Virtual middle finger first joint
	Virtual middle finger second joint
	Virtual ring finger root joint
	Virtual ring finger first joint
	Virtual ring finger second joint
	Virtual pinky root joint
	Virtual pinky first joint
	Virtual pinky second joint



Key

- | | | | |
|----|-----------------------------------|----|------------------------------------|
| 1 | virtual thumb root bone | 18 | virtual pinky second bone |
| 2 | virtual thumb first bone | 19 | virtual pinky tip bone |
| 3 | virtual thumb tip bone | 20 | virtual wrist joint |
| 4 | virtual index finger root bone | 21 | virtual thumb root joint |
| 5 | virtual index finger first bone | 22 | virtual thumb first joint |
| 6 | virtual index finger second bone | 23 | virtual index finger root joint |
| 7 | virtual index finger tip bone | 24 | virtual index finger first joint |
| 8 | virtual middle finger root bone | 25 | virtual index finger second joint |
| 9 | virtual middle finger first bone | 26 | virtual middle finger root joint |
| 10 | virtual middle finger second bone | 27 | virtual middle finger first joint |
| 11 | virtual middle finger tip bone | 28 | virtual middle finger second joint |
| 12 | virtual ring finger root bone | 29 | virtual ring finger root joint |
| 13 | virtual ring finger first bone | 30 | virtual ring finger first joint |
| 14 | virtual ring finger second bone | 31 | virtual ring finger second joint |
| 15 | virtual ring finger tip bone | 32 | virtual pinky root joint |
| 16 | virtual pinky root bone | 33 | virtual pinky first joint |
| 17 | virtual pinky first bone | 34 | virtual pinky second joint |

Figure 24 — Virtual bones and joints of the virtual hand

5.1.5 Virtual hand pose and motion

The virtual wrist can rotate with two axes for extension/flexion, radial/ulnar deviation, the carpometacarpal of the thumb can perform two rotations of flexion/extension and adduction/abduction. The other finger joints can uniaxially rotate for flexion/extension. Therefore, 5 angles of rotation or change are available.

5.2 Alteration of the virtual hand

The whole size of the virtual hand can be modified by entering specific values.

Annex A (informative)

Comparison between virtual bones of the virtual torso, arms and legs of virtual human body and H-Anim

There are relationship between virtual bones and joints of the virtual torso, arms and legs of virtual human body and H-Anim (ISO/IEC 19774). See [Table A.1](#) for the virtual bones and [Table A.2](#) for the virtual joints.

Table A.1 — Comparison between virtual bones of the virtual torso, arms and legs of virtual human body and H-Anim

No.	Virtual human body	H-Anim
1	Virtual neck bone	c1, c2, c3, c4, c5, c6, c7 t1
2	Virtual collarbone	clavicle scapula
3	Virtual arm bone	upperarm
4	Virtual forearm bone	forearm
5	Virtual torso bone	t2, t3, t4, t5, t6, t7, t8, t9, t10, t11, t12
6	Virtual pelvic bone	l1, l2, l3, l4, l5 sacrum pelvis
7	Virtual thigh bone	thigh
8	Virtual leg bone	calf

Table A.2 — Comparison between virtual joints of the virtual torso, arms and legs of virtual human body and H-Anim

No.	Virtual human body	H-Anim
1	Virtual neck joint	skullbase
2	Virtual neck-base joint	vt1 sternoclavicular
3	Virtual shoulder joint	shoulder
4	Virtual elbow joint	elbow
5	Virtual wrist joint	wrist
6	Virtual waist joint	vt12
7	Virtual hip joint	hip
8	Virtual knee joint	knee
9	Virtual ankle joint	ankle

Bibliography

- [1] ISO 4418, *Size designation of clothes — Gloves*
- [2] ISO 8559, *Garment construction and anthropometric surveys — Body dimensions*
- [3] ISO 18825-1:2016, *Clothing — Digital fittings — Part 1. Vocabulary and terminology used for the virtual human body*
- [4] ISO 20685, *3D scanning methodologies for internationally compatible anthropometric databases*
- [5] ISO/IEC 19774, *Information technology — Computer graphics and image processing — Humanoid Animation (H-Anim)*
- [6] ISO/IEC 19794-5, *Information technology — Biometric data interchange formats — Part 5: Face image data*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK