

Vacuum technology — Right-angle valve — Dimensions and interfaces for pneumatic actuator

ICS 23.160

National foreword

This British Standard was published by BSI. It is the UK implementation of ISO 21358:2007.

The UK participation in its preparation was entrusted to Technical Committee MCE/8, Compressors, pneumatic tools, pneumatic machines and vacuum technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2007

© BSI 2007

ISBN 978 0 580 50749 6

Amendments issued since publication

Amd. No.	Date	Comments

INTERNATIONAL
STANDARD

ISO
21358

First edition
2007-04-15

**Vacuum technology — Right-angle
valve — Dimensions and interfaces for
pneumatic actuator**

*Technique du vide — Vanne d'équerre — Dimensions et interfaces pour
actionneur pneumatique*



Reference number
ISO 21358:2007(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21358 was prepared by Technical Committee ISO/TC 112, *Vacuum technology*.

Introduction

There has previously been no International Standard for the mounting dimensions of right-angle valves, in spite of the fact that right-angle valves are frequently incorporated in vacuum systems as part of pipeline fittings in practical situations of use.

This International Standard was prepared in accordance with the revision of ISO 9803 in which the mounting dimensions of pipeline fittings have been standardized. Interfaces for pneumatic actuators have also been standardized.

Vacuum technology — Right-angle valve — Dimensions and interfaces for pneumatic actuator

1 Scope

This International Standard defines dimensions of right-angle valves that are compatible with the mounting dimensions of elbows defined in ISO 9803-1 and ISO 9803-2.

This International Standard covers right-angle valves with flanges defined in ISO 2861-1, ISO 1609 and ISO 3669. ISO 3669 lists two flange series:

- preferred series, and
- secondary series.

This International Standard covers only the valves with flanges of the secondary series.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1609, *Vacuum technology — Flange dimensions*

ISO 2861-1, *Vacuum technology — Quick-release couplings — Dimensions — Part 1: Clamped type*

ISO 3669, *Vacuum technology — Bakable flanges — Dimensions*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1609 and ISO 2861-1 apply.

4 Requirements

4.1 Mounting dimensions of the vacuum pipeline fittings shall be as specified in Table 1. See Figure 1.


4.2 Flange dimensions shall be as specified in ISO 1609 and ISO 2861-1 and ISO 3669. One or more flanges should be rotatable.

5 Interface for pneumatic actuator

The input/output for pneumatic actuators and control solenoid for the actuators are as follows:

- a) minimum pneumatic pressure (for valve open/close): 0,4 MPa;
- b) maximum pneumatic pressure (in order not to be destroyed): 0,7 MPa;
- c) thread size and unit (e.g. “mm”, “inch”) of inlet and outlet for the pneumatic actuator should be indicated on the user's manual and/or valve body (e.g. “Rc 1/4”, “1/8 NPT”);
- d) electrical specification (or capacity) of contact points for open/close status indication should be indicated (e.g. “d.c. 24 V/2 A, a.c. 250 V/20 mA/50-60 Hz”).

Dimensions in millimetres



Key

e edge dimension

Figure 1 — Right-angle valve

Table 1 — Dimensions for valves with non-bakable flanges

Dimensions in millimetres

Nominal bore	Edge dimension, <i>e</i>		Flanges specified in		Perpendicularity tolerance for the two flange faces specified in	
	Dimensions	Tolerance	ISO 2861-1	ISO 1609	ISO 2861-1	ISO 1609
10	30	± 1,5	applicable	not applicable	± 2°	not applicable
16	40					
25	50					
40	65	± 4 ^a	not applicable ^c	applicable	not applicable ^c	± 0°30'
63	88					
100	108	± 4 ^b	not applicable ^c	applicable	not applicable ^c	± 0°30'
160	138					
200	178					
250	208					

^a ± 1,5 is preferable.
^b ± 2 is preferable.
^c There are no corresponding flanges in ISO 2861-1 over nominal bore 63.

Table 2 — Dimensions for valves with bakable flanges

Dimensions in millimetres

Nominal bore	Edge dimension, <i>e</i>		Perpendicularity tolerance for the two flange faces
	Dimensions	Tolerance	
16	38	± 1,5	± 1°
40	63		
63	105		
100	135	± 2	± 0°30'
160	167		
200	203		

Bibliography

- [1] ISO 3, *Preferred numbers — Series of preferred numbers*
- [2] ISO 9803-1, *Vacuum technology — Mounting dimensions of pipeline fittings — Part 1: Non knife-edge flange type*
- [3] ISO 9803-2, *Vacuum technology — Mounting dimensions of pipeline fittings — Part 2: Knife-edge flange type*

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.
Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001.
Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre.
Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.
Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001.
Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at <http://www.bsi-global.com/bsonline>.

Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager.
Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553.
Email: copyright@bsi-global.com.