BS ISO 26870:2009



BSI Standards Publication

Space systems — Launch pad and integration site operational documents

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



National foreword

This British Standard is the UK implementation of ISO 26870:2009.

The UK participation in its preparation was entrusted to Technical Committee ACE/68/-/3, Space systems and operations - Operations and Ground Support.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2010

ISBN 978 0 580 57805 2

ICS 49.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2010.

Amendments issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO 26870:2009 ISO 26870

First edition 2009-12-01

Space systems — Launch pad and integration site operational documents

Systèmes spatiaux — Documents opérationnels pour aire de lancement et site d'intégration



Reference number ISO 26870:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Page

Forewordiv Introduction......v 1 Scope......1 2 3 Terms and definitions ______2 General requirements4 4.1 Operational-document applicability4 4.2 Overall content requirements.....5 4.3 Publishing medium5 Approval and delivery......5 4.4 Illustrations6 4.5 4.6 Attachments 6 4.7 References 6 5 Specific content requirements6 System documentation list (SDL)6 5.1 5.2 Operation and maintenance (O&M) manual......7 5.3 Operational instruction or procedure (OI)7 Maintenance instruction or procedure (MI)9 5.4 Assembly, repair and regulation instruction or procedure (Al)......10 5.5 5.6 Data log book (DLB)11 Test, assembly and inspection record (TAIR) file......14 5.7 5.8 Hazard analysis (HA)......14 5.9 Spare parts list (SPL)14 5.10 Spare-part use instruction or procedure (SPUI)......14 5.11 6 Changes to or revisions of operational documents15 6.1 Authorizing document15

Signatures required for authorizing document......15

List of changes or revisions.......15

6.2 6.3

Contents

BS ISO 26870:2009 ISO 26870:2009(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 26870 was prepared by Technical Committee ISO/TC 20, Aircraft and space vehicles, Subcommittee SC 14, Space systems and operations.

Introduction

This International Standard establishes a list of documents that personnel are intended to use during operation of the launch pad and the integration site, when multiple nations cooperate and participate in the development or operation of these sites.

This International Standard also establishes requirements for the structure and contents of operational documents and rules for their preparation.

The purposes of this International Standard are:

- to provide personnel with standardized documents containing the information and procedures necessary for effective and safe operation of the launch pad and integration site;
- to provide a procedure for applying these documents; and
- to provide organizations and corporations that develop the operational documents with the common rules of their development.

Space systems — Launch pad and integration site operational documents

1 Scope

This International Standard establishes requirements for the nomenclature, structure and contents of operational documents used at a launch pad or integration site.

When there is international participation, partnership or cooperation in the design, development, installation, test, activation or operation of a launch pad or integration site, this International Standard applies to the development of the operational documents required for the following circumstances:

- installation, testing, activation or operation within the territory of one country of a launch pad or integration site manufactured in another country;
- joint installation, testing, activation or operation when the equipment designed and manufactured in one country is part of the launch pad or integration site designed by another country;
- training of the launch pad or integration site personnel of one country by the experts from another country.

The development and use of the operational documents described in this International Standard are applicable to the following international launch pad or integration site operations:

- a) preparation of integration site equipment to receive space vehicles and spacecraft;
- b) preparation of launch pad equipment and the space complex for the launch of space vehicles;
- c) space vehicle launch;
- d) post-launch maintenance of the integration site and launch pad;
- e) periodic maintenance of the integration site and launch pad.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 23041, Space systems — Unmanned spacecraft operational procedures — Documentation

ISO/TR 17400:2003, Space systems — Space launch complexes, integration sites and other facilities — General testing guidelines

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

assembly, repair and regulation instruction assembly, repair and regulation procedure

ΔΙ

document containing detailed descriptions of the complex, system operations or tests required for assembly, repair and regulation

3.2

complex

launch pad or integration site

3.3

customer

firm that awards the design specification or work task and finances the work

3.4

data log book

DLB

collection of documents that define the initial and current technical condition of a facility, system or item of equipment

3.5

hazard analysis

HA

document that identifies the hazards associated with the operation of a system or component, the likelihood and consequences of their occurrence, and the procedures for preventing their occurrence and mitigating their consequences

3.6

integration site

equipment and facility designed for launch vehicle storage, assembly, testing, preparation, maintenance, servicing and preparation for transportation to the launch pad

[ISO/TR 17400:2003, definition 3.1]

3.7

launch pad

equipment and facility designed to provide for the pre-launch and launch operations of spacecraft

[ISO/TR 17400:2003, definition 3.3]

3.8

main system

launch pad or integration site or components primarily responsible for providing preparation and launch of a launch vehicle or spacecraft

[ISO/TR 17400:2003, definition 3.6]

3.9

main system field testing

launch pad or integration site development phase including the testing of an assembled, fully equipped, and checked out (or factory tested) main system; the testing is conducted at the operational launch pad or integration site to determine the system readiness for further testing or operation

[ISO/TR 17400:2003, definition 3.8]

3.10

maintenance instruction maintenance procedure

MΙ

document containing detailed descriptions of the maintenance procedures that are required for a complex or main system

3.11

operation and maintenance manual

O&M manual

collection of documents that provide the information necessary to familiarize the personnel with the operation and maintenance of a facility, system or item of equipment

3.12

operational instruction operational procedure

OI.

document containing detailed descriptions of the complex, system operations or tests required for space vehicle launch preparation and launch

3.13

operational document original

operational document containing the necessary original signatures, or electronic version containing personal codes of the officials signing the document and protected from unauthorized changes

NOTE Copies are supplied to users.

3.14

post-launch maintenance

activities required to repair damage to the launch pad caused by launch of a space vehicle

3.15

preventive maintenance

activities required to maintain an item in a satisfactory operating condition

3.16

spare part

item, part, device, tool or material required to repair and maintain a facility, system or item of equipment

3.17

spare-parts list

SPL

document that identifies all spare parts

3.18

spare-part use instruction

spare-part use procedure

SPUI

document containing detailed descriptions of the operations or tests required to use spare parts

3.19

system documentation list

SDL

list of all operational documents necessary for a given facility, system or item of equipment

3.20

test, assembly and inspection record file TAIR file

collection of test operations, maintenance, modification, problem report or inspection documentation of a facility, system or item of equipment

NOTE Two or more TAIR files located in the same place can be referred to as a "TAIR station".

4 General requirements

4.1 Operational-document applicability

The operational documents in this International Standard are required for the following activities:

- a) personnel training;
- b) launch pad and integration site operation;
- c) recording the results of launch pad and integration site operation;
- d) launch pad and integration site maintenance;
- e) logistics.

Operational documents that are generally developed are included in Table 1, along with their applications.

Table 1 — Types of operational documents

Code	Name	Appl	Application	
		Complex	Main system	
SDL	System documentation list	а	а	
O&M	Operation and maintenance manual	а	а	
OI	Operational instruction or procedure	а	а	
MI	Maintenance instruction or procedure	b	а	
Al	Assembly, repair and regulation instruction or procedure	b	b	
DLB	Data log book	а	а	
TAIR	Test, assembly and inspection record file	а	а	
НА	Hazard analysis	b	b	
SPL	Spare-parts list	С	а	
SPUI	Spare-part use instruction or procedure	b	b	
DWG	Drawing ^d	а	а	

a The document is mandatory.

The document is optional and is developed, when required, by the customer.

^c The document is not required.

Drawings can be included in O&M, OI, MI or AI.

Depending on the type of facility, system or item of equipment, the amount of information, operational conditions or national practice, the operational documents and applications listed in Table 1 may be changed as follows:

- to add other operational documents,
- to waive operational documents deemed unnecessary,
- to combine several operational documents into one document (e.g. OI, AI and MI may be combined as a single type of instruction or procedure).
- to divide an operational document into several separate documents,
 - NOTE The titles of the resulting separate documents can reflect their contents.
- to waive individual sections from an operational document, or
- to add indispensable sections.

The SDL and the contents of operational documents for all complexes and main systems shall be determined by the corresponding developers.

4.2 Overall content requirements

Operational documents shall include the exact parameters, characteristics and other properties included in the corresponding design documents. Parameters, characteristics or properties missing from design documents shall not be included in corresponding operational documents. Operational documents shall be clear and comprehensive, with no dependence on other documents, except as noted in 4.7.

The words "ATTENTION" or "FORBIDDEN" shall precede the description of security measures.

Spelling and appearance in operational documents shall comply with ISO 23041, except in relation to illustrations.

The operational document original shall be stored by the developer of the subject complex or main system.

Each operational document shall include a list of changes or revisions in accordance with Clause 6.

4.3 Publishing medium

Operational documents shall be published and distributed either on paper or electronically, depending on the intended use of the documents, their means of control, the skill of the personnel involved and the requirements of the customer.

The paper on which operational documents are published shall not exceed (210×297) mm, except as noted in 4.5.

The paper and stitching chosen shall have a long term of service. The customer shall determine the means of electronic publishing and distribution.

4.4 Approval and delivery

Operational documents shall be approved in accordance with national practice and shall be delivered to the operational site before field testing has begun. If the subject operational document contains references to other operational documents (see 4.7), those referenced operational documents shall also be delivered to the operational site.

4.5 Illustrations

Operational documents shall include illustrations of all components mentioned in the technical description. Each component shall be identified by a number and called out in a legend in the illustration. The illustrations may be placed in the text of a document or in attachments.

A sheet dimension of (297×210) mm, of (297×420) mm or of (297×630) mm shall be used. On sheets of width 420 mm or 630 mm, illustrations shall be placed toward the outside margin.

4.6 Attachments

Information required for launch or launch preparations shall be included in the main text of the operational document, not in an attachment. Supplemental or minor information may be included in attachments and may be bound together with or separately from the main text of the printed operational document. Attachments may be included in the electronic files of operational documents or may comprise separate files.

EXAMPLE Suitable material for attachments include illustrations, information security requirements, requirements for spare parts and instructions for specialists.

4.7 References

If it is necessary to refer to an operational document of another main system, the reference shall identify

- the main system,
- the code of the operational document (see Table 1),
- the document title,
- the document number, and
- any other specific information that helps identify the other document.

If the operation process does not accommodate a pause or stopping point in the process, then references to operational documents of other main systems are prohibited.

If it is necessary to refer to a structural element of the main system, the reference shall identify the design document for the main-system structural element.

If the components and materials used in the main system are required to conform to an established standard, the reference shall fully identify that standard.

5 Specific content requirements

5.1 System documentation list (SDL)

The operational documents developed for the facility and system shall be indicated in a facility SDL. All operational documents developed for the main system and SDLs for the components are indicated in a main system SDL.

The SDL shall reflect the number and title of each operational document exactly as they appear in the original operational document.

The location of the operational document shall be indicated explicitly. The location may change depending on the activity being performed (e.g. one site – at transportation and the other location is where the main system is operated).

5.2 Operation and maintenance (O&M) manual

The O&M manual shall be provided by the developer of the complex or the main system, and shall consist of the following sections:

- a) "Introduction", which shall include the following subsections and, if necessary, other general information:
 - 1) "Technical description of use and structure";
 - 2) "Main-system modifications" (if any);
 - 3) "Hazards", if the complex or the main system can create them;
- b) "Description of the design and principles of the operation", which shall include the following subsections:
 - "Technical characteristics";
 - "Use", which shall identify the facility, system or item of equipment, and the scope;
 - 3) "Operating parameters" of the facility, system or item of equipment;

EXAMPLE Maximum number of launches per year or required fuelling duration.

- 4) "Structure", which shall identify the main components and their configuration, complete sets of spares and fittings, and any modifications;
- 5) "Design description", which shall include the design of the facility, system or item of equipment and its parts, describing the interaction and connection of the parts and their interfaces with the other systems or items of equipment;

NOTE It might be beneficial to divide some information and present it in separate subsections in accordance with personnel function or discipline (e.g. operation, maintenance, quality assurance).

6) "Operation principles", which shall include operation principles of the facility, system, item of equipment and parts;

NOTE It might be beneficial to divide some information and present it in separate subsections in accordance with personnel function or discipline (e.g. operation, maintenance, quality assurance).

- 7) "Tools, fittings and means of measurement", which shall include the use, location and basic activities required for operation;
- 8) "Marking and sealing", which shall include content and location;
- 9) "Packaging", which shall include systems and components, if necessary.

5.3 Operational instruction or procedure (OI)

The developers of the complex or the main system, together with the operating organization, shall prepare the operation instruction, which shall consist of the following sections:

- a) "Introduction", which shall include the following subsections, as well as other general information, if necessary:
 - 1) "Purpose and structure";
 - 2) "Personnel training level";
 - 3) "Hazards", if the complex or the main system can create them;

b)		Limitation", which shall quantitatively define and control the parameters required for proper security and operation of the facility, system or item of equipment;		
c)		peration preparation", which shall include step-by-step procedures to verify and validate the readiness the facility, system or item of equipment for operation, including the following subsections:		
	1)	"Safety rules and procedures";		
	2)	"Efficiency of connecting to power systems";		
	3)	"Oil and lubrication";		
	4)	"Exterior";		
	5)	"Workstations";		
	6)	"Means of measurement";		
	7)	"Proper positioning of controls";		
	8)	"Support systems" (ventilation, water supply, etc.);		
	9)	"Problems likely to occur during operation preparation";		
	10)	"Preparation for various degrees of readiness";		
	NO	TE It might be beneficial to establish a subsection to address each degree of readiness.		
	11)	"Confirmation of readiness";		
d)	"Op	peration", including the following subsections:		
	1)	"Initial condition";		
	2)	"Operation modes";		
	3)	"Operation procedures";		
	4)	"Characteristic monitoring";		
	5)	"Mode sequence";		
	6)	"Work stoppage procedure";		
	7)	"Initial-state reduction procedure";		
	8)	"Problems likely to occur during operation";		
e)	"En	nergency operations", which shall include step-by-step procedures for the following subsections:		
	1)	"Fire";		
	2)	"Explosion";		
	3)	"Breakdown";		
	4)	"Failure";		

"Emergency evacuations";

- 6) "Other hazards";
- f) "Modification", which shall include the following subsections, if applicable:
 - 1) "Limitations" [see b) in 5.3];
 - "Operation preparation" [see c) in 5.3];
 - 3) "Operation" [see d) in 5.3];
 - 4) "Emergency operations" [see e) in 5.3].

IMPORTANT — In the operational-instruction section, references to other documents are prohibited (including the documents on the facility, system or item of equipment).

5.4 Maintenance instruction or procedure (MI)

The developers of the subject complex or main system, together with the operating organization, shall create the maintenance instruction or procedure for the facility, system or item of equipment, which shall consist of the following sections:

- a) "Specific hazards" to the facility, system or item of equipment being maintained or repaired and to the associated personnel;
- b) "Safety measures";
- c) "Number, skill levels and training levels required of the personnel involved";
- d) "Required tools and materials";
- e) "Condition before maintenance or repair";
- "Maintenance and repair parameters", which shall include the number and types of facilities, systems or items of equipment to receive the particular maintenance or repair activity, the frequency of the activity and the duration and permissible conditions for performing the activities;
- g) "Step-by-step procedures";
- h) "Performance checks";
- i) "Supervision", which shall include the frequency and order of supervisory activities, as stipulated by the particular normative documents;
- j) "Conservation", which shall include a list of internal and external conservation activities and materials required for activation;
- k) "Storage", which shall include the following subsections:
 - 1) "Documents" (records of the beginning and ending of storage);
 - 2) "Components with limited terms of storage";
 - 3) "Storage preparation activities";
 - 4) "Duration of storage" (for different climatic conditions);
- I) "Transportation", which shall include the following subsections:
 - 1) "Parameters" (speed, overload, etc.);

- 2) "Preparation for transportation" activities;
- 3) "Attaching" (methods for different transport devices);
- 4) "Loading and unloading sequence";
- "Transportation device" (name and mark if a specific transportation device is required).

5.5 Assembly, repair and regulation instruction or procedure (Al)

The assembly, repair and regulation instructions are created by the developers of the facility, system or item of equipment, together with the assembling and operation organizations, and shall contain the following sections:

- a) "Introduction", which shall include the following subsections:
 - 1) "Purpose and scope of application";
 - 2) "Addendums" (list);
 - 3) "Designations of components delivered for installation";
- b) "General directions", which shall include general technical and organizational directions on performing tasks;
- c) "Safety measures" (fire, explosion, high voltage, etc.);
- d) "Assembly and connection preparation", which shall include the following subsections for each component:
 - 1) "Requirements for transportation to the assembly location";
 - 2) "Unpacking requirements";
 - 3) "Inspection and verification requirements";
 - 4) "Assembly location requirements and validation of conformance";
 - 5) "Reactivation procedure";
 - 6) "Verification procedures (before mounting and connection)";
- e) "Assembly and disassembly", where a sequence of activities is performed to install and remove the component; the necessary equipment, rigging, tooling and materials are also considered;

IMPORTANT — It is forbidden to write: "Sequence of assembly: step 1, step 2, step 3, etc.", "Disassembly in return sequence". It is necessary to write: "Sequence of assembly: step 1, step 2, step 3, etc.", "Sequence of disassembly: step 3, step 2, step 1".

- f) "Adjustment, connection and testing", which shall include the following subsections:
 - 1) "Adjustment and connection" (list of activities);
 - 2) "Pretest activities";
 - 3) "Test methods" (procedures);

- g) "Testing", which shall include the following subsections:
 - 1) "Test conditions" (time, work mode, terms and volume of maintenance, etc.);
 - 2) "Test in modes" (operation with or without a load, measurement of operation (hours, kilometres, etc.), rules for load removal;
 - 3) "Measurable parameters" (values for the control: isolation resistance, vibration, beats, oil pressure, noise level, etc.);
 - 4) "Activation and shutdown" (procedures);
 - 5) "Check of serviceability", which shall include components and definitions of their readiness;
 - 6) "Prelaunch activities" (including inspection);
 - 7) "Launch provision" (consumption of energy, materials, etc.);
 - 8) "Estimation of launch results" (methods);
- h) "Control methods and procedures" (sequenced), which shall include the following subsections for each mode of operation:
 - 1) "Control parameters" (conditions at which control is executed: during movement, at stopping, upon attaining or deviating from a specific voltage, etc.);
 - "Control procedure";
- i) "Comprehensive test", after execution of control;
- j) "Acceptance", which shall include the following subsections:
 - 1) "Control opening" (list of components for control opening);
 - 2) "Sealing" (instruction on fixation and sealing after completion of all operations);
 - 3) "Marking".

The organization, procedures and documents required for delivery/acceptance in operation shall comply with ISO/TR 17400.

5.6 Data log book (DLB)

The DLB documentation is prepared by the developers of the facility, system or item of equipment, and is included in the DLB as sections. The mandatory sections of, and requirements for, compiling and approving the DLB are as follows:

- a) "General directions", which shall include a general statement about what should be included in the DLB and how personnel should use or compile the DLB;
- b) "Technical characteristics", which is provided by the developer and shall include the following subsections:
 - 1) "Operational characteristics" (hoisting capacity, pump output, speed, etc.; specified characteristics are identified in design documentation and actual characteristics are observed during tests);
 - 2) "Reliability", which shall include guarantees;
 - 3) "Power supply parameters";

BS ISO 26870:2009 ISO 26870:2009(E)

EXAMPLE Voltage; required power.

- 4) "Commencement of operation" (title, number and date of the document authorizing the operation);
- 5) Other characteristics necessary for identification;
- "Hazards", which is identified by the developer and shall include the sources of the hazards (mechanical, electrical, chemical, temperature, etc.);
- d) "List of delivered components", which is provided by the developer and shall include the following subsections:
 - 1) "Components" (names, manufacturers' part numbers or other identifiers, and quantities of all components);
 - 2) "Spare parts, tools, fittings and measurement means" (designations, names and quantities);
 - 3) "Limited-life or limited-guarantee components" (designations, names and quantities of components having guarantee periods shorter than that of the system);
 - 4) "Operational documentation", which shall include a list of the operational documents for the facility, system and components, if any;
- e) "Customer opinion", which is provided and signed by the customer and shall include the opinion about the conformity of the facility, system or item of equipment to the design documentation;
- f) "Developer opinion", which is provided and signed by the developer and shall include the opinion on the possibility of the next test complex (main system) or its operation;
- g) "Technical resource and guarantee", which is provided by the developer and shall include the following subsections:
 - 1) "Service life" (either the total anticipated duration of service, or the total anticipated number of cycles of complex or main-system operation, or both);
 - 2) "Lifetime" (duration of complex or main-system efficient operation, which shall include the periods between launch and storage);
 - 3) "Guarantee", which shall include the following items of information:
 - i) one or more of the following guaranteed by the manufacturer:
 - I) a time interval,
 - II) a total duration,
 - III) a number of cycles;
 - ii) a list of components (designations, names, warranty values, terms of component replacement) that have a guarantee shorter than that of the main system;
 - iii) conditions of guarantee action;
 - iv) storage duration and conditions;
- "Conservation", which shall include the information on conservation, activation and reconservation during shipping or storage (the first record is made by the manufacturer; subsequent records are made by the organizations executing conservation, activation or reconservation);

- i) "Certificate of packing and sealing" (the first record is made by the manufacturer; subsequent records are made by the organizations executing packing);
- j) "Certificate of acceptance", which shall include records about acceptances at all testing stages established in ISO/TR 17400 (signed by the officials approving acceptance);
- k) "Transfer", which shall include the information on the transfer to another user who is stipulated by the sender:
- I) "Duration of operation", which is completed by the operating organization and shall include the start and end dates and times, as well as the duration of each operation;
- m) "Maintenance", which is completed and signed by the operating organization and shall include records about the performed maintenance [type, date, value of resource, work-authorizing document (WAD)];
- m) "Modifications or changes", which is completed by the operating organization and signed by the developer and operating organization, and which shall include the WAD, designation of the modified part or component and date of change implementation (beginning and end);
- o) "Storage", which is completed by the operating organization and shall include the WAD, place and condition of storage, and start and end dates of storage;
 - NOTE Conditions of storage can be indicated by references to other documents.
- p) "Problem Reports (PR)", which is completed and signed by the operating organization and shall include the following information for each problem:
 - 1) date of problem detection;
 - 2) designation of the problem component or part;
 - 3) problem description;
 - 4) possible cause;
 - 5) developer's problem resolution recommendation (signed by the developer);
 - 6) any corrective or preventive measures undertaken;
 - 7) problem resolution date;
- q) "Inspection", which is completed by the operating organization and signed by the official performing the inspection, and which shall include type and date of inspection and results;
- r) "Repair", which is completed by the operating organization and shall include dates of repair and return to service (requires official signature from repairing organization), type of repair, designation of component under repair, and repair beginning and ending dates;
- s) "Salvage", which is completed by the operating organization and shall include salvaged-item identification, date of dispatch to salvage and WAD; the organization executing salvaging shall indicate the beginning and ending dates of salvaging (official signatures are necessary);
- t) "Data log book approval", which is completed and signed by the supervising officials and shall include dates, reasons and results of actions.

5.7 Test, assembly and inspection record (TAIR) file

A TAIR file shall be established if there is a large volume of DLB documentation for tests and operation, maintenance, changes or modifications, problem reports and inspections. The operator shall create the TAIR file.

The TAIR file may be considered part of the DLB.

5.8 Hazard analysis (HA)

The HA shall be created by the developers, together with the operating organization. The HA shall include the following:

- a) hazards (including possible emergency procedures) to which personnel are exposed during use of the facility, system or item of equipment;
- b) the factors creating the hazards;
- c) the means specified in the design documentation for preventing or decreasing the hazards;
- d) controls ensuring implementation of safety measures;
- e) marking of safety measures, or controls, or both;
- f) procedures for eliminating the consequences of hazards [see also e) in 5.3].

5.9 Spare parts list (SPL)

The SPL shall be created by the developer and shall include the following sections (which reflect designations, names, numbers, use locations and storage of spare components):

- a) "Spare parts";
- b) "Tools";
- c) "Fittings";
- d) "Materials".

5.10 Spare-part use instruction or procedure (SPUI)

The instruction for using spare parts shall be created by the developer, together with the operating organization, and shall include the following sections:

- a) "Safety measures", which shall include safety requirements during operation, loading, unloading and transportation;
- b) "Items having a limited storage life";
- c) "Replacement requirements", which shall include procedures for replacing the main-system components with similar stored components;
- d) "Application of non-standard tools and accessories", which shall include purpose and rules of application;
- e) "Storage", which shall include requirements for storage and preservation, as well as periodic maintenance while in storage;
- f) "Transportation or shipping".

5.11 Drawings

Drawings of the facility, system and equipment that are required to operate, maintain and troubleshoot the system shall be made available by the developers and supplied to the operating organization. The drawings shall be identified in the SDL.

6 Changes to or revisions of operational documents

6.1 Authorizing document

The operational documents shall be changed or revised only by means of an approved authorizing document. The authorizing document shall be developed by the organization initiating the change or revision and shall include the following:

- a) a number or other indicator of the change being issued, designation of the authorizing document and the date of its confirmation;
- b) the basis for the change or revision;
- c) identification of the particular pages, points, lines, etc., that are to be changed (where, what, how);
- d) the copies that are to be changed (if the changes do not concern all of the copies);
- e) the effective date of the change or revision.

6.2 Signatures required for authorizing document

The authorizing document shall be signed by:

- a) the initiator of the change or revision,
- b) the developer of the complex or the main system, and
- c) the customer, if such a rule has been established.

6.3 List of changes or revisions

All changes and revisions shall be recorded in the list of changes or revisions and shall include the following:

- a) the number of copies being changed;
- b) the designation of the authorizing document;
- c) the effective date of the change or revision;
- d) the numbers of pages (changed, new and cancelled);
- e) the name and signature of the official executing the change or revision.

ICS 49.140

Price based on 15 pages

British Standards Institution (BSI)

BSI is the independent national body responsible for preparing British Standards and other standards-related publications, information and services. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover.

Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001

BSI offers Members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Tel: +44 (0)20 8996 7669 Fax: +44 (0)20 8996 7001 Email: plus@bsigroup.com

Buying standards

You may buy PDF and hard copy versions of standards directly using a credit card from the BSI Shop on the website **www.bsigroup.com/shop.** In addition all orders for BSI, international and foreign standards publications can be addressed to BSI Customer Services.

Tel: +44 (0)20 8996 9001 Fax: +44 (0)20 8996 7001 Email: orders@bsigroup.com

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Knowledge Centre.

Tel: +44 (0)20 8996 7004 Fax: +44 (0)20 8996 7005 Email: knowledgecentre@bsigroup.com

Various BSI electronic information services are also available which give details on all its products and services.

Tel: +44 (0)20 8996 7111 Fax: +44 (0)20 8996 7048 Email: info@bsigroup.com

BSI Subscribing Members are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration

Tel: +44 (0)20 8996 7002 Fax: +44 (0)20 8996 7001 Email: membership@bsigroup.com

Information regarding online access to British Standards via British Standards Online can be found at **www.bsigroup.com/BSOL**

Further information about BSI is available on the BSI website at **www.bsi-group.com/standards**

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. This does not preclude the free use, in the course of implementing the standard of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained. Details and advice can be obtained from the Copyright & Licensing Manager.

Tel: +44 (0)20 8996 7070 Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Tel +44 (0)20 8996 9001 Fax +44 (0)20 8996 7001 www.bsigroup.com/standards

