



BSI Standards Publication

AEROSPACE SERIES

Specification for bar and section for machining of titanium-aluminium-molybdenum-tin-silicon alloy (Tensile strength 1 000–1 200 MPa) (Limiting ruling section over 100 mm up to and including 150 mm)

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2009

ISBN 978 0 580 65372 8

ICS 49.025.30

The following BSI references relate to the work on this standard:

Committee reference ACE/61

Draft for comment 09/30193187 DC

Publication history

First published February 1973

Second (present) edition, November 2009

Amendments issued since publication

Date	Text affected
------	---------------

Contents

Foreword *ii*

1 Scope *1*

2 Normative references *1*

3 Technical requirements *1*

Bibliography *4*

List of tables

Table 1 – Technical requirements for titanium-aluminium-molybdenum-tin-silicon alloy bar and section *2*

Summary of pages

This document comprises a front cover, an inside front cover, pages i to ii, pages 1 to 4, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI and came into effect on 30 November 2009. It was prepared by Panel ACE/61/-/49, *Titanium and its alloys*, under the authority of Technical Committee ACE/61, *Metallic materials for aerospace purposes*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This British Standard supersedes BS TA 49:1973, which is withdrawn.

Information about this document

This is a full revision of BS TA 49, and introduces the following principal changes:

- a) requirements are stated in tabular format in accordance with EN 4500-1 and EN 4500-4;
- b) chemical composition has been amended to add requirements for "other" elements;
- c) melting method details have been deleted and replaced by reference to Section 1 of BS TA 100.

Hazard warnings

WARNING. This British Standard calls for the use of substances and/or procedures that can be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage.

Use of this document

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This standard specifies requirements for titanium-aluminium-molybdenum-tin-silicon alloy bar and section with a tensile strength of 1 000 MPa to 1 200 MPa.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS TA 100, *Procedure for inspection, testing and acceptance of wrought titanium and titanium alloys*

3 Technical requirements

Material to this standard shall conform to Table 1.

NOTE The format and symbols used in Table 1 are derived from EN 4500-1 and EN 4500-4.

Table 1 Technical requirements for titanium-aluminium-molybdenum-tin-silicon alloy bar and section

1	Material designation		BS TA 49												
2	Chemical composition %	Element	Al	Mo	Sn	Si	Fe	O ₂	N ₂	H ₂	O ₂ + 2×N ₂	Others		Ti	
												Each	Total		
		Min.	3.0	3.0	1.5	0.3	—	—	—	—	—	—	—	—	Base
Max.	5.0	5.0	2.5	0.7	0.2	0.25	0.03	0.012 5	0.27	0.1	0.4				
3	Method of melting		See Section 1 of BS TA 100												
4.1	Form		Bars and sections ¹⁾												
4.2	Method of production		—												
4.3	Limit dimension(s)	mm	100 < a or D ≤ 150												
5	Technical specification		Sections 1 and 2 of BS TA 100												
6.1	Delivery condition		Solution treated + precipitation treated + centreless ground or machined												
	Heat treatment		$\theta = (900 \pm 10)^\circ\text{C} / t = 1 \text{ h per } 25 \text{ mm } (\geq 20 \text{ min}) / \text{AC} + \theta = (500 \pm 5)^\circ\text{C} / t = 24 \text{ h} / \text{AC}$												
6.2	Delivery condition code		U												
7	Use condition		Delivery condition												
	Heat treatment		—												
Characteristics															
8.1	Test sample(s)		See Section 2 of BS TA 100												
8.2	Test piece(s)		See Section 2 of BS TA 100												
8.3	Heat treatment		Use condition												
9	Dimensions concerned	mm	100 < a or D ≤ 150												
10	Thickness of cladding on each face	%	—												
11	Direction of test piece		L												
12	Temperature	θ	°C	Ambient											
13	Proof stress	R _{p0.2}	MPa	≥ 870											
14	T	Strength	R _m	MPa	1 000 ≤ R _m ≤ 1 200										
15		Elongation	A	%	≥ 9										
16		Reduction of area	Z	%	≥ 20										
17		Hardness		—											
18	Shear strength	R _c	MPa	—											
19	Bending	κ	—	—											
20	Impact strength		—												
21	Temperature	θ	°C	400											
22	Time		h	100											
23	Stress	σ _a	MPa	465											
24	C	Elongation	a	%	≤ 0.10 (total plastic strain) ²⁾										
25		Rupture stress	σ _R	MPa	—										
26		Elongation at rupture	A	%	—										
27		Notes (see line 98)		1), 2)											

Bibliography

Standards publications

For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS TA 45, *Specification for bar and section of titanium-aluminium-molybdenum-tin-silicon alloy (Tensile strength 1 100–1 280 MPa) (Limiting ruling section 25 mm)*

BS TA 46, *Specification for bar and section for machining of titanium-aluminium-molybdenum-tin-silicon alloy (Tensile strength 1 050–1 220 MPa) (Limiting ruling section over 25 mm up to and including 100 mm)*

BS TA 47, *Specification for forging stock of titanium-aluminium-molybdenum-tin-silicon alloy (Tensile strength 1 050–1 220 MPa) (Limiting ruling section 100 mm)*

BS TA 48 *Specification for forgings of titanium-aluminium-molybdenum-tin-silicon alloy (Tensile strength 1 050–1 220 MPa) (Limiting ruling section 100 mm)*

BS TA 50, *Specification for forging stock of titanium-molybdenum-tin-silicon alloy (Tensile strength 1 000–1 200 MPa) (Limiting ruling section over 100 mm up to and including 150 mm)*

BS TA 51, *Specification for forgings of titanium-aluminium-molybdenum-tin-silicon alloy (Tensile strength 1 000–1 200 MPa) (Limiting ruling section over 100 mm up to and including 150 mm)*

EN 4500-1, *Metallic materials – Rules for the drafting and presentation of material standards – Part 1: General rules*¹⁾

EN 4500-4, *Metallic materials – Rules for the drafting and presentation of material standards – Part 4: Specific rules for titanium and titanium alloys*¹⁾

¹⁾ Published as ASD-STAN Prestandard at the date of publication of this standard.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/membership.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com