BS 8599-2:2014



BSI Standards Publication

First aid kits

Part 2: Specification for the contents of motor vehicle first aid kits



Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2014

Published by BSI Standards Limited 2014

ISBN 978 0 580 83243 7

ICS 11.160; 13.100

The following BSI references relate to the work on this document: Committee reference CH/240 Draft for comment 13/30284622 DC

Publication history

First published January 2014

Amendments issued since publication

Date Text affected

BRITISH STANDARD BS 8599-2:2014

Contents

Foreword ii

- 1 Scope 1
- 2 Normative references 1
- 3 Terms and definitions 1
- 4 Contents of a motor vehicle first aid kit 2
- **5** Container 2
- 6 Marking 3

Annexes

Annex A (informative) Guidance on first aid kit sizes for motor vehicles 5 Annex B (informative) Vehicle categories 6

Bibliography 7

List of tables

Table 1 – Contents of motor vehicle first aid kit 4

Table A.1 – Guidance on first aid kit sizes for motor vehicles 5

Table B.1 – Vehicle categories 6

Summary of pages

This document comprises a front cover, an inside front cover, pages i to ii, pages 1 to 8, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 8599 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 January 2014. It was prepared by Technical Committee CH/240, First aid kits. A list of organizations represented on this committee can be obtained on request to its secretary.

Relationship with other publications

This part of BS 8599 is part of a series that contains the following parts:

- Part 1: Specification for the contents of workplace first aid kits
- Part 2: Specification for the contents of motor vehicle first aid kits

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Requirements in this standard are drafted in accordance with Rules for the structure and drafting of UK standards, subclause J.1.1, which states, "Requirements should be expressed using wording such as: 'When tested as described in Annex A, the product shall ...". This means that only those products that are capable of passing the specified test will be deemed to conform to this standard.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

BRITISH STANDARD BS 8599-2:2014

Scope

This part of BS 8599 specifies requirements for the compilation of first aid components in three sizes of first aid kits (small, medium and large) for use in motor vehicles.

Requirements are also given for the container holding the components.

NOTE 1 Motor vehicle first aid kits can be complemented by other items that have been identified during a risk assessment. Where there are unusual hazards that are specific to a particular use of a vehicle, such as vehicles carrying dangerous chemicals (e.g. hydrofluoric acid), first aid kits might need to be supplemented with additional appropriate components.

NOTE 2 Annex A gives recommendations on the number and size of the first aid kits necessary for different vehicle types and numbers of passengers.

NOTE 3 Annex B gives details of vehicle categories as defined by the European Commission [1].

NOTE 4 A workplace risk assessment might determine that the vehicle motor kit is suitable for a lone worker.

Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 7505:1995, Specification for the elastic properties of flat, non-adhesive, extensible fabric bandages

BS EN 455-1, Medical gloves for single use - Part 1: Requirements and testing for freedom from holes

BS EN 455-2, Medical gloves for single use – Part 2: Requirements and testing for physical properties

BS EN ISO 7010:2012, Graphical symbols – Safety colours and safety signs – Registered safety signs

Terms and definitions

For the purposes of this part of BS 8599, the following terms and definitions apply.

3.1 emergency dressing

absorbent wound contact pad attached to a bandage for use on lacerations and cuts to skin

[SOURCE: BS 8599-1:2011, 3.1]

first aid kit container 3.2

vessel used to hold first aid components, facilitating easy transportation and retrieval

NOTE Typically this can be a box, case or bag.

[SOURCE: BS 8599-1:2011, 3.2]

3.3 motorcycle

powered two or three wheeled motor vehicle whose weight does not exceed 400 kg

3.4 motor vehicle

power-driven road vehicle which has four or more wheels, which is not rail borne, and which is normally used for:

- carrying persons and/or goods;
- towing vehicles used for the carriage of persons and/or goods

NOTE According to the DVLA Driving Licence Categories [2], this includes:

- cars vehicles up to 3,500 kg Maximum Authorised Mass with up to 8 passenger seats;
- medium sized vehicles weighing between 3,500 kg and 7,500 kg;
- large vehicles over 3,500 kg;
- minibuses no more than 16 seats, maximum length 8 m;
- buses more than 8 passenger seats.

3.5 motor vehicle first aid kit

collection of first aid components held in a container and stored in a motor vehicle for use in the provision of first aid

3.6 passenger carrying vehicle (PCV)

road vehicle designed to carry passengers

3.7 quadricycle

small four-wheeled motorised vehicle defined by limitations in terms of weight, power and speed

NOTE See European Commission vehicle categories [1] for more details.

3.8 trauma dressing

wound contact pressure dressing attached to a compression bandage with an integrated fixation device

NOTE A trauma dressing is designed to stop severe bleeding.

4 Contents of a motor vehicle first aid kit

The contents of a small, medium or large motor vehicle first aid kit shall be in accordance with Table 1.

5 Container

The first aid kit container shall be able to fit all of the relevant components inside and close securely. The container shall be clean and provide protection for the contents in a motor vehicle.

NOTE When selecting an appropriate container, temperature, maintenance, material durability and robustness should be taken into account.

Marking

The first aid kit container shall be legibly and durably marked with the following information:

- a) number and date of this British Standard (i.e. BS 8599-2:2014); 1)
- b) symbol of a white cross conforming to BS EN ISO 7010:2012, type E003;
- c) the words "FIRST AID" in white text.

NOTE Depending on the market, the container should also have the words "FIRST AID" marked in the local language, e.g. in Welsh or Gaelic.

Marking BS 8599-2:2014 on or in relation to a product represents a manufacturer's declaration of conformity, i.e. a claim by or on behalf of the manufacturer that the product meets the requirements of the standard. The accuracy of the claim is solely the claimant's responsibility. Such a declaration is not to be confused with third-party certification of conformity.

Table 1 Contents of motor vehicle first aid kit

Component	Description		Quantity	
		Small	Medium	Large
First aid guidance leaflet	Providing brief first aid guidelines.	1	1	1
Contents list	Providing a list of first aid components included in the kit, bearing "BS 8599-2:2014".	1	1	1
Trauma dressing – large	A pressure bandage measuring a min. of 15 cm x 400 cm (stretched length) and conforming to BS 7505:1995 type 3B with a wound pressure pad not less than 15 cm x 18 cm of at least 500 gsm, with a low adherent wound contact surface.	_	_	1
Trauma dressing – medium	A pressure bandage measuring a min. of 10 cm x 400 cm (stretched length) and conforming to BS 7505:1995 type 3B with a wound pressure pad not less than 10 cm x 18 cm of at least 500 gsm, with a low adherent wound contact surface.	1	1	2
Emergency first aid dressing	A conforming bandage measuring a min. 5 cm x 200 cm (stretched length) with an absorbent pad, not less than 12 cm x 12 cm.	_	1	2
Triangular bandage	Min. of 20 gsm non-woven material or cotton; size not less than 90 cm x 90 cm x 127 cm.	_	1	2
Cleansing wipes	Individually wrapped and sterile saline; min. size 8 cm ² .	5	10	20
Sterile adhesive dressings	Water resistant, sterile, island dressing design. Individually wrapped with a min. surface area of 7.5 cm ² , dressing pad not less than 20% of the surface area.	5	10	20
Nitrile disposable gloves (pair)	Conforming to BS EN 455-1 and BS EN 455-2, large size (8–9).	1	2	5
Resuscitation face shield A)	Including a one-way valve.	1	1	2
Foil blanket ^{B)}	Size not less than 210 cm x 130 cm.		1	3
Adherent dressing	Non-woven material, sterile, island dressing design. Min. size 7.5 cm x 7.5 cm. Dressing pad not less than 20% of surface area.	_	1	2
Burn dressing ^{C)}	Water-based, gel-soaked dressing. Sterile with a minimum surface area of 100 cm ² .	1	2	4
Heavy duty shears	Suitable for cutting clothing including leather and seat belts. Min. size 18 cm.	1	1	1

A shield that can be used to protect a first aider from infection during mouth-to-mouth resuscitation.

B) Additional blankets might be required as a result of a risk assessment (see Annex A).

^{C)} A burn dressing cools the burn injury without any pre-cooling or any other medium. The burn dressing does not dry out within one hour of application.

BRITISH STANDARD BS 8599-2:2014

Annex A (informative)

Guidance on first aid kit sizes for motor vehicles

The size of the first aid kits required for motor vehicles is determined by the category of hazard and by the number of potential passengers (see Table A.1).

Where there are special circumstances, such as remoteness from emergency medical services or unusual hazards specific to a particular undertaking, there might be a need to provide a greater number of first aid kits than outlined in Table A.1 and/or to supplement first aid provision with additional appropriate components, e.g. additional foil blankets. In these instances, a risk assessment needs to be carried out to ascertain the requirements.

Table A.1 Guidance on first aid kit sizes for motor vehicles

Number of passengers	Vehicle examples	Number and size of first aid kits required
1 to 3	Mopeds, motorcycles, motor tricycles and quadricycles	1 x small
1 to 8	Cars, taxis, commercial vehicles	1 x medium
1 to 16	Minibuses, small buses	1 x large
17+	Buses, coaches	2 x large ^{A)}
A) Multi-level vehicles might rec	uire more than two kits.	

Annex B (informative)

Vehicle categories

Table B.1 shows the vehicle categories as defined by the European Commission.

Table B.1 Vehicle categories

Category	Vehicles
L	Mopeds, motorcycles, motor tricycles and quadricycles
M	Motor vehicles having at least four wheels and for the carriage of passengers
N	Power-driven vehicles having at least four wheels and for the carriage of goods
0	Trailers (including semitrailers)

The size of the first aid kits required for motor vehicles is determined by the category of hazard and by the number of potential passengers (see Table A.1 for guidance).

Bibliography

Standards publications

For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 8599-1:2011, Workplace first aid kits - Part 1: Specification for the contents of workplace first aid kits

Other publications

- [1] EUROPEAN COMMISSION. Vehicle categories. Available from http://ec.europa.eu/transport/road_safety/topics/vehicles/ vehicle_categories/index_EN.htm> [last viewed 7 January 2014].
- [2] DRIVER AND VEHICLE LICENSING AGENCY. Driving licence categories. Available from <www.gov.uk/driving-licence-categories> [last viewed 7 January 2014].



British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

