



BSI Standards Publication

Guidance for evaluation of products with respect to substance-use restrictions in electrical and electronic products

National foreword

This Published Document is the UK implementation of IEC/TR 62476:2010.

The UK participation in its preparation was entrusted to Technical Committee GEL/111, Electrotechnical environment committee.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© BSI 2010

ISBN 978 0 580 62007 2

ICS 29.020; 13.020.30; 31.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 March 2010.

Amendments issued since publication

Amd. No.	Date	Text affected
----------	------	---------------



TECHNICAL REPORT

**Guidance for evaluation of products with respect to substance-use restrictions
in electrical and electronic products**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

R

ICS 13.020; 43.040.10

ISBN 2-8318-1080-1

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Framework for evaluation of product.....	7
5 Restricted substance controls (RSC) considerations.....	9
5.1 Product planning and design considerations.....	9
5.2 Sources of Information/data	10
5.2.1 Data selection strategy.....	10
5.2.2 Supplier information	10
5.2.3 Analytical testing	11
5.2.4 Manufacturing and assembling process information.....	12
5.3 Product evaluation	13
6 Documentation of evaluation results.....	13
Annex A (informative) RSC content vs. existing industry ISO management system references	15
Annex B (informative) Elements to be evaluated in test reports.....	18
Bibliography.....	19
Figure 1 – Framework for evaluation of product	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**GUIDANCE FOR EVALUATION OF PRODUCTS
WITH RESPECT TO SUBSTANCE-USE RESTRICTIONS
IN ELECTRICAL AND ELECTRONIC PRODUCTS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 62476, which is a technical report, has been prepared by subcommittee IEC technical committee 111: Environmental standardization for electrical and electronic products and systems.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
111/158/DTR	111/172/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The restriction of substances in electrical and electronic products is a growing focus of regulation and customer specifications. Producers, therefore, have a greater need to establish processes to meet the substance restrictions requirements in such electrical and electronic products. Due to the complexity of the electrical and electronic industry supply chain, a flexible framework is necessary for the many different types of electrical and electronic product parts and equipment producers.

Criteria for the restriction of substances may differ from one piece of legislation to another and from one customer's requirement to another.

Generally, "presumption of conformity" is assumed. However, in the event of additional evidence being required, producers make relevant documentation available to interested parties. This documentation can be based on physical testing using analytical techniques. However, it is difficult to perform comprehensive analytical testing on complex products and therefore several different evaluation methods, such as information from the supply chain, may be needed.

The aim of this technical report is to provide guidance on the application and limitation of evaluation methods, and associated technical documentation, based on International Standards and industry practices.

The application of appropriate evaluation methods is defined by a producer for a specific product. This technical report provides the basis for a restricted substance control framework.

GUIDANCE FOR EVALUATION OF PRODUCTS WITH RESPECT TO SUBSTANCE-USE RESTRICTIONS IN ELECTRICAL AND ELECTRONIC PRODUCTS

1 Scope

IEC/TR, which is a technical report, provides a framework for the use of internationally accepted standards, tools and practices to evaluate electrical and electronic products with respect to restricted substances. This technical report can also be applied to declarable substances which are not restricted in electrical and electronic products.

This technical report provides guidance on how technical documentation and relevant evaluation and control methods should be selected and applied for restricted or declarable substances of any producer's product.

It is not intended for setting a new management scheme or for certification purposes. Evaluation and control methods for substances in products can be integrated into an existing management system, where available.

2 Normative references

There are no normative references. Informative references are noted in the bibliography.

NOTE This clause is included so as to respect IEC clause numbering.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

restricted substance

substance which is limited in its use in a product, part or material by regulation or customer contractual requirements

3.2

declarable substance

substance to be declared in a product by regulation or customer contractual requirements

3.3

producer

organization that receives materials, parts and sub-assemblies from suppliers and provides products to customers

NOTE 1 In this technical report the producer has the responsibility to evaluate the product with respect to restricted substance requirements.

NOTE 2 This technical report is written from the perspective of the producer within the supply chain. When the producer provides a product further down in the supply chain his role changes to supplier.

3.4

supplier

organization up-stream to the producer that provides it with materials, parts and/or sub-assemblies

3.5

customer

organization or person that receives a product

(ISO 9000:2005, 3.3.5, modified)

3.6

restricted substance controls

RSC

framework of procedures for the control by a producer of restricted substances in its products

3.7

technical documentation

documents with product-related data and information that are used and retained to demonstrate compliance

NOTE This information could relate to the structure and composition of the product, e.g. test reports or other data describing the materials or product parts used; or it could relate to management systems, e.g. relating to the control of processes used to make the component or product.

3.8

producer self-declaration

first-party declaration confirming evaluation of product with respect to restricted substance requirements

3.9

product category

group of technologically or functionally similar products where environmental aspects can reasonably be expected to be similar

(IEC 62430:2009, 3.15)

4 Framework for evaluation of product

It may be necessary for an organization to demonstrate compliance with regulations and market requirements through self-declaration or contractual agreements established along the supply chain. The evaluation of a product may rely on a series of appropriate methods, strategies or processes, for material, parts and/or sub-assemblies of any electrical or electronic product. Multiple methods are generally required, given that electrical and electronic products often contain many materials, parts and/or sub-assemblies with different levels of complexity. Therefore, a multi-level approach for the control of restricted substances in products is beneficial.

The framework covers all design, manufacturing and other operational functions (e.g. procurement) to evaluate the product for restricted substances.

The producer shall define and execute restricted substance controls (RSC) for the operations related to its product category under consideration and ensure the execution of adequate RSC by its suppliers. When evaluating a product, the producer shall have a level of technical documentation that demonstrates effective RSC.

Specific substance restrictions in electrical and electronic products can be required by legislation or customer specifications. The producer should consider relevant sources for substance restrictions.

The RSC should cover, at a minimum, the following elements:

- Restricted substances and evaluation criteria. The product planning and design should indicate product category technologies, structures, product materials, parts and sub-assemblies sourcing and related design process rules.
- Identification of source(s) of information. Depending on the complexity of materials, parts or sub-assemblies in a particular product or product category, one or any combination of the three sources of information (not in any priority order) described below can be used:
 - supplier information;
 - analytical testing;
 - manufacturing and assembling operations, including incoming supply, process and delivery control;
- Evaluation of information.

The producer has responsibility for producing the RSC procedures. This means that the procedures are established, documented and implemented. A procedure for review and continual improvement of restricted substance controls should be established.

NOTE These internally documented procedures could be considered “company confidential” and would not necessarily be shared openly within the supply chain.

Figure 1 illustrates the framework for product evaluation as described above. Applicable IEC TC 111 environment committee standards are referenced in the figure below. See cited clauses for more details.




Figure 1 – Framework for evaluation of product

Each producer in the supply chain is responsible for defining his own evaluation methods for each product or product category. The identification of products included in a product category is the responsibility of the producer based on his knowledge of the product line.

RSC is specific to a producer. It may be part of an established quality management system (e.g. ISO 9001) or environmental management system (e.g. ISO 14001) or equivalent management system. It may also be an independent set of documented procedures and their records. A producer relying on outsourced manufacturing needs to ensure that their outsourced manufacturing operations also have effective RSC. Annex A provides examples of RSC requirements in relation to internationally recognized management systems.

The application of evaluation strategies and methods can be unique for every product, but such strategies should be based on the producer's policy, product planning and design and technical documentation. Therefore, the selection or definition of evaluation methods for product materials, parts and/or sub-assemblies should be based on the producer's experience or technical judgment of the likelihood that a restricted substance may be present in either the supply chain or in internal product operations.

Finally, in order to declare that the requirements are met, the producer can provide a "producer self-declaration". If further information is needed, technical documentation can be provided.

5 Restricted substance controls (RSC) considerations

5.1 Product planning and design considerations

The producer top management should ensure that a documented strategy on the control of restricted substances is defined and appropriate for the purpose of the organization. A producer's RSC strategy may be detailed and targeted towards specific product lines or specific environmental regulations, or more general and broader to cover multiple product lines and operations in multiple geographical areas covering multiple environmental regulations, as appropriate to the organization.

As a first step, it is important to develop a list of restricted substances. Documented evaluation methods for different types of materials based on common knowledge or expert competence should be in place for the producer and its suppliers. There should be evidence that procedures are being followed and that materials declarations or other types of technical documentation have been assessed to confirm completeness and accuracy.

A framework for evaluation of a product may lever an environmentally conscious design (ECD) process such as defined by IEC 62430 and as it relates to substance use restrictions. For example, the IEC 62430 standard specifies that the ECD process includes defined steps such as:

- a) analysis of the regulatory and stakeholders' environmental requirements;
- b) identification and evaluation of environmental aspects and corresponding impacts;
- c) product planning, design and development;
- d) review and continual improvement;
- e) sharing ECD information in the supply chain.

At the product planning and design stage, the following information should be available:

- restricted substance requirements (regulatory, customer or other requirements);
- those aspects that have, or can have, significant impacts on the restricted substance content in products during manufacturing or assembly;
- identification of product categories;

- definition of organizational systems, roles and responsibilities for implementation of RSC;
- appropriate specification from planning and design functions to give appropriate inputs to the procurement functions with regard to supplier RSC;
- confirmation of an effective process for the evaluation and selection of parts and materials;
- a review of operational process requirements (e.g. lead and lead-free process line segregation).

NOTE Annex A provides complementary guidance.

5.2 Sources of information/data

5.2.1 Data selection strategy

To ensure cost-effective flow of information, the producer should determine the likelihood of restricted substances being present for every material, part and sub-assembly included in the product.

Product evaluation for restricted substances may be based on a combination of several sources of information:

- supplier information;
- analytical testing;
- manufacturing and assembling operations, including incoming supply, process and delivery control.

It may not be possible or necessary to directly test every material, part and sub-assembly of a given product and test results only represent the status of the tested sample.

A combination of these information sources is generally needed. The likelihood of restricted substances being present in the product should be used to select the type and level of technical documentation that is required to confirm that restricted substance requirements are met.

The reasons for selecting the information sources should be documented and up to date.

5.2.2 Supplier information

For complex products, collection of supplier information avoids costly and repetitive testing of materials, parts and sub-assemblies. Collection of supplier information should follow industry standards, where available, to minimize supply chain impact and ensure consistent and cost-effective flow of information throughout the supply chain.

Types of documentation that may be obtained from suppliers include:

- supplier declaration of conformity or certificate of conformity from the supplier specifying the restricted substance content of the material, part, or sub-assembly;
- material declaration data sheet (provides information on specific substance content);

NOTE 1 Future IEC 62474 for "Material declaration" includes in its scope material declaration data sheets. Future IEC 62474 will replace and make obsolete IEC/PAS 61906.

NOTE 2 Joint Industry Guide (JIG), JGPSSI, IPC 1752, etc. are examples of material declaration data sheets.

- analytical test results (see Clause 6 for limitations and recommended uses);
- signed contract specifying restricted substance content of material, part, or sub-assembly;

- supplier audits and/or evaluation reports.

When using information provided by suppliers, the producer shall evaluate the information to ensure that it meets the requirements defined within the producer's procedures. The requirements should be based on standards, where available. The producer should also ensure that those suppliers have implemented acceptable RSC. To determine an acceptable procedure for a supplier's product, the producer should assess the likelihood of the procured parts or products containing restricted substances. The producer may judge this potential based on:

- material types used for the part and/or product and historical likelihood of restricted substances being present in these material types;
- information provided by supplier;
- historical experience with supplier organization.

For material declaration data sheets, the list of declarable substances represented, the declaration definitions and assumptions and the data format should be considered for alignment with industry standards. When an organization's policy requires the control of additional substances, these additional requirements should be communicated to the suppliers and should be considered in the evaluation of material declaration information.

When supplier information does not meet the producer RSC requirements, or if there is a likelihood that the procured product materials, parts and sub-assemblies contain restricted substances, the producer should consider obtaining additional supplier information, analytical testing or using alternate evaluation methods to meet the substance restriction requirements.

5.2.3 Analytical testing

Analytical testing techniques may be used to measure the concentrations of restricted substances in prepared samples. Specific testing techniques and sample preparation methods are generally required for different types of materials. Sampling and sample preparation are critical to the accuracy of analytical tests. Analytical testing of electrical and electronic parts and equipment should follow industry standards on sample collection, preparation and testing methods, where available.

For products that are composed of multiple materials, disassembly of the product and sampling of the materials may be necessary, depending on the substance restriction requirements. IEC/PAS 62596 provides guidelines on methods and limitations on product disassembly, disjointment and sampling in preparation for analytical testing.

IEC 62321 specifies methods and recommendations for sample preparation and analytical testing for certain restricted substances typically found in electrical and electronic products. This technical report defines methods for screening and verification testing. Screening tests can be a cost-effective tool to help identify areas of concern (parts and materials) that require further verification testing. However, screening tests are generally limited in accuracy and the ability to identify specific substances. Verification testing may be required when inconclusive results are obtained. IEC 62321 may be consulted for additional information.

Testing for substances restricted at the homogenous material level may be used in conjunction with supplier information. It is generally not desirable, cost-effective, nor practical to carry out analyses on all restricted substances in all product parts present in a typical electrical or electronic product. Therefore, the producer may develop a testing program based on factors such as:

- The part or material is judged to have a high probability of containing restricted substances based on history of usage of restricted substances in product materials, parts and sub-assemblies.

- Knowledge of manufacturing processes and possible sources of contamination and/or parts mixing (testing is used as part of the control of the producer's manufacturing and/or assembly operation).
- Supplier documentation is missing or of poor quality.
- Supplier has been judged by the producer to have potential non-conformities based on previous evaluations.
- Knowledge of analytical technique limitations (i.e. screening tool detection limits for certain substances may lead to inconclusive results which require further analysis).

Analytical testing may also be used as a tool to support the producer's restricted substance controls for manufacturing and/or assembly operations. Such testing may be part of the producer's overall strategy, but is not a specific requirement of this technical report. Analytical testing during a manufacturing or assembly operation may be an appropriate evaluation tool in the following situations:

- Incoming materials, parts and sub-assemblies inspections and screening where probability of restricted substances being present is high and/or random inspections.
- In-process quality control; strategy for manufacturing and/or assembly processes where parts mixing and/or cross contamination are possible (e.g. soldering operations etc).
- Final product screening prior to shipment to ensure no parts mixing.

Analytical testing as a method of evaluation may be appropriate for raw materials, simple parts or products that can be entirely disassembled into sufficient quantities of homogenous materials for testing. For complex electrical and electronic products, however, analytical methods can only be applied to a limited number of product parts sampled for analysis.

Analytical testing has the following limitations for substances restricted at the homogenous material level:

- Practicality in obtaining sample(s) that represent every type of discrete homogenous material of the product.
- Single products may not contain sufficient sample quantities for the prescribed analytical techniques.
- When destructive methods are required due to the shape of the sample/product or the kinds of substances to be analysed, the functionality of the product unit being evaluated is compromised.

Analytical results are specific to the sample, batch or product being tested and may not be representative of other units produced.

The contents of a test report will vary based on substances tested, the type of test being performed (e.g. screening vs. verification test), test method, test sample, customer requirements and any other factors that may be relevant to the test results. When evaluating test reports as part of RSC, the elements given in Annex B should be available and reviewed in the test report.

5.2.4 Manufacturing and assembling process information

In the manufacturing and assembling process there are many possibilities where restricted substances could be introduced into the product. The producer should identify where contamination of the product may occur in his handling, manufacturing and/or assembly operations. For example, contamination sources may be the result of

- a) material, part or sub-assembly from supplier not being compliant with the producer's specifications,
- b) manufacturing and assembly operations having different substance restriction requirements applied within the same plant .

The producer should determine the extent of RSC verification that is needed for their supply chain and internal production processes. The producer should ensure that, as a minimum:

- incoming materials, parts and sub-assemblies meet specified restricted substances requirements;
- measures are put in place so that all warehouse and production processes within its responsibility are controlled. The producer should prevent and/or correct contamination due to incorrect usage of manufacturing processes, tools and/or mixing of parts where controlled substances are used;
- employees receive relevant training or information.

If production functions are outsourced, the producer should require the outsourced manufacturing vendor to have the required controls and procedures described in these guidelines. In this case the producer should periodically check and document that outsourced manufacturers are following documented RSC procedures.

The producer shall ensure that final products meet the specified criteria for restricted substance content. The producer should identify products which do not meet the restricted substance requirements and control delivery of those products.

Types of documentation that may be obtained from suppliers to demonstrate restricted substance controls for manufacturing and assembling operations are

- producer self-declaration of RSC elements integrated with a quality, environmental or other management system certification,
- producer “RSC procedure” for organizations without a management system.

5.3 Product evaluation

The producer shall carry out an evaluation of a product based on information acquired according to 5.2. The points to be checked are as follows:

- sufficient valid information is available for all the materials, parts, and sub-assemblies composing the product; and
- all the materials, parts, and sub-assemblies meet restricted substance requirements

If a satisfactory result is not achieved the producer may decide that additional information/data is needed. It is necessary then for the producer to re-evaluate the obtained information/data.

With regard to substance use restrictions, the producer should re-evaluate the product whenever aspects that could impact the use of restricted substances occur, such as:

- if the restricted substance requirements change; or
- if supplied materials, parts and sub-assemblies change; or
- if manufacturing and assembly operations change.

The producer should perform this evaluation process before starting mass production of the product.

6 Documentation of evaluation results

When legal and customer requirements do not ask for a declaration, “presumption of conformity” applies, which means that requirements are deemed fulfilled without producer self-declaration.

On request, the producer may issue a producer self-declaration.

If further information is required, the producer should be able to provide technical documentation.

Upon customer request, the producer should be able to show that RSC elements required in this technical report have been implemented.

If a producer does not have an existing quality, environmental or other industry recognized management system in place – or he decides not to integrate the RSC – product level documentation may be used to demonstrate evaluation of a specific product. The producer should be able to provide documentation on the procedures which briefly describe how the organization meets the requirements of this technical report.

NOTE The latter approach may be more appropriate for small and medium size enterprises.

Annex A
 (informative)
RSC content vs. existing industry ISO management system references

Clause	IEC/TR 62476	ISO 9001 references (subclause)	ISO 14001 references (subclause)
4	Framework for evaluation of product The producer shall define and execute restricted substance controls (RSC) for the operations related to its product category under consideration and ensure the execution of adequate RSC by other producers in the supply chain. When evaluating a product, the producer shall have a level of technical documentation that demonstrates effective RSC	5.1 Management commitment	4.2 Environmental policy
5.1	Product planning and design consideration	5.2 Customer focus 5.4.1 Quality objectives 7.1 Planning of product realization 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.3.1 – 7.3.6 Design and development: planning, inputs, outputs, review, verification and validation	4.3.1 Environmental aspects 4.3.2 Legal and other requirements 4.3.3 Objectives, targets and programmes 4.4.1 Resources, roles and responsibility and authority 4.4.6 Operational control
	Define legal, customer and other substance content requirements		
	Define organizational systems, roles and responsibilities for restricted substance management		

Clause	IEC/TR 62476	ISO 9001 references (subclause)	ISO 14001 references (subclause)
	<p>Ensure an effective design process for the evaluation and selection of materials, parts and sub-assemblies, including the following elements:</p> <ul style="list-style-type: none"> - a method or tool for designers to avoid inherently non-conforming parts or materials in their design; - the evaluation of materials, parts and sub-assemblies for meeting substance control requirements; - confirmation of RSC design process effectiveness and requests for improvement when necessary 		
	<p>Review of operational processes requirements (e.g. Lead and lead-free process lines segregation)</p>		
5.2.2	<p>Supplier information</p>	<p>7.4.1 Purchasing process 7.4.2 Purchasing information</p>	
	<p>Ensure an effective supplier RSC, which includes the following elements: Require appropriate RSC for all suppliers who provide materials, parts and sub-assemblies that constitute the producer's final products. Evaluate and select material part and sub-assembly suppliers based on their ability to supply products to the producer that conform to the producer's RSC standards. Confirm supplier RSC effectiveness and require improvements when necessary</p>		
5.2.4	<p>Manufacturing and assembling process</p>	<p>7.4.1 Processing process 7.4.2 Purchasing information 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.2 Validation of process for production and service provision 7.5.5 Preservation of product</p>	<p>4.4.6 Operational control</p>
	<p>Ensure incoming materials, parts and sub-assemblies meet specified restricted substances requirements</p>		
	<p>Ensure chemical changes are managed for manufacturing processes that change the nature of chemical substances or change the concentrations of chemical substances as a result of chemical reactions</p>		

Clause	IEC/TR 62476	ISO 9001 references (subclause)	ISO 14001 references (subclause)
	<p>Ensure measures are put in place to prevent the incorrect usage of manufacturing processes or mixing of parts where controlled substances are used</p>		
		<p>7.6 Control of monitoring and measuring devices Clause 8: Measurement, analysis and improvements 8.2.3 Monitoring and measurement of processes 8.2.4 Monitoring and measurement of product 8.4 Analysis of data</p>	<p>4.5.1 Monitoring and measurement 4.5.2 Evaluation of compliance</p>
	<p>The producers shall establish a system to review that final products meet the RSC requirements. The review system will identify products which do not meet the RSC requirements and control those products to prevent their unintended use or delivery</p>		

Annex B (informative)

Elements to be evaluated in test reports

- Name, address and location of any laboratory involved in the analysis
- Date of receipt of the sample and date(s) of performance of the test
- Unique identification of the report (such as a serial number) and on each page, the page number and the total number of pages of the report
- Clear identification and description of the sample and test point, including a description of any product disassembly performed to acquire the test sample. Identification of the sample should include any identifying marks and other available information such as supplier name, part number, batch code, date code and other unique markings
- Substances for which testing was performed
- Sample preparation methods used, including reference to the standard used and any deviations from the standard
- Analytical test methods used, including reference to the standard used and any deviations from the standard
- The limit of detection (LOD) or limit of quantification (LOQ)
- Results of the test (with unit of measurement) including uncertainty of the test results
- Notes on the sample preparation and test procedure that could have impacted the result
- Name and signature of the individual authorizing the report

Bibliography

IEC 62321, *Electrotechnical products – Determination of levels of six regulated substances (lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls, polybrominated diphenyl ethers)*

IEC 62430:2009, *Environmentally conscious design for electrical and electronic products*

IEC 62474, *Material declaration for electrical and electronic equipment*¹

IEC/PAS 62596, *Electrotechnical products – Determination of restricted substances – Sampling procedure – Guidelines*

IEC/PAS 61906, *Procedure for the declaration of materials in products of the electrotechnical and electronic industry*²

ISO 14001:2004, *Environmental management systems – Requirements with guidance for use*

ISO 9001:2000, *Quality management systems – Requirements*

¹ Under consideration.

² This will be significantly reviewed by the future IEC 62474.

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK



Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

...making excellence a habit.™