### PD ISO/TR 12591:2013



## **BSI Standards Publication**

## White tea — Definition



#### National foreword

This Published Document is the UK implementation of ISO/TR 12591:2013.

The UK participation in its preparation was entrusted to Technical Committee AW/8, Tea.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 75783 9

ICS 67.140.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 28 February 2014.

Amendments issued since publication

Date Text affected

# TECHNICAL REPORT

ISO/TR 12591:2013
ISO/TR
12591

First edition 2013-12-15

## White tea — Definition

Thé blanc — Définition



PD ISO/TR 12591:2013 **ISO/TR 12591:2013(E)** 



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Co	ntent	ts	Page
Foreword			
Intr	oductio	on	v
1	Scop	<b>9e</b>	1
2	Terr	ns and definitions	1
3	3.1 3.2 3.3 3.4 3.5	Historical origins of white tea  Descriptive names: black, green, and white teas  Plant source and parts used  Processing stages  Sensory analysis	
4	4.1 4.2	ommendations General recommendations Chemical recommendations	2 3
Ann	ex A (in	nformative) Appearances of different subtypes of white tea	4
Bibliography			6

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 34, *Food products*, Subcommittee SC 8, *Tea*.

#### Introduction

Tea is grown and manufactured in numerous countries of the world and is blended and/or drunk in many more. There is some confusion as to the origins, appearance, and processing parameters for white tea and how this might or does differ from green, black, and other types of tea.

The desired characteristics of white tea and the resulting liquor brewed from this depend upon a number of factors including the parts of the plant used for manufacture and how they are processed.

The objectives of this Technical Report are to specify the plant source and parts from which the white tea is manufactured and to set requirements for production methods and certain physical and chemical characteristics which, if met, are an indication that the tea had been subjected to good production practice. It is a matter for the parties concerned whether to apply the recommendations of this Technical Report as the basis of an International Standard for white tea.

The level of catechins in white and green teas is much higher than in black tea and can be a useful discriminant between these types of tea and black tea. Differentiation between green and white tea might need the use of ratios of the various chemical components, among others.

#### White tea — Definition

#### 1 Scope

This Technical Report contains information regarding the manufacture and chemical analysis of the teareferred to as white tea in international trade.

It provides an internationally agreed definition of white tea based on the plant source and production methods used. It explains how the application of these criteria has an effect on the physical and sensory attributes of white tea.

It does not apply to flavoured white tea, blended white tea, and decaffeinated or soluble extracts of white tea.

#### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2.1

#### white tea

tea derived solely and exclusively, and produced by acceptable processes, by harvesting and a single withering/drying stage of the bud or bud and tender shoots (one to three leaves) of varieties of the species *Camellia sinensis* (L.) O. Kuntze known to be suitable for making tea for consumption as a beverage

#### 3 Origins of white tea

#### 3.1 Historical origins of white tea

This type of tea has its historical roots in China, more specifically in the Fujian province of South West China and was originally produced from two subvarieties of *Camellia sinensis sinensis*, which were var. *Zhenghe dai bai* and var. *Fuding dai bai*.

White tea should not be defined by its geography and although white tea has been produced for many decades in this region, it is now produced in other regions of China as well as other international teaproducing countries. The harvesting and processing methods used in all regions are generally based upon those originally developed in the Fujian region.

#### 3.2 Descriptive names: black, green, and white teas

Black and green are colour descriptions of bulk property of the dry tea. The colour of the dry leaf matter is a reflection of the level of 'aeration' (formerly known as 'fermentation') that the material receives during primary processing, with green teas having minimal/no aeration and black teas, medium to extensive aeration. This colour is usually also reflected in the liquor, with green teas producing pale yellow-green to amber colour liquors and black teas producing pale amber to deep brown/black liquors. The tastes of these types of tea are also distinctive enough to be easily differentiated by skilled tea tasters.

White tea is named as such not for the bulk colour of the leaves but after the fine white hairs that cover the surface of leaf buds and the underside of the leaf surface. This lends an appearance of 'whiteness' to the leaf material. This is most apparent in grades where the bud alone is harvested, e.g. longevity eyebrow. Other grades such as Pai Mu Dan do not have such obvious leaf hairs but are still considered white tea due to the processing methods used.

#### 3.3 Plant source and parts used

White tea is produced solely and exclusively, from the leaves, buds and tender shoots of varieties of the species *Camellia sinensis* (L.) O. Kuntze, known to be suitable for making tea for consumption as a beverage.

More specifically, there are two main subtypes of white tea which differ significantly in their appearance based upon the raw material harvesting/selection and, as such, are worth noting here. The two main subtypes are

- a) **bud-only type** white tea with designations such as 'longevity eyebrow' and 'silver needle' which are only the unopened buds of the tender shoots of the tea bush, and
- b) **bud-plus-leaf type** white teas such as Pai Mu Dan (Bai Mu Dan), also known as White Peony, which are the unopened buds harvested together with the first, second, and even third leaf of the tender shoot.

See Annex A for figures which highlight these differences.

#### 3.4 Processing stages

White tea is the least processed of all tea types. Once the raw material has been harvested, the tea is laid out on some form of assembly, allowing the free passing of air, and the material is slowly dried. No enzyme inactivation (steam or pan firing), rolling, or comminution (cutting) is carried out. The tea leaf is simply withered and dried in a single processing stage either in the sun, under cover, or a combination of both. The application of artificially heated air to accelerate the drying is increasingly common.

#### 3.5 Sensory analysis

The discrimination by sensory analysis between green and white tea is organoleptically possible by skilled tea tasters, who base their judgements on their previous experience of white tea. Account is taken of characteristics including the appearance of the tea before the preparation of liquor (such as shape, colour, cleanliness, and evenness), the appearance of the infused leaf, and the appearance, odour, and taste of the liquor. The challenge for people and authorities in the field of tea analysis and purchase is the lack of an agreed vocabulary on green (and white) tea tasting terms. A key discriminator for white tea is that sensory notes which are indicative of enzyme inactivation through steam (wet heat) or panfiring (dry heat), associated with green teas, should be entirely absent in white teas. This is a general challenge for green and white tea sensory analysis.

The sensory attributes of any tea are a combination of the inherent flavour attributes of the raw materials from the country of origin as well as the type of processing. White teas from non-Fujian origins can, therefore, have significant additional flavours *versus* traditional Chinese white teas. This should also be taken into consideration during organoleptic analysis.

#### 4 Recommendations

#### 4.1 General recommendations

The tea should be free from taint and should have the characteristics, appearance, colour, and taste of white tea when examined by sensory analysis.

The tea should be free from any additives such as colouring agents and flavourings.

NOTE Methods of sensory analysis are described in a series of International Standards.

The tea should be clean and free from extraneous matter when inspected visually.

#### 4.2 Chemical recommendations

The international investigation into total polyphenols (and catechin contents) in black, green, and white tea gave only limited analytical information available on white tea utilizing the agreed ISO methods, with analysis on only 12 samples being submitted; from these data, only five samples were taken forward when outlier laboratories were removed from the data sets. This work has been published in the scientific literature.

Further work is required on white tea to include more samples, additional origins, and, potentially, other chemical components such as caffeine and theanine. Inclusion of these and investigation on comparing ratios of these components can prove useful in further defining white tea based upon chemical composition.

## **Annex A** (informative)

## Appearances of different subtypes of white tea



Figure A.1 — Bud-only grade of white tea



Figure A.2 — Bud-plus-leaf grade of white tea

## **Bibliography**

[1] OBUCHOWICZ J., ENGELHARDT U.H., DONNELLY K. Flavanol database for green and black teas utilising ISO 14502-1 and ISO 14502-2 as analytical tools. *J. Food Compos. Anal.* 2011, **24** pp. 411–417





## British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

#### About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards -based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

#### Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

#### **Buying standards**

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

#### **Subscriptions**

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

#### **BSI Group Headquarters**

389 Chiswick High Road London W4 4AL UK

#### **Revisions**

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

#### Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

#### **Useful Contacts:**

#### **Customer Services**

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

#### Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

#### Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

#### **Copyright & Licensing**

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

