

PD ISO/TS 13499:2014



BSI Standards Publication

Road vehicles — Multimedia data exchange format for impact tests

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of ISO/TS 13499:2014.

The UK participation in its preparation was entrusted to Technical Committee AUE/7, Automobile occupant restraint systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 84347 1

ICS 43.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2014.

Amendments issued since publication

Date	Text affected
------	---------------

**TECHNICAL
SPECIFICATION**

**ISO/TS
13499**

Second edition
2014-03-01

**Road vehicles — Multimedia data
exchange format for impact tests**

*Véhicules routiers — Format d'échange de données multimédia pour
les essais de choc*



Reference number
ISO/TS 13499:2014(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General requirements	3
4.1 Physical units.....	3
4.2 Data types.....	3
4.3 NOVALUE.....	3
4.4 Filename convention.....	3
5 File types	3
5.1 Information files.....	3
5.2 Data files.....	4
5.3 Comment files.....	4
6 File organization	5
6.1 Directory structure.....	5
6.2 Main directory.....	6
6.3 Subdirectories.....	6
6.4 Files.....	7
7 Data formats	8
8 Related electronic documents	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 12, *Passive safety crash protection systems*.

This second edition of ISO/TS 13499 cancels and replaces the first edition of ISO/TS 13499:2003, which has been technically revised.

Road vehicles — Multimedia data exchange format for impact tests

1 Scope

This Technical Specification presents a simple means for the exchange of multimedia data on impact tests between different laboratories. A format has been developed which defines a directory structure and the exchange information as ASCII files. Related electronic documents are available on the ISO website.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 80000-1, *Quantities and units — Part 1: General*

ISO 6487, *Road vehicles — Measurement techniques in impact tests — Instrumentation*

ISO 8601, *Data elements and interchange formats — Information interchange — Representation of dates and times*

ISO/IEC 8859-1, *Information technology — 8-bit single-byte coded graphic character sets — Part 1: Latin alphabet No. 1*

3 Terms and definitions

For the purposes of this document and all related electronic documents, the following terms and definitions apply.

3.1

test number

code specific to the test

Note 1 to entry: In this document and all related electronic documents it is referenced as <testnumber>.

3.2

test object

group of components with the same initial state (e.g. speed, direction of movement) at impact time

Note 1 to entry: In this document and all related electronic documents it is referenced as <testobject>.

3.3

channel code

code consisting of 16 characters, composed of a sequence of codes with a fixed length and specific order, defining test object, position, main location, fine locations, physical dimension, direction and filter class in

Note 1 to entry: This document and all related electronic documents the complete channel code is referenced as <channelcode>.

EXAMPLE 1 1 HEAD LE 00 H3 AC X A

Meaning:	Test object	= 1	Vehicle no. 1	referenced as <testobject>
	Position	= 1	Front left	referenced as <position>
	Main location	= HEAD	Dummy head	referenced as <mainlocation>
	Fine location 1	= LE	Center of gravity	
	Fine location 2	= 00	Undefined	
	Fine location 3	= H3	H III dummy	
	Dimension	= AC	Acceleration	
	Direction	= X	X-direction	
	Filter class	= A	CFC 1000	see ISO 6487

3.4 reference system

three dimensional coordinate system which belongs to a test rig, a test object or a part of a test object

Note 1 to entry: For each used reference system a specific identifier has to be defined.

3.5 channel code extension

data from different data sources or within different reference systems for the same measurement position described by a specific <channelcode> have to be distinguished

Note 1 to entry: For this reason and for future purposes an extension of the <channelcode> is necessary. In this document and all related electronic documents this extension is referenced as <codeextension>. For details see 4.4, 5.2 and the related electronic document A.

3.6 media type

multimedia data of vehicle safety tests which is from the same type is grouped to media types

EXAMPLE Photo, movie and channel.

Note 1 to entry: In this document and all related electronic documents this is referenced as <mediatype>.

3.7 quaternion

ambiguities of trigonometric functions can be avoided when a rotation matrix with algebraic functions is used, the three independent rotations are described by four algebraic parameters the quaternion qw, qx, qy and qz

Note 1 to entry: For details see the related electronic document A.

3.8 descriptor

text with a maximum length of 28 characters identifying specific information

Note 1 to entry: Tabulation stops (ASCII 9) are not allowed. Case sensitivity is not required.

3.9 line delimiter

“carriage return” (ASCII 13) followed by a “line feed” (ASCII 10)

Note 1 to entry: The line length is not limited.

3.10

column separator

one or multiple tabulation stops (ASCII 9) or one or multiple blanks (ASCII 32)

3.11

separator line

"#Start of data" separating the header from the data section in all data files

4 General requirements

4.1 Physical units

All data have to be expressed in SI units in accordance with ISO 80000, if not explicitly specified in the related electronic documents. In particular, acceleration, a , has to be given in metres per second squared (m/s^2) and velocity, v , in metres per second (m/s).

4.2 Data types

The data values have to be in ASCII in accordance with ISO 8859-1 with the decimal symbol being a dot (ASCII 46). Valid basic data types are integer, float and string. Generic data types are date and datetime in accordance with ISO 8601 and coded, reference and filereference. The data types are defined in the related electronic document A.

4.3 NOVALUE

For integrity, where data are unavailable, insert the reserved word "NOVALUE" as the data value. "NOVALUE" is not case sensitive.

4.4 Filename convention

The name of a file is composed by a base filename, a dot (ASCII 46) and an extension. The base filename and the extension are built from the lexical space ASCII {43, 45, 48 – 57, 65 – 90, 95, 97 – 122}. The '_' character (ASCII 95) is reserved for the separation within filenames. Filenames are case sensitive. The <testnumber> is free, but has to be unique within the whole file structure. All other parts of filenames have to be used in the same notation as described in this document and all related electronic documents.

5 File types

5.1 Information files

Information files consist of a sequence of information lines. Each information line has to end with a line delimiter.

An information line has to start with a descriptor of 28 characters. Position 29 contains a separator, this may be a colon. The test information has to start at position 30.

If some information lines belong to a single <mediatype> these lines have to be summarized within an information block. Every block has a blockbegin- and a blockend-line. The general information valid for all <mediatypes> is not block structured and is positioned in front of the first block. Nesting of blocks is not allowed.

Comment lines may be used at any line and have to be marked by the descriptor "Comments". Each following line of a comment has to begin with this descriptor. Comment lines should not contain computer-readable information.

The information line with the descriptor “Data format edition number” in the *test information file* has to be the first line. Within a block the position order of all information lines is free. All descriptors except comments have to be unique within a block.

The mandatory and optional descriptors are specified in the related electronic document A. Additional partner specific descriptors may be agreed between the transferring parties. They have to start with a “+” sign (ASCII 43).

The filename of the *test information file* has to be built from the <testnumber> a dot (ASCII 46) and the extension “mme”. The names of all other multimedia information files start with the <testnumber> . They have the extension “mmi”. Information files are described in more detail in related electronic document A.

5.2 Data files

Data files consist of a header section and a data section. The header section is always in the beginning of the file. The data section starts behind a *separator line* and ends at the End of File. The construction of the descriptive lines in the header section is identical to the specification of an information file. The general rules for information files (see 5.1) apply also to the header section.

A data file may consist of one or more columns in the data section. The columns are separated by column separators. Specific often used data structures are predefined. These definitions and the examples are shown in the related electronic document A.

The filenames of all multimedia data files have the extension “mmd”. Allowed filenames for channel data are built by the <testnumber> , the <channelcode> and the <codeextension> defined in the related electronic document A in the format <testnumber> _ <channelcode> _ <codeextension> .mmd.

5.3 Comment files

These optional files contain all additional information exceeding the data volumes of the information files. Comment files may be stored in the main directory or in any subdirectory. The name of the *test comment file* has to be identical to the <testnumber> , while the names of the other comment files has to be built from the <testnumber> followed by an “_” (ASCII 95) and the name of the subdirectory with the extension “txt”. All comment files contain unformatted text.

Each item has to be separated by a line delimiter. If information specific to an individual data channel needs to be given, the information line has to start with the <channelcode> .

The comment files according to the exchanged media types have to be as follows:

File name: <testnumber>_<subdirectory-name>.txt

Location: in every subdirectory

Contents: unformatted text

.....

<channelcode>: unformatted text

.....

unformatted text

6 File organization

6.1 Directory structure

All files relating to a particular test have to be held in a standard directory structure as follows. Filenames and directory names are case sensitive. All subdirectories except the object subdirectory are optional.

<testnumber>	main directory	
-----	<testnumber>.mme	test information file
-----	<testnumber>.txt	test comment file
-----	Channel	subdirectory
	-- <testnumber>_Channel.mmi	channel information file
	--- <Name of channel file 1>.mmd	channel data file 1
	...	
	--- <Name of channel file c>.mmd	channel data file c
	--- <testnumber>_Channel.txt	channel comment file
-----	Document	subdirectory
	--- <testnumber>_Document.mmi	document information file
	--- <Name of document file 1>	document file 1
	...	
	--- <Name of document file d>	document file d
	--- <testnumber>_Document.txt	document comment file
-----	Movie	subdirectory
	--- <testnumber>_Movie.mmi	movie information file
	--- <testnumber>_Movie.mmd	movie data file
	--- <Name of movie file 1>	movie file 1
	...	
	--- <Name of movie file m>	movie file m
	--- <testnumber>_Movie.txt	movie comment file
-----	Object	subdirectory
	--- <testnumber>_Reference.mmi	reference system information file
	--- <testnumber>_Reference.mmd	reference system data file
	--- <testnumber>_Reference.txt	reference system comment file
	--- <Name of object file 1>.mmi	object information file 1
	...	

--- <Name of object file o>.mmi	object information file o
--- <testnumber>_Object.txt	object comment file
----- Photo subdirectory	
--- <testnumber>_Photo.mmi	photo information file
--- <Name of photo file 1>	photo file 1
...	
--- <Name of photo file p>	photo file p
--- <testnumber>_Photo.txt	photo comment file
----- Reportsubdirectory	
--- <testnumber>_Report.mmi	report information file
--- <Name of report file 1>	report file 1
...	
--- <Name of report file r>	report file r
--- <testnumber>_Report.txt	report comment file
----- Static subdirectory	
--- <testnumber>_Static.mmi	static measurement information file
--- <testnumber>_Static.mmd	static measurement data file
--- <testnumber>_Static.txt	static measurement comment file
----- (Additional subdirectories may be added here)	

6.2 Main directory

The main directory has to contain one *test information file* with general information concerning the test. The *test comment file* and special subdirectories for the multimedia data are optional.

6.3 Subdirectories

6.3.1 Channel subdirectory

This optional subdirectory contains all *channel data files* with sample values from specific measurement channels expressed in physical units. The data section of a *channel data file* consists of one or more columns each belonging to a component of a physical quantity. If this subdirectory exists, the *channel information file* is mandatory.

6.3.2 Document subdirectory

This optional subdirectory contains information which is no result of the test. If this subdirectory exists, the *document information file* is mandatory.

6.3.3 Movie subdirectory

This optional subdirectory contains all movies. If this subdirectory exists, the *movie information file* is mandatory. Camera positions have to be stored in the *movie data file*.

6.3.4 Object subdirectory

This mandatory subdirectory contains the information about test objects, occupants, restraint systems and other components. For each test object a separate mandatory *object information file* has to be used.

In addition this subdirectory contains the description of all reference coordinate systems in one *reference system information file*. The data which describes static or dynamic relations between coordinate systems with six degrees of freedom has to be stored in the *reference system data file*. If more than the local transducer coordinate systems are used, the reference system files are mandatory otherwise they are optional.

Optional *object information files* contain the information concerning occupants and restraint systems.

Filenames are built according to the following rules:

test objects:	<testnumber> _ <testobject>.mmi
occupants:	<testnumber> _ <testobject><position>.mmi
restraint systems:	<testnumber> _ <testobject><position><mainlocation>.mmi

6.3.5 Photo subdirectory

This optional subdirectory contains all photos. If this subdirectory exists, the *photo information file* is mandatory.

6.3.6 Report subdirectory

This optional subdirectory contains the results of the test. If this subdirectory exists, the *report information file* is mandatory and the recommendation for the filename of the main report file is <testnumber>_Report. The file extension of the main report should correspond to the file format (e.g. "pdf").

6.3.7 Static subdirectory

This optional subdirectory contains all static measurement data. If this subdirectory exists, the *static measurement data file* is mandatory.

6.3.8 Additional subdirectories

Supplementary information may be stored in additional subdirectories. The subdirectory should be given a meaningful name that identifies the information. Each additional subdirectory has to contain one information file used throughout to describe the format of other files in the directory showing limitations as necessary. The name of the information file is built from the <testnumber> and the subdirectory name with the extension "mmi".

6.4 Files

Each used media subdirectory has to contain

- one *information file* with the media specific descriptive information (see 5.1);
- all data files of the specific media type (see 5.2).

The main directory and all subdirectories shall contain

- one optional *comment file* for additional information (see 5.3);
- all additional files of the specific media type.

7 Data formats

The first line of the *test information file* has to contain the descriptor “Data format edition number” as a reference to the version of the related electronic documents used to create the files.

8 Related electronic documents

The name and explanation of descriptors are given in the related electronic document *Descriptors and Hints* (RED A). See <http://standards.iso.org/iso/13499>. Future versions of this document will also contain the description of changes and hints for using the Technical Specification.

The related electronic document *Channel Codes* (RED B) gives the coding description, code lists and coding rules for measurement channels. See <http://standards.iso.org/iso/13499>.

The related electronic document *Figures* (RED C) presents figures of dummies, vehicles and test components with the location of the channel codes and parts of it. See <http://standards.iso.org/iso/13499>.

The related electronic document *Compatibility* (RED D) describes the additional information needed for the data exchange under special conditions. See <http://standards.iso.org/iso/13499>.

The related electronic document *Calculated Values Codes and Channels* (RED E) defines the optional descriptors for calculated values which are derived from the measurement channels. See <http://standards.iso.org/iso/13499>.

The Bureau de Normalization de l'Automobile (BNA) has been appointed by the ISO technical management board (TMB) as the maintenance agency responsible for regularly updating all electronic documents related to ISO/TS 13499.

A change of the related electronic documents will result in an increase of the value for the descriptor 'Data format edition number' (see 7 and RED A).

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com



...making excellence a habit.™