



BSI Standards Publication

Geographic information — Data quality

Part 2: XML schema implementation

National foreword

This Published Document is the UK implementation of ISO/TS 19157-2:2016.

The UK participation in its preparation was entrusted to Technical Committee IST/36, Geographic information.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 87056 9

ICS 35.240.70

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 December 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

First edition
2016-12-01

**Geographic information — Data
quality —**

**Part 2:
XML schema implementation**

*Information géographique — Qualité des données —
Partie 2: Implémentation de schémas XML*

Reference number
ISO/TS 19157-2:2016(E)





COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Conformance	2
4.1 General	2
4.2 Metadata for data quality	2
4.3 Data quality measures	2
5 Abbreviated terms	2
5.1 Abbreviated terms	2
5.2 Namespaces	2
6 XML schema and document requirements	3
6.1 General	3
6.2 Core requirements	3
6.3 XML namespaces and requirements	4
Annex A (normative) Abstract test suite	8
Annex B (informative) XML resources related to data quality	11
Annex C (informative) How ISO 19115-2:2009 is included in this document	12
Annex D (informative) Implementation examples	14
Bibliography	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 211, *Geographic information/Geomatics*.

A list of all parts in the ISO 19157 series can be found on the ISO website.

Introduction

This document utilizes encoding rules from ISO 19118 and ISO/TS 19139, and the implementation approach from ISO/TS 19115-3 to define an XML schema implementation of ISO 19157:2013, and the data quality related concepts from ISO 19115-2. This schema can be used to validate conformance of XML instance documents with these conceptual models.

Geographic information — Data quality —

Part 2: XML schema implementation

1 Scope

This document defines data quality encoding in XML. It is an XML schema implementation derived from ISO 19157:2013 and the data quality related concepts from ISO 19115-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19103:2015, *Geographic information — Conceptual schema language*

ISO 19105:2000, *Geographic information — Conformance and testing*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp/ui/>

3.1

document

<XML> well-formed data object

[SOURCE: W3C XML]

3.2

schema document

<XML Schema> XML document containing schema component definitions and declarations

Note 1 to entry: The W3C XML Schema provides an XML interchange format for schema information. A single schema document provides descriptions of components associated with a single XML namespace, but several documents may describe components in the same schema, i.e. the same target *namespace* (3.3).

[SOURCE: ISO 19136:2007, 4.1.55]

3.3

namespace

collection of names, identified by a URI reference, which are used in XML *documents* (3.1) as element names and attribute names

[SOURCE: W3C XML]

3.4 **package**

general purpose mechanism for organizing elements into groups

EXAMPLE Identification information, metadata entity set information, constraint information.

[SOURCE: ISO 19103:2015, 4.27, modified – Example has been added.]

4 Conformance

4.1 General

The framework, concepts, and methodology for testing, and the criteria to be achieved to claim conformance, are specified in ISO 19105. See also [Annex A](#).

4.2 Metadata for data quality

XML documents containing XML fragments with elements related to data quality and metaquality reports described in ISO 19157 or XML fragments related to data quality elements described in ISO 19115-2 shall pass the test modules defined in [A.2](#).

4.3 Data quality measures

XML documents containing XML fragments with elements related to data quality measures described in ISO 19157 shall pass the test modules defined in [A.3](#).

5 Abbreviated terms

5.1 Abbreviated terms

UML Unified Modeling Language

URI Unique Resource Identifier

URL Uniform Resource Locator

XML eXtensible Markup Language

XSD XML Schema Definition

5.2 Namespaces

XML namespaces defined in this document have URIs that follow the pattern: <http://standards.iso.org/iso/19157/-2/xxx/N.M>, where xxx is the namespace abbreviation, N is the major version number, and M is the minor version number. The namespace directories include descriptions of the content of the namespace, and links to the base specification it implements and to the normative XML schema location.

The following conventions are used to abbreviate the namespaces used to group XML elements. Definition of namespaces specific to the implementation of ISO 19157 and their rationale are discussed in [6.3](#). [Table 1](#) includes namespaces that are from schema defined in other specifications and are imported by this implementation. The short string in the left column of [Table 1](#) is used as a prefix to associate an XML element with the namespace. The second column contains an English-language description of the namespace, and the string in the third column is the URI that identifies the namespace. The final column lists the standard from which this namespace is imported. [Table 2](#) lists abbreviations and other information for namespaces used for UML packages defined in ISO 19157:2013 and ISO 19115-2:2009.

Table 1 — External namespace URIs and namespace abbreviation conventions used in this document

Namespace abbreviation convention	Namespace name	Namespace URI	Source
gco	Geographic Common	http://standards.iso.org/iso/19139/gco/1.0	ISO/TS 19115-3
gml	Geography Markup Language	http://schemas.opengis.net/gml/3.2.1/gml.xsd	ISO 19136
xlink	XML linking language	http://www.w3.org/1999/xlink	XML Linking Language (XLink) Version 1.1
xs	W3C XML Schema definition schema	http://www.w3.org/2001/XMLSchema	W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures W3C XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes

Table 2 — Namespace URIs and namespace abbreviation conventions defined and used in this document for packages defined in ISO 19157

Namespace abbreviation convention	Namespace name	Scope	Namespace URI	ISO UML Package
mdq	Metadata for Data Quality	elements for data quality and metaquality reports	http://standards.iso.org/iso/19157-2/mdq/1.0	ISO 19157 <<Leaf>> DQ_DataQuality and ISO 19115-2 <<Leaf>> QE_CoverageResult
dqm	Data Quality Measures	elements for data quality measures	http://standards.iso.org/iso/19157-2/dqm/1.0	<<Leaf>> DQM_Measure
dqc	Data Quality Common	abstract classes required for modular implementation	http://standards.iso.org/iso/19157-2/dqc/1.0	Implementation Model

6 XML schema and document requirements

6.1 General

This XML schema implementation of ISO 19157:2013 and the data quality concepts from ISO 19115-2:2009 follows the encoding rules stated in ISO 19118, ISO/TS 19139:2007, and the implementation approach from ISO/TS 19115-3:2016, Clause 8.

6.2 Core requirements

The requirements class described in [Table 3](#) defines requirements that shall be met by any XML instance document based on this document.

Table 3 — Core requirements for data quality instance

Requirements class	
http://standards.iso.org/iso/19157-2/1.0/req/data-quality-core-instance	
Target Type	XML instance document
Name	Core requirements for data quality instance
Dependency	http://standards.iso.org/iso/19157-2/1.0/req/data-quality-core-encoding
Requirement	/req/data-quality-external-instance/property-type-content A property element instance SHALL have exactly one of 1) inline content (by-value) that is a schema-valid XML class instance, or 2) an xlink:href attribute (by-reference value), or 3) a gco:nilReason attribute (nil value).
Requirement	/req/data-quality-external-instance/xml-well-formed An XML instance document SHALL be well-formed and valid with respect to the schema defined in this document.

6.3 XML namespaces and requirements

[Table 4](#) defines the requirements classes for each namespace module.

Table 4 — Requirements classes for XML instance documents for each namespace module

Requirement class URI ^a	Namespace ^b	Dependencies ^a	Requirements ^a
/req/data-quality-instance	/mdq/1.0	/req/data-quality-core-instance /req/common-classes-instance	<ul style="list-style-type: none"> /req/data-quality-instance/scope Any instance of DQ_DataQuality SHALL have a scope property value /req/data-quality-instance/report Any instance of DQ_DataQuality SHALL have a report property value /req/data-quality-instance/result Any concrete instance of DQ_Element SHALL have a result property value /req/data-quality-instance/relatedElement Any concrete instance of DQ_MetaData SHALL have a relatedElement property value /req/data-quality-instance/quantitative-value Any instance of DQ_QuantitativeResult SHALL have a value property value /req/data-quality-instance/conformance-pass Any instance of DQ_ConformanceResult SHALL have a pass property value /req/data-quality-instance/conformance-specification Any instance of DQ_ConformanceResult SHALL have a specification property value /req/data-quality-instance/descriptive-statement Any instance of DQ_DescriptiveResult SHALL have a statement property value

^a The complete URI begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

^b The complete URL begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

Table 4 (continued)

Requirement class URI ^a	Namespace ^b	Dependencies ^a	Requirements ^a
			<p>/req/data-quality-instance/coverage-spatial-representation-type Any instance of QE_CoverageResult SHALL have a spatialRepresentationType</p> <p>/req/data-quality-instance/coverage-spatial-representation-information Any instance of QE_CoverageResult SHALL have one and only one resultSpatialRepresentation property value</p> <p>/req/data-quality-instance/coverage-spatial-representation-information Any instance of QE_CoverageResult SHALL have one and only one resultContentDescription property value</p> <p>/req/data-quality-instance/coverage-content-description Any instance of QE_CoverageResult SHALL have one and only one resultContentDescription property value</p> <p>/req/data-quality-instance/coverage-result-format Any instance of QE_CoverageResult SHALL have one and only one resultFormat property value</p> <p>/req/data-quality-instance/coverage-result-format Any instance of QE_CoverageResult SHALL have one and only one resultFile property value</p>
/req/quality-measure-instance	/dqm/1.0	/req/data-quality-core-instance /req/common-classes-instance /req/citation-instance	<p>/req/quality-measure-instance/measureIdentifier Any instance of DQM_Measure SHALL have a measureIdentifier property value</p> <p>/req/quality-measure-instance/name Any instance of DQM_Measure SHALL have a name property value</p>

^a The complete URI begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

^b The complete URL begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

Table 4 (continued)

Requirement class URI ^a	Namespace ^b	Dependencies ^a	Requirements ^a
			<p>/req/quality-measure-instance/elementName Any instance of DQM_Measure SHALL have a elementName property value</p> <p>/req/quality-measure-instance/valueType Any instance of DQM_Measure SHALL have a valueType property value</p> <p>/req/quality-measure-instance/TypeName Any instance of DQM_Measure.elementName SHALL be the TypeName of a data quality element</p> <p>/req/quality-measure-instance/valueType-dataType Any instance of DQM_Measure.valueType SHALL be one of the data types defined in ISO 19103</p> <p>/req/quality-measure-instance/valueStructure DQM_Measure.valueStructure SHALL be provided if the result includes more than one value</p>

^a The complete URI begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

^b The complete URL begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

Annex A (normative)

Abstract test suite

A.1 Overview

A.1.1 Conformance test tools

Various conformance tests for this document require that metadata instance (XML) documents can be validated without error against the XML schemas defined in this document. While many tools are available to test validation of XML instance documents against provided XML schemas, it is important to understand that not all validation tools implement the full W3C XML schema recommendation and not all validation tools interpret the W3C XML schema recommendation in the same manner. It is recommended that a tool that implements a strict interpretation of and full support for the W3C XML schema recommendation be used when validating XML instance documents to test conformance.

The normative XML schema and schematron documents are available in a directory at <http://standards.iso.org/iso/19157-2/> with a directory structure described in Annex B. Annex C provides information about including ISO 19115-2:2009 in this document, and Annex D provides example documents conforming to the XML schema.

A.1.2 Conformance requirements — Limits of XML schema validation

Because XML schema validation is insufficient to test all of the constraints declared in ISO 19157, some conformance tests require other validation procedures. For instance, as stated in ISO/TS 19139:2007, 8.4, a property element following the default XML Class Property Type (XCPT) pattern may have exactly one of 1) inline content (by-value) that is an XML class, or 2) an xlink:href attribute (by-reference value), or 3) a gco:nilReason attribute (nil value). Because XML schema cannot constrain the co-occurrence of content or attributes, some mechanism in addition to XML schema validation shall be used to restrict a property to be exclusively by-value or by-reference or a nil value.

Rules implementing these constraints are included in the appropriate requirements class for the XML document instances. The ISO/TS 19157-2 package includes a schematron rule set for testing conformance with these requirements. If a tool for schematron validation is not available, conformance to these requirements may need to be tested by inspection.

A.2 Metadata for data quality (mdq) namespace

Table A.1 describes the conformance class for namespace mdq.

Table A.1 — Conformance class: Valid XML instance of metadata for data quality (mdq) namespace

Conformance class: Valid XML instance of metadata for data quality (mdq) namespace	
http://standards.iso.org/iso/19157/-2/mdq/1.0/conf/data_quality-xml	
Requirements	http://standards.iso.org/iso/19157/-2/mdq/1.0/req/data-quality-instance
Dependency	http://standards.iso.org/iso/19115-3/1.0/conf/citation-xml
Dependency	http://standards.iso.org/iso/19115-3/1.0/conf/common-classes-xml
Test	/conf/data-quality-xml/schema-valid
	Requirement /req/data-quality-instance/validation
	Test purpose Verify that instances of XML elements from the namespace http://standards.iso.org/iso/19157/-2/mdq/1.0 are well-formed and valid.
	Test method Use XML validation tools to determine if XML validates using the XML schema http://standards.iso.org/iso/19157/-2/mdq/1.0/mdq.xsd . See A.1.1.
	Test type Validation
Test	/conf/data-quality-xml/schematron-rules
	Requirement /req/data-quality-instance/scope /req/data-quality-instance/report /req/data-quality-instance/result /req/data-quality-instance/relatedElement /req/data-quality-instance/quantitative-value /req/data-quality-instance/conformance-pass /req/data-quality-instance/conformance-specification /req/data-quality-instance/descriptive-statement
	Test purpose Verify that XML instance is conformant with additional data-quality that cannot be tested by XML schema.
	Test method Verify that document validates with schematron rule set http://standards.iso.org/iso/19157/-2/mdq/1.0/mdq.sch .
	Test type Validation

A.3 Data quality measures (dqm) namespace

[Table A.2](#) describes the conformance class for namespace dqm.

Table A.2 — Conformance class: Valid XML instance of metadata for data quality measure (dqm) namespace

Conformance class: Valid XML instance of data quality measure (dqm) namespace	
http://standards.iso.org/iso/19157/-2/dqm/1.0/conf/quality-measure-xml	
Requirements	http://standards.iso.org/iso/19157/-2/dqm/1.0/req/quality-measure-instance
Dependency	http://standards.iso.org/iso/19115/-3/1.0/conf/citation-xml
Dependency	http://standards.iso.org/iso/19115/-3/1.0/conf/common-classes-xml
Test	/conf/data-quality-xml/schema-valid
Requirement	/req/quality-measure-instance/validation
Test purpose	Verify that instances of XML elements from the namespace http://standards.iso.org/iso/19157/-2/dqm/1.0 are well-formed and valid.
Test method	Use XML validation tools to determine if XML validates using the XML schema http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.xsd .
Test type	Validation
Test	/conf/data-quality-xml/schematron-rules
Requirement	/req/quality-measure-instance/measureIdentifier /req/quality-measure-instance/name /req/quality-measure-instance/elementName /req/quality-measure-instance/valueType /req/quality-measure-instance/TypeName /req/quality-measure-instance/valueType-dataType /req/quality-measure-instance/valueStructure
Test purpose	Verify that XML instance is conformant with additional data-quality that cannot be tested by XML schema.
Test method	Verify that document validates with schematron rule set http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.sch .
Test type	Validation

Annex B (informative)

XML resources related to data quality

B.1 XML schema documents defined in this document

This document defines the content of three XML namespaces commonly identified using the prefixes mdq, dqm, and dqc. Each namespace prefix is inserted to <http://standards.iso.org/iso/19157/-2/xxx/1.0> (where xxx is the namespace abbreviation) to make a complete namespace identifier. In addition to schema documents, the namespace directories include schematron rules (*.sch) that implement validation rules that are not tested by the schemas, documents that describe the namespaces (*.html) and provide links to the normative schema, and sample xml instance documents.

B.2 XML schema documents defined in ISO/TS 19115-3

This document is based on the XML schema implementation provided in ISO/TS 19139:2007 and implementation approach described in ISO/TS 19115-3. To locate these XML schema documents, please refer to ISO/TS 19115-3:2016, Annex B.

B.3 XML schema documents defined outside this document

In addition to the namespace listed in [B.1](#), this document makes use of the Geography Markup Language or <http://schemas.opengis.net/gml/3.2.1/gml.xsd> namespace. To locate the authoritative XML schema documents associated with this namespace, refer to ISO 19136.

B.4 Additional resources

To ease the use of this document, several XML files are available for download in the “resources” directory of <http://standards.iso.org/iso/19157/-2/resources>.

Similar additional resources are provided along with ISO/TS 19139 XML schema documents. Please refer to ISO/TS 19139:2007, Annex C.

Annex C (informative)

How ISO 19115-2:2009 is included in this document

C.1 General

ISO 19115-2:2009 includes important extensions to metadata and data quality. The conceptual UML-model in ISO 19115-2:2009 is defined as an extension to corresponding UML-model in ISO 19115:2005. To fit the data quality concepts from ISO 19115-2 into ISO 19157:2013 requires a formal revision of ISO 19115-2:2009. An intermediate-term approach was required in order to support current usage of ISO 19115-2 quality concepts. To merge these two standards, an “ad-hoc”-revision of selected parts of ISO 19115-2:2009 was done, and the result is included in the ISO 19157-2-XML-schemas.

C.2 How ISO 19115-2:2009 is included

The selection from ISO 19115-2:2009 and inclusion of the selected parts is shown in [Figure C.1](#). The ISO 19115-2-class QE_CoverageResult together with its substructure is attached as a subtype of the existing DQ_Result. Then this new subtype becomes the fourth subtype of DQ_Result, in addition to the existing DQ_ConformanceResult, DQ_QuantitativeResult and DQ_DescriptiveResult.

The QE_CoverageResult is modified from the original in ISO 19115-2:2009 as shown in [Figure C.1](#), to fit the ISO/TS 19157-2 XML implementation.




Figure C.1 — ISO 19115-2:2009-parts in DQ_Result (UML class diagram)

Annex D (informative)

Implementation examples

D.1 General

The following XML documents illustrate some aspects of the XML schema encoding of ISO 19157. The values provided for the different elements are intended to be realistic, but they should not serve as a reference to determine the proper way of using ISO 19157 conceptual schemas.

D.2 Example of data quality

```
<?xml version="1.0" encoding="UTF-8"?>
<mdb:MD_Metadata xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://standards.iso.org/iso/19115/-3/mdb/1.0 http://standards.iso.
org/iso/19115/-3/mds/1.0/mds.xsd"
  xmlns:mdq="http://standards.iso.org/iso/19157/-2/mdq/1.0"
  xmlns:mdb="http://standards.iso.org/iso/19115/-3/mdb/1.0"
  xmlns:gco="http://standards.iso.org/iso/19139/gco/1.0"
  xmlns:mcc="http://standards.iso.org/iso/19115/-3/mcc/1.0"
  xmlns:mri="http://standards.iso.org/iso/19115/-3/mri/1.0"
  xmlns:lan="http://standards.iso.org/iso/19115/-3/lan/1.0"
  xmlns:cit="http://standards.iso.org/iso/19115/-3/cit/1.0">
  <!--
  This is a sample metadata record for minimal metadata with data quality.
  It contains required elements from the mdb, mcc (cit, gco), lan, and mri
  namespaces and sample data quality metadata with concepts from ISO 19157:2013
  -->
  <mdb:contact>
    <cit:CI_Responsibility>
      <cit:role>
        <cit:CI_RoleCode codeList="codeListLocation#CI_RoleCode"
          codeListValue="anyValidURI">pointOfContact</cit:CI_RoleCode>
      </cit:role>
      <cit:party>
        <cit:CI_Organisation>
          <cit:name>
            <gco:CharacterString>Organisation Name</gco:CharacterString>
          </cit:name>
        </cit:CI_Organisation>
      </cit:party>
    </cit:CI_Responsibility>
  </mdb:contact>
  <mdb:dateInfo>
    <cit:CI_Date>
      <cit:date>
        <gco:DateTime>2015-04-03T16:00:00</gco:DateTime>
      </cit:date>
      <cit:dateType>
        <cit:CI_DateTypeCode codeList="codeListLocation#CI_DateTypeCode"
          codeListValue="anyValidURI">creation</cit:CI_DateTypeCode>
      </cit:dateType>
    </cit:CI_Date>
  </mdb:dateInfo>
  <mdb:identificationInfo>
    <mri:MD_DataIdentification>
      <mri:citation>
        <cit:CI_Citation>
          <cit:title>
            <gco:CharacterString>Sample Metadata for Minimal Conformance Class</
            gco:CharacterString>
```

```

        </cit:title>
    </cit:CI_Citation>
</mri:citation>
<mri:abstract>
    <gco:CharacterString>This sample record has all required elements for minimal
ISO 19115:2013
        metadata</gco:CharacterString>
    </mri:abstract>
</mri:MD_DataIdentification>
</mdb:identificationInfo>
</mdb:dataQualityInfo>
<mdq:DQ_DataQuality>
    <mdq:scope>
        <mcc:MD_Scope>
            <!-- This is a quality report for metadata -->
            <mcc:level>
                <mcc:MD_ScopeCode codeList=" codeListLocation#MD_ScopeCode"
                    codeListValue="">metadata</mcc:MD_ScopeCode>
            </mcc:level>
            <mcc:levelDescription>
                <mcc:MD_ScopeDescription>
                    <mcc:other>
                        <gco:CharacterString>Data Quality Metadata</gco:CharacterString>
                    </mcc:other>
                </mcc:MD_ScopeDescription>
            </mcc:levelDescription>
        </mcc:MD_Scope>
    </mdq:scope>
<mdq:standaloneQualityReport>
    <mdq:DQ_StandaloneQualityReportInformation>
        <mdq:reportReference>
            <cit:CI_Citation>
                <cit:title>
                    <gco:CharacterString>A report on the validation of a metadata
record</gco:CharacterString>
                </cit:title>
            </cit:CI_Citation>
        </mdq:reportReference>
        <mdq:abstract>
            <gco:CharacterString>The metadata were tested for validity</
gco:CharacterString>
        </mdq:abstract>
    </mdq:DQ_StandaloneQualityReportInformation>
</mdq:standaloneQualityReport>
<mdq:report>
    <mdq:DQ_ConceptualConsistency>
        <mdq:measure>
            <mdq:DQ_MeasureReference>
                <mdq:measureIdentification>
                    <mcc:MD_Identifier>
                        <mcc:code>
                            <gco:CharacterString>http://standards.iso.
org/iso/19157/-2/mdq/1.0/conf/data-quality-xml/
                                schema-valid
                            </gco:CharacterString>
                        </mcc:code>
                    </mcc:MD_Identifier>
                </mdq:measureIdentification>
                <mdq:measureDescription>
                    <gco:CharacterString>Use ISO 19157-2 to verify that instances of
XML elements from the namespace
                        http://standards.iso.org/iso/19157/-2/mdq/1.0 are well-formed
and valid.
                </gco:CharacterString>
            </mdq:measureDescription>
        </mdq:DQ_MeasureReference>
    </mdq:measure>
    <mdq:result>
        <mdq:DQ_ConformanceResult>
            <mdq:specification>
                <cit:CI_Citation>

```

```
<cit:title>
    <gco:CharacterString>Geographic Information - Data Quality
</gco:CharacterString>
</cit:title>
<cit:alternateTitle>
    <gco:CharacterString>ISO 19157:2013</gco:CharacterString>
</cit:alternateTitle>
<cit:onlineResource>
    <cit:CI_OnlineResource>
        <cit:linkage>
            <gco:CharacterString>
                http://www.iso.org/iso/home/store/
                catalogue_tc/catalogue_detail.htm?
                csnumber=32575</gco:CharacterString>
            </cit:linkage>
        </cit:CI_OnlineResource>
    </cit:onlineResource>
</cit:CI_Citation>
</mdq:specification>
<mdq:pass>
    <gco:Boolean>true</gco:Boolean>
</mdq:pass>
</mdq:DQ_ConformanceResult>
</mdq:result>
</mdq:DQ_ConceptualConsistency>
</mdq:report>
</mdq:DQ_DataQuality>
</mdb:dataQualityInfo>
</mdb:MD_Metadata>
```

D.3 Example of data quality catalogue and measure

```
<?xml version="1.0" encoding="UTF-8"?>
<dqm:DQM_MeasureCatalogue xmlns:cit="http://standards.iso.org/iso/19115/-3/cit/1.0"
    xmlns:cat="http://standards.iso.org/iso/19115/-3/cat/1.0"
    xmlns:dqm="http://standards.iso.org/iso/19157/-2/dqm/1.0"
    xmlns:gco="http://standards.iso.org/iso/19139/gco/1.0"
    xmlns:mcc="http://standards.iso.org/iso/19115/-3/mcc/1.0"
    xmlns:pre="http://standards.iso.org/iso/19135/-2/pre/1.0"
    xmlns:lan="http://standards.iso.org/iso/19115/-3/lan/1.0" xmlns:xlink="http://www.w3.org/1999/xlink"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://standards.iso.org/iso/19157/-2/dqm/1.0 http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.xsd">
    <cat:name>
        <gco:CharacterString>Data Quality Measure Catalog</gco:CharacterString>
    </cat:name>
    <cat:scope>
        <gco:CharacterString>Data quality measures</gco:CharacterString>
    </cat:scope>
    <cat:fieldOfApplication>
        <gco:CharacterString>Data quality measure descriptions</gco:CharacterString>
    </cat:fieldOfApplication>
    <cat:versionNumber>
        <gco:CharacterString>2015-04-04</gco:CharacterString>
    </cat:versionNumber>
    <cat:versionDate>
        <gco:Date>2015-04-04</gco:Date>
    </cat:versionDate>
    <dqm:definitionSource>
        <dqm:DQM_SourceReference>
            <dqm:citation>
                <cit:CI_Citation id="ISO19157">
                    <cit:title>
                        <gco:CharacterString>ISO 19157: Geographic Information - Data quality
                        </gco:CharacterString>
                    </cit:title>
                    <cit:alternateTitle>
                        <gco:CharacterString>ISO-19157:2013</gco:CharacterString>
                    </cit:alternateTitle>
                    <cit:onlineResource>
```

```

<cit:CI_OnlineResource>
  <cit:linkage>
    <gco:CharacterString>
      http://www.iso.org/iso/home/store/catalogue_tc/
      catalogue_detail.htm?csnumber=32575
    </gco:CharacterString>
  </cit:linkage>
  <cit:name>
    <gco:CharacterString>ISO 19157: Geographic Information –
Data quality</gco:CharacterString>
  </cit:name>
  <cit:description>
    <gco:CharacterString>The ISO/TC 211 specification of ISO 19157 – an
international standard for describing data quality information.</gco:CharacterString>
  </cit:description>
  <cit:function>
    <cit:CI_OnLineFunctionCode
      codeList=http://www.isotc211.org/2005/resources/
      Codelist/gmxCodeLists.xml#CI_OnLineFunctionCode
      codeListValue="download">download
    </cit:CI_OnLineFunctionCode>
  </cit:function>
  </cit:CI_OnlineResource>
</cit:onlineResource>
</cit:CI_Citation>
</dqm:citation>
</dqm:DQM_SourceReference>
</dqm:definitionSource>
<dqm:qualityMeasure>
  <dqm:DQM_Measure>
    <dqm:measureIdentifier>
      <mcc:MD_Identifier>
        <mcc:authority xlink:href="ISO19157"/>
        <mcc:code>
          <gco:CharacterString>excessItem</gco:CharacterString>
        </mcc:code>
        <mcc:codeSpace>
          <gco:CharacterString>ISO 19157</gco:CharacterString>
        </mcc:codeSpace>
        <mcc:version>
          <gco:CharacterString>1</gco:CharacterString>
        </mcc:version>
        <mcc:description gco:nilReason="missing"/>
      </mcc:MD_Identifier>
    </dqm:measureIdentifier>
    <dqm:name>
      <gco:CharacterString>excess item</gco:CharacterString>
    </dqm:name>
    <dqm:alias gco:nilReason="unknown"/>
    <dqm:elementName>
      <gco:TypeName>
        <gco:aName>
          <gco:CharacterString>DQ_CompletenessCommission</gco:CharacterString>
        </gco:aName>
      </gco:TypeName>
    </dqm:elementName>
    <dqm:definition>
      <gco:CharacterString>indication that an item is incorrectly present in the
data</gco:CharacterString>
    </dqm:definition>
    <dqm:description>
      <dqm:DQM_Description>
        <dqm:textDescription>
          <gco:CharacterString>CharacterString11</gco:CharacterString>
        </dqm:textDescription>
        <dqm:extendedDescription>
          <mcc:MD_BrowseGraphic>
            <mcc:fileName>
              <gco:CharacterString>CharacterString12</gco:CharacterString>
            </mcc:fileName>
          </mcc:MD_BrowseGraphic>
        </dqm:extendedDescription>
      </dqm:DQM_Description>
    </dqm:description>
  </dqm:qualityMeasure>
</dqm:definitionSource>

```

```
</dqm:extendedDescription>
</dqm:DQM_Description>
</dqm:description>
<dqm:valueType>
  <gco:TypeName>
    <gco:aName>
      <gco:CharacterString>Boolean</gco:CharacterString>
    </gco:aName>
  </gco:TypeName>
</dqm:valueType>
<dqm:valueStructure gco:nilReason="inapplicable"/>
<dqm:example>
  <dqm:DQM_Description>
    <dqm:textDescription>
      <gco:CharacterString>True (In a dataset, more items are classified as houses than in the universe of discourse)</gco:CharacterString>
    </dqm:textDescription>
  </dqm:DQM_Description>
</dqm:example>
<dqm:sourceReference>
  <dqm:DQM_SourceReference>
    <dqm:citation xlink:href="#ISO19157"/>
  </dqm:DQM_SourceReference>
</dqm:sourceReference>
<dqm:basicMeasure>
  <dqm:DQM_BasicMeasure id="errorIndicator">
    <dqm:name>
      <gco:CharacterString>Error indicator
    </gco:CharacterString>
    </dqm:name>
    <dqm:definition>
      <gco:CharacterString>Indicator that an item is in error
    </gco:CharacterString>
    </dqm:definition>
    <dqm:example>
      <dqm:DQM_Description>
        <dqm:textDescription>
          <gco:CharacterString>False</gco:CharacterString>
        </dqm:textDescription>
        <dqm:extendedDescription gco:nilReason="unknown"/>
      </dqm:DQM_Description>
    </dqm:example>
  </dqm:example>
  <dqm:valueType>
    <gco:TypeName>
      <gco:aName>
        <gco:CharacterString>Boolean</gco:CharacterString>
      </gco:aName>
    </gco:TypeName>
  </dqm:valueType>
</dqm:DQM_BasicMeasure>
</dqm:basicMeasure>
<dqm:parameter>
  <dqm:DQM_Parameter id="sampleParameter">
    <dqm:name>
      <gco:CharacterString>sampleParameterName</gco:CharacterString>
    </dqm:name>
    <dqm:definition>
      <gco:CharacterString>sampleParameterDefinition</gco:CharacterString>
    </dqm:definition>
    <dqm:description>
      <dqm:DQM_Description>
        <dqm:textDescription>
          <gco:CharacterString>sampleParameterDescription
        </gco:CharacterString>
        </dqm:textDescription>
        <dqm:extendedDescription>
          <mcc:MD_BrowseGraphic>
            <mcc:fileName>
              <gco:CharacterString>
                sampleParameterBrowseGraphicFileName
              \</gco:CharacterString>
            </mcc:fileName>
          </mcc:MD_BrowseGraphic>
        </dqm:extendedDescription>
      </dqm:DQM_Description>
    </dqm:description>
  </dqm:DQM_Parameter>
</dqm:parameter>
```

```
        </mcc:fileName>
        </mcc:MD_BrowseGraphic>
        </dqm:extendedDescription>
        </dqm:DQM_Description>
    </dqm:description>
    <dqm:valueType>
        <gco:TypeName>
            <gco:aName>
                <gco:CharacterString>sampleParameterTypeName</gco:CharacterString>
            </gco:aName>
        </gco:TypeName>
    </dqm:valueType>
    <dqm:valueStructure>
        <dqm:DQM_ValueStructure
            codeList="http://www.isotc211.org/2005/resources/
            Codelist/gmxCodelists.xml#DQM_ValueStructure"
            codeListValue="bag">bag</dqm:DQM_ValueStructure>
    </dqm:valueStructure>
    </dqm:DQM_Parameter>
</dqm:parameter>
</dqm:DQM_Measure>
</dqm:qualityMeasure>
</dqm:DQM_MeasureCatalogue>
```

Bibliography

- [1] ISO 19118:2011, *Geographic information — Encoding*
- [2] ISO 19115-2:2009, *Geographic information — Metadata — Part 2: Extensions for imagery and gridded data*
- [3] ISO 19157:2013, *Geographic information — Data quality*
- [4] ISO 19136:2007, *Geographic information — Geography Markup Language (GML)*
- [5] ISO/IEC 19757-3, *Information technology — Document Schema Definition Languages (DSDL) — Part 3: Rule-based validation — Schematron*
- [6] ISO/TS 19115-3, *Geographic information — Metadata — XML schema implementation for fundamental concepts*
- [7] ISO/TS 19139:2007, *Geographic information — Metadata — XML schema implementation*
- [8] W3C XML, *Extensible Markup Language (XML) 1.0 (Second Edition)*, W3C Recommendation (6 October 2000)
- [9] W3C XML Schema Part 1, *XML Schema Part 1: Structures*. W3C Recommendation (2 May 2001)
- [10] W3C XML Schema Part 2, *XML Schema Part 2: Datatypes*. W3C Recommendation (2 May 2001)

ICS 35.240.70

Price based on 20 pages

This page deliberately left blank

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Rewrites

Our British Standards and other publications are updated by amendment or revision. We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK