

---

# INTERNATIONAL STANDARD



# 2935

---

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

---

## Circular saw blades for woodworking — Dimensions

*Lames de scies circulaires à bois — Dimensions*

First edition — 1974-11-01

---

UDC 674.05 : 621.934

Ref. No. ISO 2935-1974 (E)

**Descriptors** : tools, woodworking machinery, saws, circular saws, dimensions, diameters, thicknesses.

## FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 2935 was drawn up by Technical Committee ISO/TC 29, *Small tools*, and circulated to the Member Bodies in November 1973.

It has been approved by the Member Bodies of the following countries :

Belgium	Israel	Thailand
Bulgaria	Italy	Turkey
Canada	Mexico	United Kingdom
Egypt, Arab Rep. of	Poland	U.S.S.R.
France	Romania	Yugoslavia
Germany	South Africa, Rep. of	
Hungary	Sweden	

The Member Bodies of the following countries expressed disapproval of the document on technical grounds :

Austria  
Japan

# Circular saw blades for woodworking – Dimensions

## 1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the thicknesses and the centre hole diameters of circular saw blades for wood, in relation to the outside diameters.

The thicknesses are separated into four columns, 1 to 4, in each of which the stiffness of the saw blade is approximately constant.

## 2 DIMENSIONS

