

---

---

**Essential oil of lavandin Abrial  
(*Lavandula angustifolia* Mill. ×  
*Lavandula latifolia* Medik.), French  
type**

*Huile essentielle de lavandin Abrial (Lavandula angustifolia Mill. ×  
Lavandula latifolia Medik.), type France*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

Page

Foreword .....	iv
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions .....</b>	<b>1</b>
<b>4 Requirements .....</b>	<b>2</b>
<b>5 Flashpoint .....</b>	<b>3</b>
<b>6 Sampling .....</b>	<b>3</b>
<b>7 Packaging, labelling and marking .....</b>	<b>3</b>
<b>Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of lavandin Abrial (<i>Lavandula angustifolia</i> Mill. × <i>Lavandula latifolia</i> Medik.), French type .....</b>	<b>4</b>
<b>Annex B (informative) Flashpoint .....</b>	<b>7</b>
<b>Bibliography .....</b>	<b>8</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 54, *Essential oils*.

This fourth edition cancels and replaces the third edition (ISO 3054:2001), which has been technically revised.

# Essential oil of lavandin Abrial (*Lavandula angustifolia* Mill. × *Lavandula latifolia* Medik.), French type

## 1 Scope

This document specifies certain characteristics of the essential oil of lavandin Abrial (*Lavandula angustifolia* Mill. × *Lavandula latifolia* Medik.), principally produced in France, in order to facilitate assessment of its quality.

NOTE This essential oil is also known commercially as oil of lavandin abrialis.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 210, *Essential oils — General rules for packaging, conditioning and storage*

ISO/TS 211, *Essential oils — General rules for labelling and marking of containers*

ISO 212, *Essential oils — Sampling*

ISO 279, *Essential oils — Determination of relative density at 20 °C — Reference method*

ISO 280, *Essential oils — Determination of refractive index*

ISO 592, *Essential oils — Determination of optical rotation*

ISO 875, *Essential oils — Evaluation of miscibility in ethanol*

ISO 1242, *Essential oils — Determination of acid value*

ISO 11024 (all parts), *Essential oils — General guidance on chromatographic profiles*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at <http://www.electropedia.org/>

— ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1

#### **essential oil of lavandin Abrial**

essential oil obtained by steam distillation of the freshly cut flowering tops of a particular clone of lavandin (*Lavandula angustifolia* Mill. × *Lavandula latifolia* Medik.), of the Lamiaceae family, principally produced in France

Note 1 to entry: For information on CAS number, see ISO/TR 21092.

## 4 Requirements

4.1 Essential oil of lavandin Abrial shall meet the requirements given in [Table 1](#).

**Table 1 — Requirements for the essential oil of lavandin Abrial**

Characteristics	Requirements	Test method
Appearance	Clear mobile liquid	—
Colour	Pale yellow	—
Odour	Characteristic, resembling lavender, with a slight camphoraceous note	—
Relative density at 20 °C, $d_{20}^{20}$	0,887 to 0,897	ISO 279
Refractive index at 20 °C	1,460 0 to 1,466 0	ISO 280
Optical rotation	Between -5° and -1,5°	ISO 592
Miscibility in ethanol 80 % (volume fraction), at 20 °C	It shall not be necessary to use more than 4 volumes of ethanol 70 % (volume fraction) to obtain a clear solution with 1 volume of essential oil. Sometimes, opalescence can arise on continuing the addition of ethanol.	ISO 875
Acid value	Maximum: 1,0	ISO 1242

4.2 Carry out the analysis of the essential oil by gas chromatography. Determine the chromatographic profile in accordance with ISO 11024 (all parts). Identify in the chromatogram obtained, the representative and characteristic components shown in [Table 2](#). The proportions of these components, indicated by the integrator, shall be as shown in [Table 2](#). This constitutes the chromatographic profile of the essential oil.

**Table 2 — Chromatographic profile**

Component	Minimum	Maximum
	%	%
1,8-Cineole	6,0	12,5
Limonene	0,5	1,5
(Z)- $\beta$ -Ocimene	1,4	3,0
(E)- $\beta$ -Ocimene	2,5	6,0
Camphor	7,0	11,0
Linalool	28,0	38,0
Linalyl acetate	19,0	29,0
$\beta$ -Caryophyllene	1,5	2,5
Terpinen-4-ol	0,3	1,2
Borneol	1,5	3,5
Lavandulol	0,4	1,2
Lavandulyl acetate	1,0	2,0
Myrcene	0,4	0,9
$\alpha$ -Terpineol	0,3	1,2
Hexyl butyrate	0,2	0,5

NOTE The chromatographic profile is normative, contrary to typical chromatograms given for information in [Annex A](#).

## **5 Flashpoint**

Information on the flashpoint is given in [Annex B](#).

## **6 Sampling**

Sampling shall be performed in accordance with ISO 212.

Minimum volume of test sample: 25 ml.

NOTE This volume is sufficient to carry out all the tests specified in this document at least once.


## **7 Packaging, labelling and marking**

These items shall be in accordance with ISO/TS 210 and ISO/TS 211.

**Annex A**  
(informative)

**Typical chromatograms of the analysis by gas chromatography of the essential oil of lavandin Abrial (*Lavandula angustifolia* Mill. × *Lavandula latifolia* Medik.), French type**




**Peak identification**

1 $\alpha$ -Pinene	12 Camphor
2 Camphene	13 Borneol
3 $\beta$ -Pinene	14 Lavandulol
4 Myrcene	15 Terpinen-4-ol
5 Hexyl acetate	16 $\alpha$ -Terpineol
6 1,8-Cineole + $\beta$ -Phellandrene	17 Hexyl butyrate
7 Limonene	18 Linalyl acetate
8 ( <i>Z</i> )- $\beta$ -Ocimene	19 Lavandulyl acetate
9 ( <i>E</i> )- $\beta$ -Ocimene	20 $\beta$ -Caryophyllene
10 Linalool	
11 1-Octen-3-yl acetate	

**Operating conditions**

Column: capillary; length 50 m; internal diameter 0,2 mm  
 Stationary phase: polydimethyl siloxane  
 Film thickness: 0,25  $\mu$ m  
 Oven temperature: temperature programming from 65  $^{\circ}$ C to 230  $^{\circ}$ C at a rate of 2  $^{\circ}$ C/min  
 Injector temperature: 230  $^{\circ}$ C  
 Detector temperature: 250  $^{\circ}$ C  
 Detector: flame ionization type  
 Carrier gas: hydrogen  
 Volume injected: 0,2  $\mu$ l  
 Carrier gas flow rate: 1,1 ml/min  
 Split ratio: 1/100

**Figure A.1 — Typical chromatogram taken on an apolar column**

**Peak identification**

1	$\alpha$ -Pinene + $\alpha$ -Thujene	15	Linalool
2	Camphene	16	Linalyl acetate
3	$\beta$ -Pinene	17	Caryophyllene
4	Myrcene	18	Terpinen-4-ol
5	Limonene	19	Lavandulyl acetate
6	1,8-Cineole + $\beta$ -Phellandrene	20	Lavandulol (co-eluted)
7	( <i>Z</i> )- $\beta$ -Ocimene	21	Borneol + $\alpha$ -Terpineol
8	( <i>E</i> )- $\beta$ -Ocimene		
9	Hexyl acetate		
10	Terpinolene		
11	1-Octen-3-yl acetate		
12	Hexyl butyrate		
13	1-Octen-3-ol		
14	Camphor		

**Operating conditions**

Column: capillary; length 50 m; internal diameter 0,32 mm  
 Stationary phase: carbowax 20M<sup>a</sup>  
 Film thickness: 0,25  $\mu$ m  
 Oven temperature: temperature programming from 65  $^{\circ}$ C to 230  $^{\circ}$ C at a rate of 2  $^{\circ}$ C/min  
 Injector temperature: 230  $^{\circ}$ C  
 Detector temperature: 250  $^{\circ}$ C  
 Detector: flame ionization type  
 Carrier gas: hydrogen  
 Volume injected: 0,2  $\mu$ l  
 Carrier gas flow rate: 1,1 ml/min  
 Split ratio: 1/100

<sup>a</sup> Carbowax 20M is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

**Figure A.2 — Typical chromatogram taken on a polar column**

## Annex B (informative)

### Flashpoint

#### B.1 General information

For safety reasons, transport companies, insurance companies, and people in charge of safety services require information on the flash points of essential oils, which in most cases are flammable products.

A comparative study on the relevant methods of analysis (see ISO/TR 11018) concluded that it was difficult to recommend a single apparatus for standardization purposes, given that:

- there is a wide variation in the chemical composition of essential oils;
- the volume of the sample needed in certain requirements would be too costly for high priced essential oils;
- as there are several different types of equipment which can be used for the determination, users cannot be expected to use one specified type only.

Consequently, it was decided to give a mean value for the flashpoint annexed to each International Standard, for information, in order to meet the requirements of the interested parties.

The equipment with which this value was obtained has to be specified.

For further information, see ISO/TR 11018.

#### B.2 Flashpoint of the essential oil of lavandin Abrial, French type

The mean values are +74 °C (see NOTE 1) or +77 °C (see NOTE 2).

NOTE 1 Obtained with "Setaflash"<sup>1)</sup> equipment.

NOTE 2 Obtained with "Luchaire"<sup>1)</sup> equipment.

---

1) Equipment available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

## Bibliography

- [1] ISO 3218, *Essential oils — Principles of nomenclature*
- [2] ISO/TR 11018, *Essential oils — General guidance on the determination of flashpoint*
- [3] ISO/TR 21092, *Essential oils — Characterization*



