INTERNATIONAL STANDARD

ISO 3318

Fifth edition 2016-12-15

Assembly tools for screws and nuts — Open-ended wrenches, box wrenches and combination wrenches — Maximum widths of heads

Outils de manœuvre pour vis et écrous — Clés à fourche, clés polygonales et clés mixtes — Largeurs maximales d'encombrement des têtes



Reference number ISO 3318:2016(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Con	ntents	Page	
Fore	word	iv	
1	Scope	1	
2	Normative references	1	
3	Terms and definitions	1	
4	Dimensions	1	
Rihli	ography	1	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 29, *Small tools*, Subcommittee SC 10, *Assembly tools for screws and nuts, pliers and nippers*.

This fifth edition cancels and replaces the fourth edition (ISO 3318:2009), which has been technically revised with the following changes:

- a) revision of sizes covered in <u>Table 1</u>, with the addition of nominal widths across flats not covered by ISO 272;
- b) the scope and title have been changed to also cover single-headed wrenches;
- c) deletion of Clause 4 "Technical specifications", as these are given in ISO 1711-1.

Assembly tools for screws and nuts — Open-ended wrenches, box wrenches and combination wrenches — Maximum widths of heads

1 Scope

This document specifies the maximum outside head dimensions for open-ended wrenches, box wrenches and combination wrenches.

NOTE 1 The wrenches covered by this document are the ones identified in ISO 1703:2005 under reference nos. $1\ 1\ 01\ 02\ 0$, $1\ 1\ 01\ 05\ 0$, $1\ 1\ 01\ 06\ 0$, $1\ 1\ 02\ 03\ 0$, $1\ 1\ 02\ 04\ 0$, $1\ 1\ 02\ 05\ 0$, $1\ 1\ 02\ 06\ 0$, $1\ 1\ 02\ 01\ 0$, $1\ 1\ 02\ 02\ 0$ and $1\ 1\ 02\ 08\ 0$.

NOTE 2 Box wrenches can also be designated as ring wrenches.

This document does not cover technical specifications for these products. Technical specifications are given in ISO 1711-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 691, Assembly tools for screws and nuts — Wrench and socket openings — Tolerances for general use

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

4 Dimensions

See Figures 1 and 2 and Table 1 for the dimensions.

The drawings are schematic and are not intended to specify a given design; only the dimensions given shall be complied with.




Figure 1 — Open-end




Figure 2 — Box end

Table 1 — Maximum outside head dimensions

Nominal width across flats		
sa	b_1 b	b_2 ^c
	mm	mm
	max.	max.
3,2	14	7
4	15	8
5	18	10
5,5	19	10,5
6d	20	11,5
7	22	12,5
8	24	14
9d	25	16
10	28	17
11	30	18,5
12 ^d	31	20
13	34	21,5
14 ^d	36	23
15	39	24,5
16	41	26
17 ^d	42	27
18	45	29
19 ^d	47	31
20	49	31,5
21	51	33,5
22 ^d	53	35
23	55	36,5
24	57	38
25 ^d	59	39,5
27	64	42,5
30	70	47
32d	74	50
34	78	53
36	83	56

^a Tolerances in accordance with ISO 691.

b $b_{1\text{max}} \approx 2.1 \text{ s} + 7 \text{ s}.$

 $b_{2\text{max}} \approx 1.5 \text{ s} + 2 \text{ s}.$

d Nominal width across flats not covered by ISO 272.

 Table 1 (continued)

Nominal width across flats		
sa	b_1 b	b_2 ^c
	mm	mm
	max.	max.
41	93	63,5
46	104	71
50	112	77
55	123	84,5
60	133	92
65	140	102

^a Tolerances in accordance with ISO 691.

b $b_{1\text{max}} \approx 2.1 \text{ s} + 7 \text{ s}.$

c $b_{2\text{max}} \approx 1.5 \text{ s} + 2 \text{ s}.$

 $^{^{\}rm d}$ Nominal width across flats not covered by ISO 272.

Bibliography

- [1] ISO 272, Fasteners Hexagon products Widths across flats
- [2] ISO 1703:2005, Assembly tools for screws and nuts Designation and nomenclature
- [3] ISO 1711-1, Assembly tools for screws and nuts Technical specifications Part 1: Hand-operated wrenches and sockets

