INTERNATIONAL STANDARD

ISO 3859

Third edition 2000-08-01

Inverse dovetail cutters and dovetail cutters with cylindrical shanks

Fraises conique à cône renversé et à cône direct, à queue cylindrique



Reference number ISO 3859:2000(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.ch Web www.iso.ch

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 3859 was prepared by Technical Committee ISO/TC 29, Small tools, Subcommittee SC 2, Drills, reamers, milling cutters and milling machine accessories.

This third edition cancels and replaces the second edition (ISO 3859:1985), which has been technically revised in particular with the addition of threaded shanks.

Inverse dovetail cutters and dovetail cutters with cylindrical shanks

1 Scope

This International Standard specifies the dimensions of inverse dovetail cutters and dovetail cutters with plain cylindrical shanks, flatted cylindrical shanks and threaded shanks.

Inverse dovetail cutters and dovetail cutters have the same design characteristics.

This International Standard applies to 45° and 60° dovetail cutters and inverse dovetail cutters with diameters of d_2 between 16 mm and 31,5 mm.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 3338-1, Cylindrical shanks for milling cutters — Part 1: Dimensional characteristics of plain cylindrical shanks.

ISO 3338-2, Cylindrical shanks for milling cutters — Part 2: Dimensionnal characteristics of flatted cylindrical shanks.

ISO 3338-3, Cylindrical shanks for milling cutters — Part 3: Dimensionnal characteristics of threaded shanks.

3 Dimensions

See Figure 1 and Table 1.

Plain cylindrical shanks, flatted cylindrical shanks and threaded shanks are in accordance with ISO 3338-1, ISO 3338-2 and ISO 3338-3 respectively.




Figure 1 — Inverse dovetail cutters and dovetail cutters

Table 1

Dimensions in millimetres

d_2	l_1	l_2	d_1^{a}	a b
js16				± 30'
16	4	60		
20	5	63	12	45°
25	6,3	67		
31,5	8	71	16	
16	6,3	60		
20	8	63	12	60°
25	10	67		
31,5	12,5	71	16	

 $^{^{\}rm a}$ Tolerances on $d_{\rm 1}$ (in accordance with ISO 3338-1, ISO 3338-2 and ISO 3338-3):

h8 for plain cylindrical shanks;

h6 for flatted cylindrical shanks;

h8 for threaded shanks.

 $^{^{\}rm b}$ This angle corresponds to the cutting edge angle $\kappa_{\rm r}$ in the case of inverse dovetail cutters and to the included angle $\varepsilon_{\rm r}$ in the case of dovetail cutters.



ICS 25.100.20

Price based on 2 pages

© ISO 2000 - All rights reserved