

INTERNATIONAL STANDARD ISO 4364:1997 TECHNICAL CORRIGENDUM 1

Published 2000-08-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Measurement of liquid flow in open channels — Bed material sampling

TECHNICAL CORRIGENDUM 1

Mesure de débit des liquides dans les canaux découverts — Échantillonnage des matériaux du lit RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to International Standard ISO 4364:1997 was prepared by Technical Committee ISO/TC 113, *Hydrometric determinations*, Subcommittee SC 6, *Sediment transport*.

Page iii, Introduction

In the third line of the third paragraph, replace "particle size finer than 30 µm is cohesive." with:

"particle size finer than 0,062 5 mm is cohesive, e.g. silt and clays."

Page 2, Clause 5

Replace the third paragraph by the following text:

"For investigations of bed material transport rates, it is recommended that one sample be taken at each vertical of the cross-section where suspended sediment sample is to be taken."

ICS 17.120.20

Ref. No. ISO 4364:1997/Cor.1:2000(E)