

# INTERNATIONAL STANDARD

# ISO 4375

Second edition  
2000-10-15

---

---

## Hydrometric determinations — Cableway systems for stream gauging

*Déterminations hydrométriques — Systèmes de suspension par câbles  
aériens pour le jaugeage en rivière*



---

---

Reference number  
ISO 4375:2000(E)

© ISO 2000

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.ch](mailto:copyright@iso.ch)  
Web [www.iso.ch](http://www.iso.ch)

Printed in Switzerland

# Contents

Page

|   |           |
|---|-----------|
| Foreword.....   | iv        |
| <b>1 Scope.....</b>   | <b>1</b>  |
| <b>2 Normative references .....</b>                           | <b>1</b>  |
| <b>3 Terms and definitions.....</b>                           | <b>1</b>  |
| <b>4 General description of a cableway system .....</b>       | <b>2</b>  |
| 4.1 Elements of a cableway system .....                       | 2         |
| 4.2 Cableway supports .....                                   | 4         |
| 4.3 Main track or main cable .....                            | 4         |
| 4.4 Anchorage .....   | 4         |
| 4.5 Tow cable for a bankside system.....                      | 4         |
| 4.6 Suspension cable.....                                     | 4         |
| 4.7 Instrument carriage for a bankside system .....           | 4         |
| 4.8 Personnel carriage.....                                   | 4         |
| 4.9 Winch arrangements for a bankside system .....            | 4         |
| 4.10 Winch arrangements for a personnel carriage .....        | 4         |
| 4.11 Lightning protection .....                               | 5         |
| <b>5 Functional requirements of cableway components .....</b> | <b>5</b>  |
| 5.1 Safety factors .....                                      | 5         |
| 5.2 Cableway supports .....                                   | 6         |
| 5.3 Selection of main cable or track.....                     | 6         |
| 5.4 Anchorage .....   | 6         |
| 5.5 Backstays .....   | 6         |
| 5.6 Tow cable.....  | 7         |
| 5.7 Carriages.....  | 7         |
| 5.8 Winches .....   | 8         |
| <b>6 Maintenance, examination and testing.....</b>            | <b>9</b>  |
| 6.1 General examination.....                                  | 9         |
| 6.2 Routine inspection.....                                   | 9         |
| 6.3 Static testing.....                                       | 10        |
| 6.4 Lubrication.....  | 10        |
| 6.5 Checking the sag .....                                    | 10        |
| <b>Annex A (informative) Cableway characteristics .....</b>   | <b>11</b> |
| <b>Bibliography .....</b>                                     | <b>26</b> |

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 4375 was prepared by Technical Committee ISO/TC 113, *Hydrometric determinations*, Subcommittee SC 5, *Instruments, equipment and data management*.

This second edition cancels and replaces the first edition (ISO 4375:1979), which has been technically revised.

# Hydrometric determinations — Cableway systems for stream gauging

## 1 Scope

This International Standard defines the requirements for equipment, anchorage, supports and accessories for cableway systems for use in stream gauging. Systems which are operated either entirely from the river bank or from a suspended personnel carriage (also called a “cable car”) are discussed. This International Standard does not concern methods for making a discharge measurement which are described in ISO 748.

## 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 31-3:1992, *Quantities and units — Part 3: Mechanics*.

ISO 748:1997, *Measurement of liquid flow in open channels — Velocity-area methods*.

ISO 772:1996, *Hydrometric determinations — Vocabulary and symbols*.

ISO 772:1996 Amd 1<sup>1)</sup>, *Hydrometric determinations — Vocabulary and symbols*.

## 3 Terms and definitions

For the purposes of this International Standard, the terms and definitions given in ISO 772, its amendment 1 and ISO 31-3 as well as the following apply.

### 3.1 cable

wire rope of simple or complex structure or wire cord, fixed or moving in a cableway system

---

1) To be published.

## 4 General description of a cableway system


### 4.1 Elements of a cableway system

A cableway system can be designed to be operated from the river bank (see Figures 1 and 2) or be designed to be operated from a suspended personnel carriage (Figure 3). The general arrangement of the following elements are common to both systems:

- a) towers or cableway supports;
- b) track or main cable;
- c) anchorage;
- d) backstays;
- e) suspension cable.

The main differences are:


- the carriage of a bankside system requires a tow cable;
- a bankside system requires a more complicated winch arrangement;
- the personnel carriage has to provide a safe platform for the operator;
- more stringent design requirements may apply to a system which employs a personnel carriage.



**Key**

- |  |                             |
|--|-----------------------------|
| 1 Backstay                             | 6 Sinker or sounding weight |
| 2 Traversing cable return pulley       | 7 Distance measurement      |
| 3 Track or main cable                  | 8 Depth measurement         |
| 4 Traveller and/or instrument carriage | 9 Cable drum                |
| 5 Current meter                        |                             |


**Figure 1 — Cableway system — Bankside operation, with loop-traversing cable and spooled sounding cable**



**Key**

- 1 Track or main cable
- 2 Suspension cable
- 3 Tow cable

**Figure 2 — Cableway system — Bankside operation, with spooled tow cable and spooled sounding cable**



**Key**

- |                       |                   |
|-----------------------|-------------------|
| 1 Tower               | 5 Current meter   |
| 2 Suspension cable    | 6 Sounding weight |
| 3 Personnel carriage  | 7 To anchorage    |
| 4 Track or main cable | 8 Stayline        |

**Figure 3 — Cableway system — Suspended personnel carriage**

## 4.2 Cableway supports

The cableway supports, one on each bank, support the main cable span across the stream. They may also provide mountings for the winch and the pulleys (sheaves) carrying the tow and suspension cables.

## 4.3 Main track or main cable

The track or main cable is designed to carry the whole suspended load. The track may be attached directly to stayed cableway supports or be supported on saddles on the cableway supports and led directly to an anchorage.

## 4.4 Anchorage

Anchorage is required to carry the loads induced in the cableway and tower system. Depending upon the design of the system, they may be anchorage points for track and backstays or guy-lines, tower foundations subject to compression or tower foundations subject to compression and moment.

## 4.5 Tow cable for a bankside system

The tow cable is required to move and position the instrument carriage. Generally the tow cable is arranged as an endless loop from the instrument carriage over guiding sheaves on the winch tower, round a driving pulley or drum, across to an idler pulley (sheave) on the tower on the opposite bank and back to the carriage (Figure 1). An alternate arrangement uses a spooled tow cable with a single fixing point on the carriage. This arrangement depends upon the equal and opposite force provided by the suspension cable (Figure 2).

## 4.6 Suspension cable

The suspension cable provides the means of raising and lowering sensing or sampling equipment in the stream. The free end of the cable is fitted with connectors to attach equipment and sounding weights. The suspension cable is likely to contain an insulated conducting core to provide a signal path from suspended instruments.

## 4.7 Instrument carriage for a bankside system

The instrument carriage is provided with one or more track wheels running on the main cable (track), a pulley to support the suspension cable and a point of attachment for the tow (traveller) cable.

## 4.8 Personnel carriage

The carriage from which gauging observations are made, travels along the main cable. It is suspended from track wheels running on the main cable. The carriage may be moved along the main cable manually or by a power unit. The carriage can be designed to be operated from either the standing or sitting position or both. A cableway employing a personnel carriage shall comply with the safety requirements for passenger cableways where such standards exist specially for horizontal fixed cableways, in all aspects not covered by this International Standard.

## 4.9 Winch arrangements for a bankside system

A double drum winch is one that provides both traversing and sounding functions within one piece of equipment. One drum controls the suspension cable, the other controls the movement of the carriage. The latter may be a spooling drum or take the form of a friction drive pulley driving an "endless" loop. Both drums may be driven simultaneously in traversing mode or, in sounding mode, the traversing drum may be locked to allow operation of the suspension cable drum only. This operation may also be carried out using two single drum winches. Measuring counters may be fitted to record horizontal and vertical cable movement.

## 4.10 Winch arrangements for a personnel carriage

A winch (sounding reel) is attached to the carriage (cable car) to raise and lower the sounding weight. The winch is required to operate properly under the load of the sounding weight but both the winch and its mountings should be capable of accommodating the breaking load of the suspension cable with a factor of safety of two. The winch may be hand operated or power driven.



## 4.11 Lightning protection

In areas where electrical storms are considered a risk to cableway operators, provision shall be made to reduce the likelihood of injury from a lightning strike on the cableway system. In countries where lightning is infrequent and lightning protection not considered necessary, work instructions should allow for abandonment of operations in the event of an electrical storm.

## 5 Functional requirements of cableway components

### 5.1 Safety factors

#### 5.1.1 General

Factors of safety shall be applied to ensure that the equipment is able to cope with normal working without failure and to protect the operator in case of abnormal but foreseeable incidents.

The most likely risk of failure of properly maintained cableway systems lies with the possibility of the suspended equipment becoming caught up on a large floating object. Trees being carried down on a flood are the most likely source of this danger. The excess loading is applied to the system through the suspension cable. In a bankside system, the tension in this cable is equal to, and balanced by, the tension in the "return" side of the tow cable. In both bankside systems and systems with personnel carriages, the load in the suspension cable is also applied to the main cable (track) through the carriage.

For both arrangements, the factor of safety for normal working shall be achieved by specifying the suspension cable in relation to a maximum working load. The specification of all other cables shall be with respect to the breaking load of the specified suspension cable.

#### 5.1.2 Suspension cable

The suspension cable shall be selected to provide a minimum factor of safety of 5 in relation to the maximum authorized suspended load. The maximum authorized suspended load is the sum of the maximum authorized sounding weight plus an allowance for the mass of sensing/sampling equipment.

#### 5.1.3 Tow cable

The tow (traversing) cable shall be selected to provide a factor of safety of 1,25 with respect to the breaking load of the suspension cable.

#### 5.1.4 Track cable

The track cable shall be selected to provide a factor of safety, with respect to the breaking load of the suspension cable, as follows:

- a) bankside cableway system with instrument carriage: 2
- b) cableway with suspended personnel carriage: 5

#### 5.1.5 Marking

Cableways shall be clearly marked to indicate maximum authorized sounding weights and approved suspension cable specification. The use at an established site, of a suspension cable with a breaking load greater than specified, reduces the factor of safety with respect to the track cable.

## 5.2 Cableway supports

### 5.2.1 Approaches

A safe and convenient approach should be available throughout the year on both banks so that an observer may have easy access to the installation for inspection and operation. It is recognized that access to the far bank may not always be possible in difficult terrain. If this is the case, it should be recognized in the operation procedures for that site.

### 5.2.2 Design load

The cableway supports shall be designed to withstand the breaking load of the track cable selected, together with any relevant wind loading. Attention shall be paid to lateral loading as a consequence of drag on the suspended load and allowance made for the extreme condition as the suspension cable approaches breaking point.

### 5.2.3 Foundation placement

The foundation of the tower should extend from below the frost line to at least 300 mm above ground level. The size and design of the foundation is dependant on soil conditions and is beyond the scope of this International Standard.

### 5.2.4 Height

The height of the cableway support shall be such that all parts of the equipment, suspended from the centre of the span, will be at least 1 m above the highest flood level to be measured, but at no time present a hazard to navigation or wildlife. Consideration should also be given to marking the cableway in areas where canoes and aircraft are used in its vicinity. In certain localities, high structures may be governed by regulations requiring the provision of aircraft warning lights and warning signs on the track cable.

### 5.2.5 Corrosion protection

Materials used in the construction of cableway supports shall be protected against corrosion.

## 5.3 Selection of main cable or track

The main cable shall be corrosion resistant. Wire rope may be used for spans up to 300 m. For longer spans it may be necessary to use special cables. Guidance on selecting cable sizes is given in annex A.

## 5.4 Anchorage

### 5.4.1 Design

Anchorage shall be designed, in accordance with standard engineering practice, to withstand such forces as may be induced upon them at the point of failure of the main cable.

### 5.4.2 Inspection accessibility

The point at which a cable is attached to an anchorage shall be so placed that it can be easily inspected.

## 5.5 Backstays

Where backstays are provided as part of the tower design they shall be of corrosion-resistant steel and be able to withstand the forces developed at the point of failure of the main cable.

## 5.6 Tow cable

Provision shall be made to be able to adjust the tension in a tow cable configured as an endless circuit. The adjuster should be accessible to the operator to allow adjustments to the tension before gauging commences.

## 5.7 Carriages

### 5.7.1 Instrument carriage for a bankside system

#### 5.7.1.1 Carriage track wheels

The permissible bending radius of the track cable shall be taken into account in the design of the carriage. This is usually expressed as a multiple of the rope diameter and should be obtained from the rope manufacturer. Where an instrument carriage has more than one track wheel, the carriage should be articulated so that the resultant force is applied mid way between the track wheel axes, or, the geometry of rigid carriages should be arranged so that the load is distributed equally to each track wheel. Traditional symmetrical triangular designs should be considered to transmit the whole load through a single track wheel.

#### 5.7.1.2 Load requirements

The carriage shall be capable of withstanding a load equivalent to the breaking load of the suspension cable.

#### 5.7.1.3 Carriage design considerations

It shall be simple in design, be designed to be captive on the track and effectively retain the sounding cable in the operational position. It shall be corrosion resistant.

#### 5.7.1.4 Carriage operational requirement

It shall permit the operation of equipment without hindrance.

### 5.7.2 Personnel carriage

#### 5.7.2.1 Design

The carriage can be designed to be operated and used

- a) in a standing position; or
- b) in a sitting position.

The number of personnel permitted to occupy the carriage shall be clearly indicated on the installation together with the maximum mass of survey equipment and the maximum sounding weight permitted. The materials used in construction should be suitable for operation in the extremes of temperature. This is particularly important in seats and panels which may come into contact operating personnel. The carriage (cable car) shall be designed to withstand the breaking load of the suspension cable together with the specified maximum loaded capacity of the carriage, excluding the sounding weight, with a factor of safety of 2.

#### 5.7.2.2 Brake

The carriage shall be provided with a brake or holding device to secure it in any desired positions on the main cable for the purpose of taking measurements.

## 5.8 Winches

### 5.8.1 General

#### 5.8.1.1 Brake

It is desirable for the winch to be fitted with a load-activated brake so as to hold the suspended load and stop the handle from rotating when the winch is released in any mode of operation.

#### 5.8.1.2 Locking device

The winch shall be provided with a locking device for the purpose of holding suspended instruments at a desired depth, in steps not greater than 20 mm.

#### 5.8.1.3 Level wind device

The winch shall be designed so as to wrap the cable evenly around the drum.

#### 5.8.1.4 Mechanical advantage

The gearing of a manually wound winch shall be related to the maximum recommended sounding weight, or be adjustable to provide an optimum relationship between effort at the winding handle and pay-out rate. The effort required on the handle to raise the maximum recommended sounding weight should not exceed 90 N.

#### 5.8.1.5 Drum diameter

The diameter of any drum shall not be less than the minimum winding diameter recommended for the cable.

#### 5.8.1.6 Signal transmission

Where the suspension cable is required to have an electrical signal core to transmit signals from the suspended equipment, the winch shall be provided with a method of transmitting these signals to the recording equipment.

#### 5.8.1.7 Power winch requirements

Electrically or hydraulically driven winches should be provided with a facility to vary operating speed. In case of power failure, the winch shall be automatically braked or employ a gear train which cannot be driven by the load. It should have provision for manual operation to allow the recovery of equipment. Motor controls should incorporate overload protection and include "soft start" to reduce shock loading. Controls should require hand pressure for operation and default to "stop" in the absence of hand pressure.

### 5.8.2 Winches in bankside systems

#### 5.8.2.1 Torque limiter

To protect the operator in the event of accidental overload, a winch designed for bankside operation should be fitted with a torque limiter in the tow-cabledrive system, set to slip under a load on the tow cable equal to twice the maximum suspended load. If a separate winch is employed to control the tow cable, it should be fitted with a torque limiter set to slip at a load equal to twice the maximum suspended load.

#### 5.8.2.2 Load requirement

The winch shall be able to withstand a loading greater than the breaking load of the suspension cable, applied simultaneously to the suspension cable and the tow cable.

### 5.8.2.3 Cable deployment

The winch shall be designed to ensure that the tow cable and suspension cable are paid out at approximately the same rate.

### 5.8.2.4 Interlocking mechanism

It shall be possible to operate the suspension cable drum independently of the tow (traversing) cable drum for depth positioning. The arrangement for engaging and disengaging the two drums shall incorporate an interlocking mechanism so that the tow- (traversing-) cable drive is immobilized in the sounding mode and connected to the sounding cable drive in the traversing mode. It shall not be possible to achieve an intermediate state that allows the tow-cable drive to free-wheel.

### 5.8.2.5 Mounting design

The mountings used to attach the winch to the tower shall be designed to accommodate a load in shear, equal to six times the breaking load of the suspension cable. This includes a factor of safety of 3.

## 5.8.3 Winches on personnel carriages

### 5.8.3.1 Torque limiter

The winch controlling the suspension cable from a personnel carriage should be fitted with a torque limiter to allow the drum to turn and pay out cable, without interfering with the operation of the load-activated brake, which should continue to prevent the handle from rotating under overload conditions.

### 5.8.3.2 Release device

The cable termination on the winch shall be such that it will release or break free in the event of the cable becoming fully unwound under overload conditions.

## 6 Maintenance, examination and testing

### 6.1 General examination

Cables and anchorages shall, as far as is practicable, be examined for general condition before each gauging exercise. Particular attention should be paid to wire ropes attached to anchorages close to the ground to ensure that waterproof protection is intact. Observation of signs of deterioration however superficial shall be logged according to a specified procedure for consideration by the responsible person.

### 6.2 Routine inspection

#### 6.2.1 Bankside systems

At intervals of 12 months, each cable and anchorage shall be thoroughly inspected. Wire ropes are most open to corrosion where they are bent round a thimble or pulley. Particular attention should be paid to the tow cable where it lies "parked" over the pulley on the far bank. During the periods when the cableway is not in use, the cable will tend to rest with the same section of rope bent round this pulley and it is common for cables to deteriorate at this point. Similarly the wires in the main cable may be spread due to bending round thimbles and where rope grips are used. These points should receive special attention and be treated with a rope preservative.

## 6.2.2 Systems with suspended personnel carriage

A thorough annual inspection is required for a passenger cableway system. This inspection is the same as for a cableway system operated from the bank but shall include the safety of the passenger in addition. Particular attention should be paid to potential corrosion of the passenger carriage and the tower or "A" frame supports. Significant corrosion induced pitting of these components requires replacement before the cableway may be used. The foundations of the tower should also be inspected. Significant spalling, cracking, or other deterioration of the foundations requires repairs before use of the cableway. Similarly, should there be any suggestion of movement of the foundations, the cableway shall not be used until they have been checked and, if necessary, redesigned and replaced.

## 6.3 Static testing

### 6.3.1 Bankside system

Following inspection and execution of any remedial action required, the complete cableway installation should be subject to a static-load test. The load applied shall be twice the maximum sounding weight approved for the installation. At the end of the test, with the carriage in the "home" position (i.e. close to a support tower) and the test load within 100 mm of the ground, the winch torque limiter (where fitted) should be adjusted so that it just slips under the test load.

### 6.3.2 Systems with suspended personnel carriage

At prescribed intervals and after repairs or replacement of components, the cableway should be tested with a static load equal to or greater than the breaking strength of the suspension (sounding) cable. Static-load testing, depending on conditions, shall be scheduled at intervals not exceeding 5 years. Cableways subject to severe corrosion or wear should be tested more frequently.

Static-load testing shall be carried out by loading the carriage progressively. This may be conveniently achieved by suspending a tank below the carriage and adding water until the desired load is achieved. A dynamic test can be introduced if required, by allowing the loaded carriage to traverse the cable during the test. As there is clearly a risk of cable failure during the test, all work shall be carried out with personnel in a safe location during testing.

## 6.4 Lubrication

All mechanical accessories shall be properly lubricated and observed to operate freely. Static ropes shall be treated with a rope dressing, as needed.

## 6.5 Checking the sag

The sag shall be checked at regular intervals, particularly when large changes in temperature occur. Significant changes should be investigated before re-tensioning the cable. Care shall be taken to avoid over-tensioning the cable. If the unloaded tension is greater than required to achieve the designed working sag, it can possibly lead to overloading, produce a reduction in the factor of safety and cause premature failure of the installation. Where large temperature variations are likely to cause problems of this type the use of a counterweight tensioning system should be considered. The sag should also be checked before and after a test loading has been carried out.

.....

## Annex A (informative)

### Cableway characteristics

#### A.1 Loadings

The stress in the various components of a cableway system is largely a function of the suspended load and the allowable percentage sag in the main cable. As the span increases the mass of the main cable becomes more significant. The horizontal component of the tension,  $F_{ht}$ , expressed in newtons, in a cable suspended between supports of equal height, under static conditions and neglecting wind loading, is given by:

$$F_{ht} = \frac{F_c \downarrow b^2}{8h} + \frac{F_{ml} \downarrow b}{4h}$$

where

$F_c$  is the mass per metre run of cable, in newtons;

$b$  is the horizontal span, in metres;

$F_{ml}$  is the concentrated moving load, in newtons,


$h$  is the sag, in metres, induced by load  $F_{ml}$  at mid span.

The actual tension,  $F_{at}$ , expressed in newtons, in the cable is given by,

$$F_{at} = F_{ht} \sqrt{1 + (4h/b)^2}$$

#### A.2 Cable selection — Examples

The optimum sag under working conditions is considered to be 2 % of the span. It is often difficult to adjust the sag under working conditions and it is often achieved by successive trials. It is important not to over-stress the cables prior to applying the working load to ensure minimum sag. An example for determining values of sag and tension expected during normal working conditions is given in Table A.1 and at the the breaking point in Table A.2. Figure A.1 shows how the tension in the cable increases rapidly and inversely with the reduction in sag below the design sag. Tables A.3 to A.6 provide some guidance on the required initial sag to achieve a working sag of 2 % of the span. Figure A.1 is given as percent of span.



**Figure A.1 — Relation between cable sag and tension relative to 2 % design sag**

For example, for a span of 100 m, 11 mm diameter cable and a sounding weight of 50 kg, the cable should be tensioned to achieve an initial sag of 0,95 m. This should produce a 2 % (2 m) sag when a 50 kg load is suspended in mid span. It should be noted, however that the factor of safety on the main cable at the breaking point of the suspension cable may be less than the recommended value of 2 if the initial sag is less than that required for a 2 % working sag.

Assuming that a system has been set up to achieve this sag with a working point load of 50 kg, the sag and tension (values taken from Table A.4) in the cableway for various spans is given in Table A.1.

**Table A.1 — Examples of sag and tension during normal working conditions**

| Span                    | 50 m    | 100 m   | 150 m    | 200 m    |
|-------------------------|---------|---------|----------|----------|
| <b>Working sag</b>      | 1,0 m   | 2,0 m   | 3,0 m    | 4,0 m    |
| <b>Tension</b>          | 7 517 N | 8 895 N | 10 272 N | 11 647 N |
| <b>Rope diameter</b>    | 11 mm   | 11 mm   | 11 mm    | 11 mm    |
| <b>Factor of safety</b> | 9,6     | 8,1     | 7,0      | 6,2      |

The working sag, together with an allowance for the minimum amount that suspended equipment hangs below the cableway, is a guide to the minimum height of cableway support above expected top water level.



At the breaking point of the suspension cable, (7 400 N for a typical stainless steel signal cable of diameter 3,2 mm) the final sag and the tension in the main cable, where it had been set up initially for a 2 % sag with a working load of 50 kg, would be approximately the values given in Table A.2.

**Table A.2 — Examples of sag and tension at breaking point of suspension cable**

| Span  | 50 m     | 100 m    | 150 m    | 200 m   |
|---|----------|----------|----------|---------|
| Working sag                                   | 2,7 m    | 5,3 m    | 7,9 m    | 10,4 m  |
| Tension                                       | 35 000 N | 35 827 N | 36 660 N | 37500 N |
| Rope diameter                                 | 11 mm    | 11 mm    | 11 mm    | 11 mm   |
| Factor of safety                              | 2,1      | 2,0      | 1,97     | 1,93    |
| Breaking load of 11 mm rope taken as 73 600 N |          |          |          |         |

### A.3 Factors of safety

As specified in 5.1, the main cable shall be sized to accommodate the breaking load of the suspension cable by some margin. It is recognized that during a gauging operation, circumstances can occur which can cause the suspension cable to approach or reach breaking point. Such an event can be expected to rarely occur and is not to be considered as normal working conditions. This International Standard provides for a factor of safety of 2 on the main cable of a bankside system with respect to the breaking load of the suspension cable and is sufficient for most of the cases in the above example. However, it would be necessary to increase the rope diameter to 12 mm to be certain of a safety factor of 2 for longer spans. Alternatively, the safety margin may be restored where a device, such as a torque limiter, has been incorporated into the system, to limit the maximum load at mid span, or by the use of counterweight tensioning.

### A.4 Guidance on cable size selection

Estimates of appropriate cable sizes may be obtained by reference to Tables A.3 to A.6. Certain assumptions have been made about the properties of the cables selected, for example the tensile strength, the effective modulus of elasticity and the effective cross-sectional area. The information in Tables A.3 to A.6 relates to a common right-hand, ordinary lay, galvanized, drawn wire rope. Information specifically relating to cables should be obtained from the supplier to allow the calculations to be checked. It should also be noted that cables of special construction may require a higher factor of safety and this should be checked with the manufacturer.

### A.5 Forces on towers and anchorages


#### A.5.1 General remarks

Anchorages and tower foundations require a design suitable for ground conditions and for resistance to forces on the cableway system while in use and during extreme conditions while unattended (see 6.1, 6.2 and 6.4). Horizontal forces on towers are estimated in Tables A.3 to A.6.

The principal force on towers and anchorages during operation are due to the mass of the suspended equipment together with a horizontal component parallel to the flow due to drag on the submerged equipment. If partial submergence of the track and tow cable takes place outside the normal operational range, the horizontal component due to drag will be considerably increased, particularly as trash accumulates on the cables. Cyclical shock loading on partially submerged cables due to the “plucking” action on the water surface can also be very significant. It is important to ensure that the towers are restrained in upstream and downstream directions parallel to the flow to resist these forces.


**A.5.2 Common configurations**

Common configurations of forces on towers and anchorages are given in Figures A.2 to A.4.




Base of tower may be considered to be pinned; no moment is transferred to tower.

**Figure A.2 — Track fixed to tower head with backstay**



The tension in the cable is translated wholly into a moment exerted on the foundation.

**Figure A.3 — No backstay — Tower and base designed to withstand moment**



Main cable passes over and is deflected by the tower. The foundation shall be able to resist the resultant moment.

**Figure A.4 — Track passing over saddle or sheave and designed to withstand moment**

Table A.3 — Cableway set up to achieve a sag of 2 % with a working load of 25 kg

| Rope diameter<br>mm | Span<br>m | Initial sag<br>% | Under normal conditions |              |                      | Failure of suspension cable |              |                      |
|---------------------|-----------|------------------|-------------------------|--------------|----------------------|-----------------------------|--------------|----------------------|
|                     |           |                  | Factor of safety        | Tension<br>N | Horizontal load<br>N | Factor of safety            | Tension<br>N | Horizontal load<br>N |
| 11                  | 20        | 1,12             | 19,95                   | 3 620        | 3 608                | 2,16                        | 33 493       | 32 696               |
|                     | 30        | 1,16             | 18,52                   | 3 898        | 3 885                | 2,15                        | 33 655       | 32 857               |
|                     | 40        | 1,20             | 17,31                   | 4 172        | 4 159                | 2,14                        | 33 813       | 33 013               |
|                     | 50        | 1,23             | 16,23                   | 4 448        | 4 434                | 2,13                        | 33 972       | 33 172               |
|                     | 60        | 1,26             | 15,29                   | 4 722        | 4 707                | 2,12                        | 34 135       | 33 334               |
|                     | 70        | 1,29             | 14,44                   | 5 000        | 4 984                | 2,11                        | 34 295       | 33 493               |
|                     | 80        | 1,31             | 13,69                   | 5 275        | 5 258                | 2,10                        | 34 454       | 33 650               |
|                     | 90        | 1,33             | 13,01                   | 5 549        | 5 531                | 2,09                        | 34 612       | 33 808               |
|                     | 100       | 1,35             | 12,40                   | 5 824        | 5 805                | 2,08                        | 34 772       | 33 967               |
|                     | 110       | 1,37             | 11,84                   | 6 098        | 6 078                | 2,07                        | 34 932       | 34 126               |
|                     | 120       | 1,39             | 11,33                   | 6 374        | 6 353                | 2,06                        | 35 093       | 34 286               |
|                     | 130       | 1,40             | 10,86                   | 6 649        | 6 628                | 2,05                        | 35 254       | 34 446               |
|                     | 140       | 1,41             | 10,43                   | 6 924        | 6 902                | 2,04                        | 35 416       | 34 607               |
|                     | 150       | 1,43             | 10,03                   | 7 198        | 7 175                | 2,03                        | 35 577       | 34 767               |
|                     | 160       | 1,44             | 9,66                    | 7 472        | 7 448                | 2,02                        | 35 739       | 34 928               |
|                     | 170       | 1,45             | 9,32                    | 7 747        | 7 722                | 2,01                        | 35 901       | 35 089               |
|                     | 180       | 1,47             | 9,00                    | 8 022        | 7 996                | 2,00                        | 36 064       | 35 251               |
| 190                 | 1,48      | 8,70             | 8 297                   | 8 271        | 1,99                 | 36 228                      | 35 414       |                      |
| 200                 | 1,49      | 8,42             | 8 572                   | 8 545        | 1,98                 | 36 392                      | 35 577       |                      |
| 12                  | 20        | 1,23             | 23,04                   | 3 726        | 3 714                | 2,44                        | 35 245       | 34 487               |
|                     | 30        | 1,26             | 21,17                   | 4 055        | 4 042                | 2,42                        | 35 440       | 34 680               |
|                     | 40        | 1,29             | 19,59                   | 4 382        | 4 368                | 2,41                        | 35 631       | 34 870               |
|                     | 50        | 1,32             | 18,23                   | 4 710        | 4 695                | 2,40                        | 35 824       | 35 061               |
|                     | 60        | 1,34             | 17,04                   | 5 037        | 5 021                | 2,38                        | 36 016       | 35 253               |
|                     | 70        | 1,37             | 16,00                   | 5 364        | 5 347                | 2,37                        | 36 209       | 35 444               |
|                     | 80        | 1,39             | 15,08                   | 5 691        | 5 673                | 2,36                        | 36 402       | 35 636               |
|                     | 90        | 1,40             | 14,26                   | 6 019        | 5 999                | 2,35                        | 36 596       | 35 828               |
|                     | 100       | 1,42             | 13,52                   | 6 348        | 6 328                | 2,33                        | 36 790       | 36 022               |
|                     | 110       | 1,44             | 12,86                   | 6 674        | 6 653                | 2,32                        | 36 985       | 36 215               |
|                     | 120       | 1,45             | 12,26                   | 7 002        | 6 980                | 2,31                        | 37 181       | 36 410               |
|                     | 130       | 1,46             | 11,71                   | 7 328        | 7 305                | 2,30                        | 37 376       | 36 603               |
|                     | 140       | 1,48             | 11,21                   | 7 655        | 7 630                | 2,28                        | 37 571       | 36 798               |
|                     | 150       | 1,49             | 10,75                   | 7 983        | 7 957                | 2,27                        | 37 769       | 36 994               |
| 160                 | 1,50      | 10,33            | 8 311                   | 8 284        | 2,26                 | 37 966                      | 37 190       |                      |
| 170                 | 1,51      | 9,93             | 8 641                   | 8 613        | 2,25                 | 38 169                      | 37 391       |                      |

Table A.3 — Cableway set up to achieve a sag of 2 % with a working load of 25 kg (continued)

| Rope diameter<br>mm | Span<br>m | Initial sag<br>% | Under normal conditions |              |                      | Failure of suspension cable |              |                      |
|---------------------|-----------|------------------|-------------------------|--------------|----------------------|-----------------------------|--------------|----------------------|
|                     |           |                  | Factor of safety        | Tension<br>N | Horizontal load<br>N | Factor of safety            | Tension<br>N | Horizontal load<br>N |
| 12                  | 180       | 1,52             | 9,57                    | 8 970        | 8 941                | 2,24                        | 38 368       | 37 589               |
|                     | 190       | 1,53             | 9,24                    | 9 293        | 9 263                | 2,23                        | 38 565       | 37 785               |
|                     | 200       | 1,54             | 8,92                    | 9 622        | 9 591                | 2,21                        | 38 765       | 37 984               |
| 13                  | 20        | 1,32             | 26,31                   | 3 841        | 3 828                | 2,74                        | 36 920       | 36 195               |
|                     | 30        | 1,34             | 23,90                   | 4 227        | 4 214                | 2,72                        | 37 153       | 36 426               |
|                     | 40        | 1,37             | 21,92                   | 4 610        | 4 596                | 2,70                        | 37 393       | 36 665               |
|                     | 50        | 1,39             | 20,23                   | 4 994        | 4 979                | 2,69                        | 37 622       | 36 893               |
|                     | 60        | 1,41             | 18,79                   | 5 378        | 5 361                | 2,67                        | 37 852       | 37 121               |
|                     | 70        | 1,43             | 17,54                   | 5 761        | 5 743                | 2,65                        | 38 081       | 37 349               |
|                     | 80        | 1,45             | 16,44                   | 6 144        | 6 125                | 2,64                        | 38 312       | 37 578               |
|                     | 90        | 1,46             | 15,48                   | 6 528        | 6 508                | 2,62                        | 38 544       | 37 808               |
|                     | 100       | 1,48             | 14,62                   | 6 912        | 6 890                | 2,61                        | 38 776       | 38 038               |
|                     | 110       | 1,49             | 13,85                   | 7 296        | 7 273                | 2,59                        | 39 008       | 38 269               |
|                     | 120       | 1,50             | 13,15                   | 7 686        | 7 662                | 2,57                        | 39 247       | 38 506               |
|                     | 130       | 1,51             | 12,52                   | 8 069        | 8 043                | 2,56                        | 39 480       | 38 738               |
|                     | 140       | 1,52             | 11,95                   | 8 453        | 8 426                | 2,54                        | 39 715       | 38 971               |
|                     | 150       | 1,53             | 11,44                   | 8 835        | 8 807                | 2,53                        | 39 949       | 39 204               |
|                     | 160       | 1,54             | 10,96                   | 9 220        | 9 190                | 2,51                        | 40 186       | 39 439               |
|                     | 170       | 1,55             | 10,52                   | 9 605        | 9 575                | 2,50                        | 40 423       | 39 675               |
|                     | 180       | 1,56             | 10,12                   | 9 988        | 9 956                | 2,49                        | 40 660       | 39 910               |
| 190                 | 1,57      | 9,74             | 10 371                  | 10 338       | 2,47                 | 40 898                      | 40 147       |                      |
| 200                 | 1,58      | 9,39             | 10 756                  | 10 722       | 2,46                 | 41 137                      | 40 384       |                      |
| 14                  | 20        | 1,38             | 29,45                   | 3 964        | 3 951                | 3,03                        | 38 552       | 37 857               |
|                     | 30        | 1,40             | 26,47                   | 4 410        | 4 396                | 3,01                        | 38 824       | 38 127               |
|                     | 40        | 1,43             | 24,06                   | 4 851        | 4 836                | 2,99                        | 39 094       | 38 395               |
|                     | 50        | 1,44             | 22,03                   | 5 299        | 5 282                | 2,97                        | 39 365       | 38 663               |
|                     | 60        | 1,46             | 20,33                   | 5 744        | 5 725                | 2,95                        | 39 636       | 38 933               |
|                     | 70        | 1,48             | 18,86                   | 6 188        | 6 169                | 2,93                        | 39 908       | 39 203               |
|                     | 80        | 1,49             | 17,60                   | 6 632        | 6 611                | 2,91                        | 40 184       | 39 478               |
|                     | 90        | 1,50             | 16,48                   | 7 083        | 7 060                | 2,89                        | 40 464       | 39 755               |
|                     | 100       | 1,52             | 15,51                   | 7 527        | 7 503                | 2,87                        | 40 737       | 40 027               |
|                     | 110       | 1,53             | 14,64                   | 7 971        | 7 946                | 2,85                        | 41 011       | 40 299               |
|                     | 120       | 1,54             | 13,87                   | 8 416        | 8 389                | 2,83                        | 41 286       | 40 572               |
|                     | 130       | 1,55             | 13,17                   | 8 863        | 8 835                | 2,81                        | 41 563       | 40 847               |
| 140                 | 1,56      | 12,55            | 9 305                   | 9 275        | 2,79                 | 41 838                      | 41 120       |                      |

Table A.3 — Cableway set up to achieve a sag of 2 % with a working load of 25 kg (continued)

| Rope diameter<br>mm | Span<br>m | Initial sag<br>% | Under normal conditions |              |                      | Failure of suspension cable |              |                      |
|---------------------|-----------|------------------|-------------------------|--------------|----------------------|-----------------------------|--------------|----------------------|
|                     |           |                  | Factor of safety        | Tension<br>N | Horizontal load<br>N | Factor of safety            | Tension<br>N | Horizontal load<br>N |
| 14                  | 150       | 1,57             | 11,97                   | 9 751        | 9 720                | 2,77                        | 42 117       | 41 398               |
|                     | 160       | 1,58             | 11,45                   | 10 195       | 10 162               | 2,75                        | 42 395       | 41 674               |
|                     | 170       | 1,59             | 10,97                   | 10 638       | 10 604               | 2,74                        | 42 674       | 41 951               |
|                     | 180       | 1,60             | 10,53                   | 11 083       | 11 048               | 2,72                        | 42 955       | 42 230               |
|                     | 190       | 1,61             | 10,13                   | 11 529       | 11 493               | 2,70                        | 43 237       | 42 510               |
|                     | 200       | 1,61             | 9,75                    | 11 973       | 11 935               | 2,68                        | 43 519       | 42 790               |
| 16                  | 20        | 1,47             | 36,16                   | 4 233        | 4 219                | 3,67                        | 41 685       | 41 039               |
|                     | 30        | 1,49             | 31,78                   | 4 815        | 4 800                | 3,64                        | 42 027       | 41 378               |
|                     | 40        | 1,50             | 28,29                   | 5 410        | 5 393                | 3,61                        | 42 410       | 41 758               |
|                     | 50        | 1,52             | 25,55                   | 5 989        | 5 970                | 3,58                        | 42 775       | 42 121               |
|                     | 60        | 1,53             | 23,29                   | 6 570        | 6 549                | 3,55                        | 43 122       | 42 465               |
|                     | 70        | 1,55             | 21,40                   | 7 151        | 7 128                | 3,52                        | 43 487       | 42 828               |
|                     | 80        | 1,56             | 19,79                   | 7 735        | 7 710                | 3,49                        | 43 851       | 43 189               |
|                     | 90        | 1,57             | 18,41                   | 8 313        | 8 286                | 3,46                        | 44 221       | 43 557               |
|                     | 100       | 1,58             | 17,21                   | 8 894        | 8 866                | 3,43                        | 44 590       | 43 923               |
|                     | 110       | 1,59             | 16,15                   | 9 474        | 9 444                | 3,40                        | 44 959       | 44 290               |
|                     | 120       | 1,60             | 15,22                   | 10 054       | 10 022               | 3,38                        | 45 330       | 44 658               |
|                     | 130       | 1,61             | 14,39                   | 10 635       | 10 602               | 3,35                        | 45 707       | 45 033               |
|                     | 140       | 1,62             | 13,64                   | 11 218       | 11 182               | 3,32                        | 46 083       | 45 406               |
|                     | 150       | 1,63             | 12,97                   | 11 801       | 11 764               | 3,29                        | 46 459       | 45 780               |
|                     | 160       | 1,64             | 12,36                   | 12 381       | 12 342               | 3,27                        | 46 836       | 46 154               |
|                     | 170       | 1,64             | 11,81                   | 12 961       | 12 920               | 3,24                        | 47 214       | 46 530               |
| 180                 | 1,65      | 11,30            | 13 542                  | 13 499       | 3,22                 | 47 593                      | 46 907       |                      |
| 190                 | 1,66      | 10,84            | 14 122                  | 14 077       | 3,19                 | 47 973                      | 47 284       |                      |
| 200                 | 1,66      | 10,41            | 14 707                  | 14 661       | 3,16                 | 48 358                      | 47 667       |                      |

Table A.4 — Cableway set up to achieve a sag of 2 % with a working load of 50 kg

|               |      |             | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
| Rope diameter | Span | Initial sag | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 11            | 20   | 0,44        | 10,83                   | 6 669   | 6 648           | 2,09                        | 34 496  | 33 722          |
|               | 30   | 0,56        | 10,38                   | 6 957   | 6 935           | 2,08                        | 34 668  | 33 893          |
|               | 40   | 0,65        | 9,98                    | 7 238   | 7 215           | 2,07                        | 34 835  | 34 060          |
|               | 50   | 0,72        | 9,61                    | 7 517   | 7 493           | 2,06                        | 35 001  | 34 225          |
|               | 60   | 0,78        | 9,26                    | 7 793   | 7 768           | 2,05                        | 35 166  | 34 389          |
|               | 70   | 0,83        | 8,95                    | 8 070   | 8 044           | 2,04                        | 35 332  | 34 554          |
|               | 80   | 0,88        | 8,65                    | 8 346   | 8 319           | 2,03                        | 35 497  | 34 718          |
|               | 90   | 0,92        | 8,38                    | 8 618   | 8 591           | 2,02                        | 35 661  | 34 881          |
|               | 100  | 0,95        | 8,12                    | 8 895   | 8 867           | 2,02                        | 35 827  | 35 046          |
|               | 110  | 0,98        | 7,87                    | 9 172   | 9 142           | 2,01                        | 35 993  | 35 212          |
|               | 120  | 1,01        | 7,64                    | 9 447   | 9 417           | 2,00                        | 36 160  | 35 377          |
|               | 130  | 1,04        | 7,43                    | 9 720   | 9 689           | 1,99                        | 36 326  | 35 543          |
|               | 140  | 1,07        | 7,22                    | 9 997   | 9 966           | 1,98                        | 36 494  | 35 709          |
|               | 150  | 1,09        | 7,03                    | 10 272  | 10 240          | 1,97                        | 36 662  | 35 876          |
|               | 160  | 1,11        | 6,84                    | 10 548  | 10 515          | 1,96                        | 36 830  | 36 043          |
|               | 170  | 1,13        | 6,67                    | 10 825  | 10 791          | 1,95                        | 36 999  | 36 212          |
|               | 180  | 1,15        | 6,51                    | 11 097  | 11 061          | 1,94                        | 37 166  | 36 378          |
|               | 190  | 1,17        | 6,35                    | 11 372  | 11 335          | 1,93                        | 37 336  | 36 546          |
| 200           | 1,18 | 6,20        | 11 646                  | 11 609  | 1,93            | 37 505                      | 36 715  |                 |
| 12            | 20   | 0,62        | 12,66                   | 6 778   | 6 756           | 2,37                        | 36 238  | 35 501          |
|               | 30   | 0,72        | 12,06                   | 7 116   | 7 093           | 2,36                        | 36 442  | 35 704          |
|               | 40   | 0,80        | 11,52                   | 7 449   | 7 425           | 2,34                        | 36 644  | 35 904          |
|               | 50   | 0,87        | 11,04                   | 7 777   | 7 752           | 2,33                        | 36 841  | 36 101          |
|               | 60   | 0,92        | 10,59                   | 8 107   | 8 081           | 2,32                        | 37 042  | 36 300          |
|               | 70   | 0,96        | 10,18                   | 8 435   | 8 409           | 2,30                        | 37 241  | 36 498          |
|               | 80   | 1,00        | 9,80                    | 8 763   | 8 735           | 2,29                        | 37 440  | 36 696          |
|               | 90   | 1,04        | 9,44                    | 9 090   | 9 061           | 2,28                        | 37 640  | 36 894          |
|               | 100  | 1,07        | 9,11                    | 9 419   | 9 389           | 2,27                        | 37 841  | 37 094          |
|               | 110  | 1,10        | 8,81                    | 9 743   | 9 712           | 2,26                        | 38 041  | 37 293          |
|               | 120  | 1,12        | 8,52                    | 10 073  | 10 041          | 2,24                        | 38 244  | 37 494          |
|               | 130  | 1,15        | 8,25                    | 10 401  | 10 368          | 2,23                        | 38 446  | 37 696          |
|               | 140  | 1,17        | 8,00                    | 10 729  | 10 695          | 2,22                        | 38 648  | 37 897          |
|               | 150  | 1,19        | 7,77                    | 11 053  | 11 018          | 2,21                        | 38 850  | 38 097          |
| 160           | 1,21 | 7,54        | 11 382                  | 11 346  | 2,20            | 39 054                      | 38 300  |                 |

**Table A.4 — Cableway set up to achieve a sag of 2 % with a working load of 50 kg**  
(continued)

|               |      |             | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
| Rope diameter | Span | Initial sag | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 12            | 170  | 1,23        | 7,33                    | 11 709  | 11 672          | 2,19                        | 39 259  | 38 504          |
|               | 180  | 1,24        | 7,13                    | 12 038  | 12 000          | 2,18                        | 39 464  | 38 707          |
|               | 190  | 1,26        | 6,94                    | 12 367  | 12 327          | 2,16                        | 39 670  | 38 912          |
|               | 200  | 1,27        | 6,76                    | 12 695  | 12 654          | 2,15                        | 39 876  | 39 117          |
| 13            | 20   | 0,79        | 14,66                   | 6 894   | 6 872           | 2,67                        | 37 901  | 37 195          |
|               | 30   | 0,88        | 13,87                   | 7 287   | 7 264           | 2,65                        | 38 144  | 37 437          |
|               | 40   | 0,94        | 13,17                   | 7 674   | 7 650           | 2,63                        | 38 383  | 37 674          |
|               | 50   | 0,99        | 12,54                   | 8 059   | 8 034           | 2,62                        | 38 621  | 37 911          |
|               | 60   | 1,04        | 11,97                   | 8 444   | 8 417           | 2,60                        | 38 859  | 38 147          |
|               | 70   | 1,08        | 11,44                   | 8 829   | 8 801           | 2,58                        | 39 098  | 38 384          |
|               | 80   | 1,11        | 10,97                   | 9 214   | 9 185           | 2,57                        | 39 342  | 38 627          |
|               | 90   | 1,14        | 10,53                   | 9 595   | 9 565           | 2,55                        | 39 578  | 38 862          |
|               | 100  | 1,17        | 10,12                   | 9 982   | 9 950           | 2,54                        | 39 819  | 39 101          |
|               | 110  | 1,19        | 9,75                    | 10 365  | 10 332          | 2,52                        | 40 057  | 39 338          |
|               | 120  | 1,21        | 9,40                    | 10 750  | 10 715          | 2,51                        | 40 298  | 39 577          |
|               | 130  | 1,24        | 9,07                    | 11 134  | 11 099          | 2,49                        | 40 539  | 39 817          |
|               | 140  | 1,26        | 8,77                    | 11 519  | 11 482          | 2,48                        | 40 781  | 40 057          |
|               | 150  | 1,27        | 8,49                    | 11 904  | 11 866          | 2,46                        | 41 024  | 40 299          |
|               | 160  | 1,29        | 8,22                    | 12 288  | 12 249          | 2,45                        | 41 264  | 40 538          |
|               | 170  | 1,31        | 7,97                    | 12 673  | 12 632          | 2,43                        | 41 509  | 40 781          |
| 180           | 1,32 | 7,74        | 13 056                  | 13 014  | 2,42            | 41 753                      | 41 023  |                 |
| 190           | 1,34 | 7,52        | 13 439                  | 13 396  | 2,41            | 41 998                      | 41 267  |                 |
| 200           | 1,35 | 7,31        | 13 821                  | 13 777  | 2,39            | 42 243                      | 41 511  |                 |
| 14            | 20   | 0,94        | 16,60                   | 7 031   | 7 009           | 2,95                        | 39 525  | 38 847          |
|               | 30   | 1,00        | 15,61                   | 7 480   | 7 456           | 2,93                        | 39 807  | 39 127          |
|               | 40   | 1,06        | 14,73                   | 7 925   | 7 899           | 2,91                        | 40 084  | 39 403          |
|               | 50   | 1,10        | 13,95                   | 8 370   | 8 343           | 2,89                        | 40 363  | 39 680          |
|               | 60   | 1,14        | 13,24                   | 8 815   | 8 787           | 2,87                        | 40 642  | 39 957          |
|               | 70   | 1,17        | 12,61                   | 9 260   | 9 230           | 2,85                        | 40 922  | 40 234          |
|               | 80   | 1,20        | 12,02                   | 9 710   | 9 679           | 2,83                        | 41 204  | 40 515          |
|               | 90   | 1,23        | 11,50                   | 10 151  | 10 119          | 2,81                        | 41 483  | 40 792          |
|               | 100  | 1,25        | 11,02                   | 10 595  | 10 562          | 2,80                        | 41 765  | 41 073          |
|               | 110  | 1,27        | 10,58                   | 11 035  | 10 999          | 2,78                        | 42 045  | 41 350          |
|               | 120  | 1,29        | 10,17                   | 11 481  | 11 445          | 2,76                        | 42 329  | 41 632          |

**Table A.4 — Cableway set up to achieve a sag of 2 % with a working load of 50 kg**  
(continued)

|               |      |             | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
| Rope diameter | Span | Initial sag | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 14            | 130  | 1,31        | 9,79                    | 11 926  | 11 888          | 2,74                        | 42 613  | 41 915          |
|               | 140  | 1,33        | 9,44                    | 12 371  | 12 331          | 2,72                        | 42 898  | 42 198          |
|               | 150  | 1,34        | 9,11                    | 12 816  | 12 775          | 2,70                        | 43 184  | 42 482          |
|               | 160  | 1,36        | 8,80                    | 13 261  | 13 219          | 2,69                        | 43 470  | 42 767          |
|               | 170  | 1,37        | 8,52                    | 13 707  | 13 663          | 2,67                        | 43 758  | 43 053          |
|               | 180  | 1,39        | 8,25                    | 14 152  | 14 107          | 2,65                        | 44 047  | 43 340          |
|               | 190  | 1,40        | 8,00                    | 14 597  | 14 550          | 2,63                        | 44 335  | 43 627          |
|               | 200  | 1,41        | 7,76                    | 15 041  | 14 993          | 2,62                        | 44 625  | 43 915          |
| 16            | 20   | 1,16        | 20,95                   | 7 304   | 7 280           | 3,59                        | 42 587  | 41 955          |
|               | 30   | 1,20        | 19,40                   | 7 889   | 7 863           | 3,56                        | 42 965  | 42 330          |
|               | 40   | 1,23        | 18,07                   | 8 470   | 8 443           | 3,53                        | 43 339  | 42 701          |
|               | 50   | 1,26        | 16,91                   | 9 053   | 9 024           | 3,50                        | 43 714  | 43 074          |
|               | 60   | 1,29        | 15,89                   | 9 634   | 9 603           | 3,47                        | 44 098  | 43 455          |
|               | 70   | 1,31        | 14,98                   | 10 215  | 10 182          | 3,44                        | 44 473  | 43 829          |
|               | 80   | 1,34        | 14,17                   | 10 801  | 10 767          | 3,41                        | 44 851  | 44 204          |
|               | 90   | 1,36        | 13,45                   | 11 381  | 11 345          | 3,38                        | 45 228  | 44 579          |
|               | 100  | 1,37        | 12,79                   | 11 961  | 11 923          | 3,36                        | 45 607  | 44 955          |
|               | 110  | 1,39        | 12,20                   | 12 542  | 12 502          | 3,33                        | 45 987  | 45 333          |
|               | 120  | 1,41        | 11,66                   | 13 123  | 13 081          | 3,30                        | 46 368  | 45 711          |
|               | 130  | 1,42        | 11,17                   | 13 704  | 13 660          | 3,27                        | 46 751  | 46 092          |
|               | 140  | 1,44        | 10,71                   | 14 287  | 14 242          | 3,25                        | 47 135  | 46 474          |
|               | 150  | 1,45        | 10,29                   | 14 868  | 14 821          | 3,22                        | 47 521  | 46 857          |
|               | 160  | 1,46        | 9,91                    | 15 448  | 15 399          | 3,19                        | 47 907  | 47 240          |
|               | 170  | 1,47        | 9,55                    | 16 025  | 15 974          | 3,17                        | 48 293  | 47 624          |
| 180           | 1,48 | 9,21        | 16 611                  | 16 558  | 3,14            | 48 684                      | 48 013  |                 |
| 190           | 1,49 | 8,90        | 17 190                  | 17 135  | 3,12            | 49 073                      | 48 400  |                 |
| 200           | 1,50 | 8,61        | 17 778                  | 17 721  | 3,09            | 49 469                      | 48 794  |                 |



Table A.5 — Cableway set up to achieve a sag of 2 % with a working load of 75 kg

|               |      |             | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
| Rope diameter | Span | Initial sag | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 12            | 20   | 0,28        | 8,71                    | 9 850   | 9 818           | 2,30                        | 37 287  | 36 571          |
|               | 30   | 0,38        | 8,42                    | 10 190  | 10 158          | 2,29                        | 37 503  | 36 786          |
|               | 40   | 0,47        | 8,16                    | 10 522  | 10 488          | 2,28                        | 37 712  | 36 993          |
|               | 50   | 0,54        | 7,91                    | 10 852  | 10 818          | 2,26                        | 37 919  | 37 200          |
|               | 60   | 0,60        | 7,67                    | 11 187  | 11 151          | 2,25                        | 38 127  | 37 407          |
|               | 70   | 0,66        | 7,45                    | 11 515  | 11 478          | 2,24                        | 38 334  | 37 612          |
|               | 80   | 0,71        | 7,25                    | 11 839  | 11 802          | 2,23                        | 38 539  | 37 817          |
|               | 90   | 0,75        | 7,06                    | 12 166  | 12 127          | 2,22                        | 38 745  | 38 021          |
|               | 100  | 0,79        | 6,87                    | 12 496  | 12 456          | 2,20                        | 38 954  | 38 228          |
|               | 110  | 0,83        | 6,69                    | 12 825  | 12 785          | 2,19                        | 39 162  | 38 436          |
|               | 120  | 0,86        | 6,53                    | 13 148  | 13 106          | 2,18                        | 39 368  | 38 641          |
|               | 130  | 0,89        | 6,37                    | 13 476  | 13 433          | 2,17                        | 39 578  | 38 849          |
|               | 140  | 0,92        | 6,22                    | 13 801  | 13 757          | 2,16                        | 39 785  | 39 055          |
|               | 150  | 0,94        | 6,08                    | 14 126  | 14 081          | 2,15                        | 39 994  | 39 263          |
|               | 160  | 0,97        | 5,94                    | 14 459  | 14 413          | 2,13                        | 40 206  | 39 474          |
|               | 170  | 0,99        | 5,81                    | 14 787  | 14 739          | 2,12                        | 40 417  | 39 684          |
|               | 180  | 1,01        | 5,68                    | 15 116  | 15 068          | 2,11                        | 40 629  | 39 895          |
|               | 190  | 1,03        | 5,56                    | 15 443  | 15 394          | 2,10                        | 40 842  | 40 107          |
| 200           | 1,05 | 5,44        | 15 768                  | 15 717  | 2,09            | 41 053                      | 40 316  |                 |
| 13            | 20   | 0,39        | 10,16                   | 9 948   | 9 916           | 2,59                        | 38 942  | 38 255          |
|               | 30   | 0,50        | 9,76                    | 10 352  | 10 319          | 2,58                        | 39 197  | 38 509          |
|               | 40   | 0,59        | 9,40                    | 10 745  | 10 711          | 2,56                        | 39 446  | 38 756          |
|               | 50   | 0,66        | 9,07                    | 11 136  | 11 100          | 2,55                        | 39 693  | 39 002          |
|               | 60   | 0,72        | 8,77                    | 11 520  | 11 483          | 2,53                        | 39 937  | 39 244          |
|               | 70   | 0,78        | 8,49                    | 11 905  | 11 867          | 2,51                        | 40 181  | 39 488          |
|               | 80   | 0,82        | 8,22                    | 12 286  | 12 247          | 2,50                        | 40 425  | 39 730          |
|               | 90   | 0,86        | 7,97                    | 12 676  | 12 636          | 2,48                        | 40 674  | 39 977          |
|               | 100  | 0,90        | 7,74                    | 13 059  | 13 018          | 2,47                        | 40 919  | 40 221          |
|               | 110  | 0,93        | 7,52                    | 13 444  | 13 401          | 2,45                        | 41 167  | 40 467          |
|               | 120  | 0,97        | 7,31                    | 13 824  | 13 780          | 2,44                        | 41 413  | 40 712          |
|               | 130  | 0,99        | 7,11                    | 14 211  | 14 166          | 2,43                        | 41 662  | 40 959          |
|               | 140  | 1,02        | 6,92                    | 14 596  | 14 550          | 2,41                        | 41 911  | 41 208          |
|               | 150  | 1,04        | 6,74                    | 14 983  | 14 935          | 2,40                        | 42 162  | 41 457          |
| 160           | 1,07 | 6,58        | 15 363                  | 15 314  | 2,38            | 42 411                      | 41 704  |                 |

Table A.5 — Cableway set up to achieve a sag of 2 % with a working load of 75 kg (continued)

| Rope diameter | Span | Initial sag | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
|               |      |             | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 13            | 170  | 1,09        | 6,42                    | 15 746  | 15 696          | 2,37                        | 42 662  | 41 954          |
|               | 180  | 1,11        | 6,26                    | 16 130  | 16 078          | 2,35                        | 42 911  | 42 201          |
|               | 190  | 1,13        | 6,12                    | 16 512  | 16 459          | 2,34                        | 43 163  | 42 452          |
|               | 200  | 1,15        | 5,98                    | 16 899  | 16 845          | 2,33                        | 43 417  | 42 705          |
| 14            | 20   | 0,52        | 11,59                   | 10 069  | 10 036          | 2,88                        | 40 543  | 39 882          |
|               | 30   | 0,63        | 11,08                   | 10 532  | 10 498          | 2,86                        | 40 838  | 40 176          |
|               | 40   | 0,72        | 10,63                   | 10 985  | 10 950          | 2,84                        | 41 128  | 40 463          |
|               | 50   | 0,78        | 10,21                   | 11 435  | 11 399          | 2,82                        | 41 415  | 40 749          |
|               | 60   | 0,84        | 9,82                    | 11 882  | 11 844          | 2,80                        | 41 702  | 41 035          |
|               | 70   | 0,89        | 9,47                    | 12 329  | 12 290          | 2,78                        | 41 990  | 41 321          |
|               | 80   | 0,93        | 9,14                    | 12 777  | 12 736          | 2,76                        | 42 279  | 41 608          |
|               | 90   | 0,97        | 8,83                    | 13 221  | 13 179          | 2,74                        | 42 562  | 41 889          |
|               | 100  | 1,00        | 8,54                    | 13 662  | 13 619          | 2,72                        | 42 851  | 42 176          |
|               | 110  | 1,03        | 8,27                    | 14 110  | 14 065          | 2,71                        | 43 142  | 42 465          |
|               | 120  | 1,06        | 8,02                    | 14 557  | 14 510          | 2,69                        | 43 434  | 42 756          |
|               | 130  | 1,09        | 7,78                    | 15 003  | 14 955          | 2,67                        | 43 727  | 43 047          |
|               | 140  | 1,11        | 7,56                    | 15 449  | 15 399          | 2,65                        | 44 021  | 43 339          |
|               | 150  | 1,13        | 7,35                    | 15 889  | 15 838          | 2,63                        | 44 312  | 43 628          |
|               | 160  | 1,15        | 7,14                    | 16 339  | 16 287          | 2,62                        | 44 609  | 43 924          |
|               | 170  | 1,17        | 6,96                    | 16 784  | 16 730          | 2,60                        | 44 904  | 44 217          |
| 180           | 1,19 | 6,78        | 17 230                  | 17 175  | 2,58            | 45 201                      | 44 512  |                 |
| 190           | 1,21 | 6,60        | 17 676                  | 17 619  | 2,57            | 45 498                      | 44 808  |                 |
| 200           | 1,23 | 6,44        | 18 116                  | 18 058  | 2,55            | 45 794                      | 45 103  |                 |
| 16            | 20   | 0,80        | 14,77                   | 10 358  | 10 325          | 3,51                        | 43 585  | 42 967          |
|               | 30   | 0,89        | 13,99                   | 10 941  | 10 906          | 3,48                        | 43 970  | 43 350          |
|               | 40   | 0,95        | 13,27                   | 11 529  | 11 492          | 3,45                        | 44 356  | 43 733          |
|               | 50   | 1,00        | 12,63                   | 12 119  | 12 081          | 3,42                        | 44 743  | 44 118          |
|               | 60   | 1,04        | 12,05                   | 12 702  | 12 661          | 3,39                        | 45 129  | 44 501          |
|               | 70   | 1,08        | 11,52                   | 13 282  | 13 240          | 3,36                        | 45 512  | 44 883          |
|               | 80   | 1,12        | 11,04                   | 13 865  | 13 821          | 3,33                        | 45 900  | 45 268          |
|               | 90   | 1,15        | 10,59                   | 14 445  | 14 398          | 3,31                        | 46 285  | 45 651          |
|               | 100  | 1,17        | 10,19                   | 15 025  | 14 977          | 3,28                        | 46 673  | 46 036          |
|               | 110  | 1,20        | 9,80                    | 15 610  | 15 560          | 3,25                        | 47 065  | 46 426          |

Table A.5 — Cableway set up to achieve a sag of 2 % with a working load of 75 kg (continued)

|               |      |             | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
| Rope diameter | Span | Initial sag | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 16            | 120  | 1,22        | 9,45                    | 16 190  | 16 138          | 3,22                        | 47 454  | 46 813          |
|               | 130  | 1,24        | 9,12                    | 16 773  | 16 720          | 3,20                        | 47 847  | 47 203          |
|               | 140  | 1,26        | 8,82                    | 17 356  | 17 300          | 3,17                        | 48 240  | 47 594          |
|               | 150  | 1,28        | 8,53                    | 17 938  | 17 881          | 3,15                        | 48 635  | 47 987          |
|               | 160  | 1,30        | 8,26                    | 18 520  | 18 461          | 3,12                        | 49 031  | 48 380          |
|               | 170  | 1,31        | 8,01                    | 19 103  | 19 042          | 3,10                        | 49 429  | 48 776          |
|               | 180  | 1,33        | 7,77                    | 19 684  | 19 622          | 3,07                        | 49 827  | 49 172          |
|               | 190  | 1,34        | 7,55                    | 20 264  | 20 200          | 3,05                        | 50 226  | 49 569          |
|               | 200  | 1,35        | 7,34                    | 20 845  | 20 778          | 3,02                        | 50 627  | 49 967          |

Table A.6 — Cableway set up to achieve a sag of 2 % with a working load of 100 kg

|               |      |             | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
| Rope diameter | Span | Initial sag | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 14            | 20   | 0,29        | 8,88                    | 13 147  | 13 105          | 2,80                        | 41 623  | 40 979          |
|               | 30   | 0,40        | 8,58                    | 13 612  | 13 568          | 2,78                        | 41 929  | 41 284          |
|               | 40   | 0,48        | 8,30                    | 14 063  | 14 019          | 2,76                        | 42 227  | 41 580          |
|               | 50   | 0,56        | 8,05                    | 14 504  | 14 457          | 2,75                        | 42 520  | 41 871          |
|               | 60   | 0,62        | 7,80                    | 14 963  | 14 915          | 2,73                        | 42 820  | 42 170          |
|               | 70   | 0,67        | 7,57                    | 15 414  | 15 365          | 2,71                        | 43 118  | 42 467          |
|               | 80   | 0,72        | 7,36                    | 15 855  | 15 804          | 2,69                        | 43 412  | 42 758          |
|               | 90   | 0,76        | 7,17                    | 16 290  | 16 238          | 2,67                        | 43 705  | 43 049          |
|               | 100  | 0,80        | 6,97                    | 16 744  | 16 691          | 2,65                        | 44 006  | 43 349          |
|               | 110  | 0,84        | 6,79                    | 17 189  | 17 134          | 2,64                        | 44 299  | 43 641          |
|               | 120  | 0,87        | 6,62                    | 17 638  | 17 582          | 2,62                        | 44 600  | 43 940          |
|               | 130  | 0,90        | 6,46                    | 18 080  | 18 022          | 2,60                        | 44 901  | 44 239          |
|               | 140  | 0,93        | 6,30                    | 18 521  | 18 462          | 2,58                        | 45 199  | 44 536          |
|               | 150  | 0,96        | 6,16                    | 18 963  | 18 902          | 2,57                        | 45 500  | 44 834          |
|               | 160  | 0,98        | 6,01                    | 19 412  | 19 351          | 2,55                        | 45 804  | 45 137          |
|               | 170  | 1,00        | 5,88                    | 19 860  | 19 797          | 2,53                        | 46 109  | 45 441          |
|               | 180  | 1,02        | 5,75                    | 20 304  | 20 239          | 2,52                        | 46 412  | 45 742          |
| 190           | 1,05 | 5,63        | 20 750                  | 20 684  | 2,50            | 46 718                      | 46 046  |                 |
| 200           | 1,06 | 5,51        | 21 190                  | 21 122  | 2,48            | 47 022                      | 46 349  |                 |
| 16            | 20   | 0,50        | 11,42                   | 13 401  | 13 358          | 3,43                        | 44 605  | 44 002          |
|               | 30   | 0,61        | 10,93                   | 14 008  | 13 963          | 3,40                        | 45 016  | 44 411          |
|               | 40   | 0,70        | 10,48                   | 14 600  | 14 554          | 3,37                        | 45 416  | 44 808          |
|               | 50   | 0,77        | 10,08                   | 15 188  | 15 140          | 3,34                        | 45 813  | 45 203          |
|               | 60   | 0,83        | 9,70                    | 15 773  | 15 723          | 3,31                        | 46 209  | 45 596          |
|               | 70   | 0,87        | 9,36                    | 16 358  | 16 305          | 3,28                        | 46 605  | 45 990          |
|               | 80   | 0,92        | 9,03                    | 16 942  | 16 888          | 3,26                        | 47 002  | 46 385          |
|               | 90   | 0,96        | 8,73                    | 17 523  | 17 467          | 3,23                        | 47 398  | 46 779          |
|               | 100  | 0,99        | 8,45                    | 18 102  | 18 044          | 3,20                        | 47 795  | 47 174          |
|               | 110  | 1,02        | 8,19                    | 18 686  | 18 626          | 3,18                        | 48 195  | 47 571          |
|               | 120  | 1,05        | 7,94                    | 19 271  | 19 209          | 3,15                        | 48 597  | 47 971          |
|               | 130  | 1,07        | 7,71                    | 19 853  | 19 789          | 3,12                        | 48 999  | 48 371          |
|               | 140  | 1,10        | 7,49                    | 20 430  | 20 365          | 3,10                        | 49 400  | 48 769          |
| 150           | 1,12 | 7,28        | 21 008                  | 20 941  | 3,07            | 49 802                      | 49 169  |                 |

Table A.6 — Cableway set up to achieve a sag of 2 % with a working load of 100 kg (continued)

|               |      |             | Under normal conditions |         |                 | Failure of suspension cable |         |                 |
|---------------|------|-------------|-------------------------|---------|-----------------|-----------------------------|---------|-----------------|
| Rope diameter | Span | Initial sag | Factor of safety        | Tension | Horizontal load | Factor of safety            | Tension | Horizontal load |
| mm            | m    | %           |                         | N       | N               |                             | N       | N               |
| 16            | 160  | 1,14        | 7,09                    | 21 596  | 21 528          | 3,05                        | 50 210  | 49 575          |
|               | 170  | 1,16        | 6,90                    | 22 179  | 22 108          | 3,02                        | 50 617  | 49 979          |
|               | 180  | 1,18        | 6,72                    | 22 762  | 22 690          | 3,00                        | 51 025  | 50 386          |
|               | 190  | 1,20        | 6,56                    | 23 339  | 23 264          | 2,98                        | 51 432  | 50 790          |
|               | 200  | 1,21        | 6,40                    | 23 922  | 23 845          | 2,95                        | 51 844  | 51 199          |

## Bibliography

- [1] ISO 3454:1983, *Liquid flow measurement in open channels — Direct depth sounding and suspension equipment.*



---

---

**ICS 17.120.20**

Price based on 26 pages

© ISO 2000 – All rights reserved