

INTERNATIONAL
STANDARD

ISO
6196-10

First edition
1999-10-15

Micrographics — Vocabulary —

Part 10:
Index

Micrographie — Vocabulaire —
Partie 10: Index



Reference number
ISO 6196-10:1999(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 6196-10 was prepared by Technical Committee ISO/TC 171, *Document imaging applications*, Subcommittee SC 3, *General issues*.

ISO 6196 consists of the following parts, under the general title *Micrographics — Vocabulary*:

- *Part 1: General terms*
- *Part 2: Image positions and methods of recording*
- *Part 3: Film processing*
- *Part 4: Materials and packaging*
- *Part 5: Quality of images, legibility, inspection*
- *Part 6: Equipment*
- *Part 7: Computer micrographics*
- *Part 8: Use*
- *Part 10: Index*

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

Introduction

Micrographics gives rise to numerous international exchanges of both an intellectual and a material nature. These exchanges often become difficult, either because of the great variety of terms used in various fields or languages to express the same concept, or because of the absence or imprecision of the definitions of useful concepts.

To avoid misunderstandings and to facilitate such exchanges it is essential to clarify the concepts, to select terms to be used in various languages or in various countries to express the same concept, and to establish definitions providing satisfactory equivalents for the various terms in different languages.

The purpose of ISO 6196 is to provide definitions that are rigorous, uncomplicated and which can be understood by all concerned. The scope of each concept defined has been chosen to provide a definition that is suitable for general application. In those circumstances, where a restricted application is concerned, the definition may need to be more specific.

However, while it is possible to maintain the self-consistency of this individual standard, the reader is warned that the dynamics of language and the problems associated with the standardization and maintenance of vocabularies may introduce duplications and inconsistencies among other standards

ISO 6196 consists of several parts published separately, as the work proceeds, their numbering beginning with 1.

Micrographics — Vocabulary —

Part 10: Index

1 Scope

This part of ISO 6196 provides an index, in alphabetical order, of the terms and definitions given in Parts 1 to 8 of ISO 6196.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 6196. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 6196 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 6196-1:1993, *Micrographics — Vocabulary — Part 1: General terms.*

ISO 6196-2:1993, *Micrographics — Vocabulary — Part 2: Image positions and methods of recording.*

ISO 6196-3:1997, *Micrographics — Vocabulary — Part 3: Film processing.*

ISO 6196-4:1998, *Micrographics — Vocabulary — Part 4: Materials and packaging.*

ISO 6196-5:1987, *Micrographics — Vocabulary — Part 5: Quality of images, legibility, inspection.*

ISO 6196-6:1992, *Micrographics — Vocabulary — Part 6: Equipment.*

ISO 6196-7:1992, *Micrographics — Vocabulary — Part 7: Computer micrographics.*

ISO 6196-8:1998, *Micrographics — Vocabulary — Part 8: Use.*

3 Classification of entries

A two-digit serial number is assigned to each part of ISO 6196, beginning with 01 for the part entitled "General terms".

Each entry is assigned a four-digit or six-digit index number; the first two digits being the serial number of the standard. Entries having a six-digit index number are terms having multiple meaning.

4 Alphabetical index

Index number

A

activator	03.12
acutance	05.03
adhesive back card (US)	04.47
adhesive card (US)	04.45
adhesive face card (US)	04.46
alphanumeric COM recorder	07.04
anticaloric mirror	06.01.11
aperture (of an optical system)	06.01.23
aperture (of aperture card)	04.43
aperture adhesive	04.44
aperture card	04.42
aperture card mounter	06.04.01
aperture card punch field	04.56
aperture plate	06.01.22
application	08.01
archival microfilm	04.11
area	
build-up	04.49
channel separation	04.37
coding	04.57
heading	04.21
image	01.06
automated retrieval device	06.07.15
automatic document feeder	06.02.12
automatic exposure control	06.02.14
average gradient	05.25

B

bar coding	08.06.05
base	04.01
basic COM recorder (US)	07.14
bath	03.07
bleaching	03.21
bleaching/fixing	03.22
blip	08.06.03.01
binary photo-optical coding	08.06.02
buildup area	04.49
buildup thickness	04.50

C

camera	
continuous form (US)	06.02.07
continuous stationery (GB)	06.02.07
dual	06.02.06

flatbed	06.02.02
microfiche	06.02.04
(microform)	06.02.01
planetary	06.02.02
rotary	06.02.03
step-and-repeat	06.02.04
camera card	04.51
camera head	06.02.08
camera processor	06.02.05
CAR (abbr)	07.24
card	
adhesive (US)	04.45
adhesive back (US)	04.47
adhesive face (US)	04.46
aperture	04.42
camera	04.51
copy	04.53
image	04.52
jacket type aperture (GB)	04.48
suspension type aperture (US)	04.48
tape-back (GB)	04.47
tape-face (GB)	04.46
tape-type (GB)	04.45
card column	04.54
card row	04.55
cartridge	04.29.01
cartridge	04.29.02
cartridge loader	06.04.02
cassette	04.30
catathermic filter	06.01.12
cathode ray tube COM recorder	07.09
channel separation area	04.37
characteristic curve	05.23
check pattern coding	08.06.04
cine mode	02.03
clearing (US)	03.15
clearing	03.16
coated lens	06.01.02
coding (for retrieval)	08.06
bar	08.06.05
binary photo-optical	08.06.02
check pattern	08.06.04
line	08.06.01
retrieval-mark	08.06.03
coding area	04.57
coding device	06.02.20
(colour) coupler	03.19
colour filter	06.01.14
colour processing	03.04
colour stripe	04.24

COM camera head.....	07.17
COM image generator	07.19
COM microform.....	07.23
COM recorder	07.03
alphanumeric	07.04
basic (US)	07.14
cathode ray tube	07.09
dumb (GB)	07.14
electron beam	07.11
front end (GB)	07.13
graphic	07.05
intelligent (US)	07.13
Kanji.....	07.12
laser-beam.....	07.10
off-line	07.16
on-line	07.15
raster.....	07.06
vector	07.07
COM street.....	07.08
comic mode.....	02.01
compensating filter	06.01.16
computer aided retrieval (of microforms/microimages).....	07.24
computer assisted retrieval (of microforms/microimages)	07.24
computer input (from) microform.....	07.26
computer micrographics.....	07.01
computer output microfilming	07.02
condensing lens	06.07.07
contact printing.....	08.02.01
continuous form camera (US)	06.02.07
continuous printing.....	08.02.03
continuous stationery camera (GB)	06.02.07
contrast (of an image).....	05.10
conventional processing	03.02
conversion filter.....	06.01.15
copy	01.26
distribution.....	04.27
hard-	01.24
copy card	04.53
core	04.31.01
core	04.31.02
core	04.31.03
corner cut.....	04.17
coupling agent.....	03.19
cut mark	04.18

D

data input unit	07.18
densitometer	06.06.03
depth of field	05.31
developer	03.10
developing agent.....	03.11

development	03.09
diazo coupler	03.20
diazo film	04.06
dichroic filter	06.01.10
digitization (of microimages)	07.25
direct positive silver film	04.05
direct retrieval	08.05.02
distribution copy	04.27
distribution microform	04.27
document holder	06.02.09
document mark	08.06.03.01
document stop	06.02.18
doped mercury lamp	06.01.08
driving roller	06.01.19
dry processing	03.06
drying	03.18
dual camera	06.02.06
dumb COM recorder (GB)	07.14
duo	02.09
duplex	02.08
duplicate	01.23

E

edge notch	04.15
electrolytic process	08.04.01
electron-beam COM recorder	07.11
electrostatic process	08.04.02
emulsion sheet	04.36
enlargement	01.25
enlargement	08.04
enlargement accessory	06.07.12
enlargement ratio	01.28
(equivalent) focal length (of a lens)	06.01.03
exposure	01.12
exposure time	01.13
external flare	08.03.05

F

fiche-to-fiche printing	08.02.05
fiche-to-roll printing	08.02.06

film

diazo	04.06
direct positive silver	04.05
micro	04.10
(photo-graphic)	04.03
reversal	04.08
silver	04.04
vesicular	04.07
film channel	04.38
film clamp	06.01.18
film gate	06.01.22
film platen	06.01.18

(film) processing.....	03.01
film processor.....	06.03.01
film rewind.....	06.04.04
filter	
catathermic	06.01.12
colour	06.01.14
compensating	06.01.16
conversion	06.01.15
dichroic	06.01.10
(light).....	06.01.09
neutral density	06.01.13
safelight.....	06.01.17
fixer	03.14
fixing.....	03.13
flare	08.03.04
external	08.03.05
internal	08.03.06
flash target retrieval	08.05.05
flatbed camera	06.02.02
floating lens	06.07.09
focusing.....	05.30
fog	05.12
fog level.....	05.13
form flash	07.22
form slide	07.20
frame.....	01.15
frame pitch (GB).....	01.18
front-end COM recorder (GB)	07.13
front projection	08.03.03
full reversal processing	03.03.01

G

gamma	05.24
generation	01.19
glass-guide.....	06.02.17
grain	05.05
graininess.....	05.06
granularity	05.07
graphic COM recorder	07.05
grid pattern	02.05

H

H and D curve.....	05.23
hand viewer.....	06.07.18
hard-copy	01.24
heading	04.22
heading area	04.21
heading area coating	04.25
hold-down bar	06.02.11
horizontal microfiche (GB)	02.02

horizontal mode (GB).....	02.01
horizontal mode (US).....	02.02

I

idle roller	06.01.20
image	01.06
latent	01.08
micro	01.03
negative-appearing	01.09
photographic	01.07
positive-appearing	01.10
image area	01.16
image arrangement.....	02.06
image block.....	01.17
image card	04.52
image count retrieval	08.05.03
image mark	08.06.03.01
image mark channel	08.06.03.02
image mark, large	08.06.03.05
image mark, medium	08.06.03.04
image mark, small.....	08.06.03.03
image rotating device.....	06.07.10
insertion opening (US)	04.39
inspection station	06.06.02
intelligent COM recorder (US)	07.13
interchangeable lens mount.....	06.01.07
intermediate	01.22
internal flare	08.03.06
ISO character.....	05.15
ISO No. 1 test chart	05.17
ISO No. 2 test chart	05.20
ISO No. 2 test pattern	05.18
ISO word.....	05.16

J

jacket filler	06.04.03
(jacket) registration holes.....	04.41
(jacket) support sheet	04.35
jacket-type aperture card (GB)	04.48

K

Kanji COM recorder	07.12
--------------------------	-------

L

laser-beam COM recorder	07.10
latent image	01.08
LE designation	04.13
leader	04.19
legibility	05.09

lens	06.01.01
coated	06.01.02
condensing	06.07.07
floating	06.07.09
lens mount	06.01.04
lens turret	06.01.05
life expectancy	04.12
life expectancy designation	04.13
light box	06.06.01
light exposure	01.14
(light) filter	06.01.09
lighting system	06.07.08
lightmeter	06.06.05
line	05.19
line coding	08.06.01
line pair	05.19
loop printer	06.05.02
luminance meter	06.06.05
luxmeter	06.06.06

M

magazine	04.28
margins	04.23
master	01.21
microdensitometer	06.06.04
microfiche	04.14
horizontal	02.02
vertical	02.04
microfiche camera	06.02.04
microfilm	04.10
archival	04.11
(rawstock)	04.09
(microfilm) jacket	04.34
microform	01.02
distribution	04.27
(microform) camera	06.02.01
microform carrier	06.07.05
microform carrier flat	06.07.06
(microform) duplicator	06.05.01
micrographics	01.01
microimage	01.03
microimage scanner	07.27
microtest chart	05.21

N

negative-appearing image	01.09
net density	05.11
neutral density filter	06.01.13

notch

edge	04.15
retrieval	04.16

n th generation of a microform	01.20
numbering device	06.02.19

O

odometer	06.01.24
odometer retrieval	08.05.06
off-line COM recorder	07.16
on-line COM recorder	07.15
opaque screen	06.07.04
orientation A	02.03
orientation B	02.01
original	01.04
overdevelopment	05.27
overexposure	05.29

P

partial reversal processing	03.03.02
photo-opaque coating	04.26
(photographic) film	04.03
photographic image	01.07
photosensitive layer	04.02
planetary camera	06.02.02
planetary filming	02.10
plate maker	06.07.17
polarity	01.11
polarity	05.08
positive-appearing image	01.10
pressure roller	06.01.21
printer	06.07.11
printing	08.02

contact	08.02.01
continuous	08.02.03
fiche-to-fiche	08.02.05
fiche-to-roll	08.02.06
loop	08.02.07
projection	08.02.02
step	08.02.04

projection (onto screen)	08.03.01
pull down (US)	01.18

R

raster COM recorder	07.06
(rawstock) microfilm	04.09
reader	06.07.01
reader-printer	06.07.13
rear projection	08.03.02
rebate	04.40
reduction ratio	01.27
reel	04.33
reproduction ratio	01.29
residual thiosulphate ion test	05.32
resolution	05.01
resolving power	05.02
retrieval	
direct	08.05.02
flash target	08.05.05
image count	08.05.03
odometer	08.05.06
sequental.....	08.05.01
sequential numbering.....	08.05.04
retrieval device	06.07.14
retrieval-mark coding	08.06.03
retrieval notch	04.16
reversal film.....	04.08
reversal processing.....	03.03
rotary camera.....	06.02.03
rotary filming	02.11

S

safelight filter	06.01.17
screen	06.07.02
semiautomated retrieval device	06.07.16
sensitometric curve	05.23
sequential retrieval.....	08.05.01
sequential numbering retrieval.....	08.05.04
sharpness	05.04
silver film	04.04
simplex.....	02.07
sliding lens mount	06.01.06
slot (GB).....	04.39
soft form	07.21
source document	01.05
spool	04.32
stabilization	03.15
step-and-repeat camera.....	06.02.04
step-and-repeat filming	02.12
stop bath	03.08
subsurface illuminator.....	06.02.10
suspension-type aperture card (US).....	04.48

T

tape-back card (GB)	04.47
tape-face card (GB)	04.46
tape-type card (GB)	04.45
test chart	05.14
test target	05.22
titling unit	06.02.13
trailer	04.20
translucent screen	06.07.03
transport mechanism	06.02.16

U

underdevelopment	05.26
underexposure	05.28

V

vector COM recorder	07.07
vertical microfiche (GB)	02.04
vertical mode (GB)	02.03
vertical mode (US)	02.04
vesicular film	04.07

W

washing	03.17
wet processing	03.05

ICS 01.040.37; 37.080

Price based on 8 pages
