

INTERNATIONAL STANDARD

ISO 7001

Third edition
2007-11-01

AMENDMENT 1
2013-06-01

Graphical symbols — Public information symbols

AMENDMENT 1

Symboles graphiques — Symboles destinés à l'information du public
AMENDEMENT 1



Reference number
ISO 7001:2007/Amd.1:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

Amendment 1 to ISO 7001:2007 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 1, *Public information symbols*.

Graphical symbols — Public information symbols

AMENDMENT 1


Add the following public information symbols:

- PI BP 006: Dogs should be carried
- PI BP 007: Take off your shoes
- PI CF 011: Internet café
- PI CF 014: Newsstand/News Kiosk/Newsagent
- PI PF 036: Child health care centre
- PI PF 043: Dentist
- PI PF 044: Health care centre or doctor
- PI PF 045: Accessibility, limited walking capability
- PI PF 046: Accessibility, assistance dog
- PI PF 047: Accessibility, personal assistant available
- PI PF 048: Accessibility, hard of hearing
- PI PF 049: Accessibility, vision impaired
- PI PF 050: Vegetarian food
- PI PF 051: Accessibility, blind or low vision
- PI PF 054: Museum
- PI PF 055: Priority access for elderly people
- PI PF 056: Priority access for injured people
- PI PF 057: Priority access for people with internal medical conditions
- PI PF 058: Priority access for people with small children
- PI PF 059: Priority access for expecting mothers
- PI PF 062: Communication in the specified language
- PI PF 063: Recycling – cans
- PI PF 064: Recycling – magnetic type of steel
- PI PF 065: Recycling – glass
- PI PF 066: Recycling

ISO 7001:2007/Amd.1:2013(E)

- PI SA 003: Indoor swimming pool
- PI SA 004: Sports hall
- PI TC 008: Natural area with public access
- PI TC 009: Hiking trail
- PI TC 010: Location for campfires
- PI TC 011: Bird sanctuary
- PI TC 012: Wetland reserve
- PI TC 013: Hot spring or hot tub
- PI TC 014: Audio tour
- PI TC 015: Indoor play area
- PI TC 016: Packed lunch room
- PI TF 022: Priority seats for elderly people
- PI TF 023: Priority seats for injured people
- PI TF 024: Priority seats for people with internal medical conditions
- PI TF 025: Priority seats for people with small children
- PI TF 026: Priority seats for expecting mothers
- PI TF 027: Airport bus
- PI TF 028: Transportation centre


PI BP 006: Dogs should be carried

	Reference No. <p style="text-align: center;">ISO 7001 - PI BP 006</p>
	Referent <p style="text-align: center;">Dogs should be carried</p>
	Function To indicate that dogs should be carried.
	Image content Upper half of human figure holding a dog.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> To indicate places such as escalators and moving walkways where people with dogs should carry them.	
<p>Need</p> It is not appropriate for dogs to be standing or walking in certain areas such as escalators.	
<p>Related meanings</p> —	
<p>Field of application</p> Behaviour of the public.	
<p>Context of use</p> At the entry point to an escalator, moving walkway, etc. where people with dogs should pick them up.	
<p>Additional information</p> Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol did not reach the criteria of acceptability. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI BP 007: Take off your shoes

	Reference No. ISO 7001 - PI BP 007
	Referent Take off your shoes
	Function To request those entering to remove their shoes.
	Image content A side view of foot and shoe.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning People take off their shoes.	
Need To request people entering to remove their shoes.	
Related meanings —	
Field of application Behaviour of the public.	
Context of use —	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension.	


PI CF 011: Internet café

	Reference No. <p style="text-align: center;">ISO 7001 - PI CF 011</p>
	Referent <p style="text-align: center;">Internet café</p>
	Function To indicate the location of a facility with access to computers with internet connection and where refreshments may be provided.
	Image content A coffee cup viewed from the side. The cup is branded with an "at" sign.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of the location of an internet café.	
Need To locate an internet café for potential users.	
Related meanings —	
Field of application Public facilities.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. It is recommended that this symbol is accompanied by text to increase comprehension.	


PI CF 014: Newsstand/News Kiosk/Newsagent

	Reference No. <p style="text-align: center;">ISO 7001 - PI CF 014</p>
	Referent <p style="text-align: center;">Newsstand/News Kiosk/Newsagent</p>
	Function To indicate the location of a newsstand/news kiosk/newsagent.
	Image content A magazine flipped open and a folded newspaper.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of the location of a newsstand/news kiosk/newsagent.	
Need To help people find or buy newspapers or magazines.	
Related meanings —	
Field of application Public facilities.	
Context of use This information appears on information-boards or in guide-books.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 036: Child health care centre

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 036</p>
	Referent <p style="text-align: center;">Child health care centre</p>
	Function To indicate the location of a facility where non-emergency child health care is provided.
	Image content Infant wearing diapers and a cross in the upper right corner.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Finding the location of a child health centre.</p> <p>Need</p> <p>When information about the location of a child healthcare centre is needed.</p> <p>Related meanings</p> <p>PI PF 023 Nursery or baby care</p> <p>Field of application</p> <p>Public facilities.</p> <p>Context of use</p> <p>This information appears on information-boards or in guide-books, on a sign or door.</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. It is recommended that this symbol is accompanied by text to increase comprehension.</p> <p>The cross may be replaced with another element appropriate to the cultural requirements of the target group.</p>	


PI PF 043: Dentist

	Reference No. ISO 7001 - PI PF 043
	Referent Dentist
	Function To indicate the location of a clinical facility for the treatment of teeth and gums.
	Image content A tooth viewed from the side. A cross in the upper right corner.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of a surgery for clinical treatment of teeth and gums.	
Need When information is needed about the location of a surgery for clinical treatment of teeth and gums.	
Related meanings —	
Field of application Public facilities.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. It is recommended that this symbol is accompanied by text to increase comprehension. The cross may be replaced with another element appropriate to the cultural requirements of the target group.	


PI PF 044: Health care centre or doctor

	<p>Reference No.</p> <p style="text-align: center;">ISO 7001 - PI PF 044</p>
	<p>Referent</p> <p style="text-align: center;">Health care centre or doctor</p>
	<p>Function</p> <p>To indicate the location of a facility where health care is offered.</p>
	<p>Image content</p> <p>Human figure in half figure viewed from the front, with stethoscope around the neck. Cross in the upper right corner.</p>
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Finding the location of a health care centre or doctor.</p> <p>Need</p> <p>When information is needed about a health care centre or doctor.</p> <p>Related meanings</p> <p>PI PF 036 Child health care centre.</p> <p>Field of application</p> <p>Public facilities.</p> <p>Context of use</p> <p>This information appears on information-boards or in guide-books, on a sign or door.</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. It is recommended that this symbol is accompanied by text to increase comprehension.</p> <p>The cross may be replaced with another element appropriate to the cultural requirements of the target group.</p>	


PI PF 045: Accessibility, limited walking capability

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 045</p>
	Referent <p style="text-align: center;">Accessibility, limited walking capability</p>
	Function To indicate accessibility for people with limited walking capability.
	Image content Leaning human figure viewed from the side, walking frame.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware that a place is accessible for people with limited walking capability.	
Need When information is needed about the accessibility of a place for people with limited walking capability.	
Related meanings PI PF 006 Full accessibility.	
Field of application Public facilities.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 046: Accessibility, assistance dog

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 046</p>
	Referent <p style="text-align: center;">Accessibility, assistance dog</p>
	Function To indicate that an assistance dog is permitted.
	Image content Side view of walking human figure holding lead, side view of dog with harness.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Being aware that a place or facility is accessible to people with assistance dogs (such as guide dogs for the blind and hearing dogs for the deaf).	
<p>Need</p> For people to be aware where assistance dogs are permitted.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities.	
<p>Context of use</p> This information appears on information-boards or in guide-books, on a sign or door.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 047: Accessibility, personal assistant available

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 047</p>
	Referent <p style="text-align: center;">Accessibility, personal assistant available</p>
	Function To indicate the availability of a personal assistant for people with functional impairments.
	Image content Two human figures viewed from the side, holding hands.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Understanding that a personal assistant for functionally impaired people is available.	
<p>Need</p> To provide assistance for functionally impaired people.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities.	
<p>Context of use</p> This information appears on information-boards or in guide-books, on a sign or door.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 048: Accessibility, hard of hearing

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 048</p>
	Referent <p style="text-align: center;">Accessibility, hard of hearing</p>
	Function To indicate facilities where there are special provisions for the hard of hearing.
	Image content Ear, broken line with points at each end.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Understanding whether a place is accessible for the hard of hearing.	
<p>Need</p> When information is needed about whether a place is accessible for the hard of hearing.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities.	
<p>Context of use</p> This information appears on information-boards or in guide-books, on a sign or door.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 049: Accessibility, vision impaired

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 049</p>
	Referent <p style="text-align: center;">Accessibility, vision impaired</p>
	Function To indicate facilities where there are special provisions for people with vision impairments.
	Image content Eye with one diagonal line passing through from top right to bottom left and six diagonal lines (alternating black and white) covering right side.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware that a place or facility is accessible to people with vision impairments.	
Need When information is needed about whether something is accessible for people with vision impairments.	
Related meanings PI PF 051 Accessibility, blind or low vision.	
Field of application Public facilities.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 050: Vegetarian food

	Reference No. ISO 7001 - PI PF 050
	Referent Vegetarian food
	Function To indicate where vegetarian food is available.
	Image content Fork, carrot.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Understanding where vegetarian food is available.	
Need When information is needed that vegetarian food is available.	
Related meanings —	
Field of application Public facilities.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 051: Accessibility, blind or low vision

	<p>Reference No.</p> <p style="text-align: center;">ISO 7001 - PI PF 051</p>
	<p>Referent</p> <p style="text-align: center;">Accessibility, blind or low vision</p>
	<p>Function</p> <p>To indicate facilities accessible to people who are blind or have low vision.</p>
	<p>Image content</p> <p>Human figure viewed from the side, walking with a cane.</p>
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Being aware that a place or facility is accessible to people who are blind or have low vision.</p> <p>Need</p> <p>When information is needed that a place or a facility is accessible for people who are blind or have low vision.</p> <p>Related meanings</p> <p>PI PF 049 Accessibility, vision impaired</p> <p>Field of application</p> <p>Public facilities.</p> <p>Context of use</p> <p>This information appears on information-boards or in guide-books, on a sign or door.</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.</p>	


PI PF 054: Museum

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 054</p>
	Referent <p style="text-align: center;">Museum</p>
	Function To indicate the location of a museum.
	Image content An antique building with columns viewed from the side. Base, four columns, triangular roof.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Finding the location of a museum.	
<p>Need</p> When information is needed about the location of a museum.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities.	
<p>Context of use</p> This information appears on information-boards or in guide-books, on a sign or door.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI PF 055: Priority access for elderly people

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 055</p>
	Referent <p style="text-align: center;">Priority access for elderly people</p>
	Function To indicate that elderly people are given priority access to facilities e.g. lifts.
	Image content Frontal view of standing human figure with cane.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Elderly people are given priority to use the facility and other people give way.	
Need Elderly people may need to be given priority.	
Related meanings PI TF 022, PI TF 023, PI TF 024, PI TF 025, PI TF 026, PI PF 056, PI PF 057, PI PF 058, PI PF 059.	
Field of application Public facilities.	
Context of use —	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension. This symbol is one of a set of five individual symbols, PI PF 055, PI PF 056, PI PF 057, PI PF 058 and PI PF 059. These symbols may be used in any combination as a set on one signboard.	


PI PF 056: Priority access for injured people

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 056</p>
	Referent <p style="text-align: center;">Priority access for injured people</p>
	Function To indicate that injured people are given priority access to facilities e.g. lifts.
	Image content Frontal view of standing human figure with crutch.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Injured people are given priority to use the facility and other people give way.</p> <p>Need</p> <p>Injured people may need to be given priority.</p> <p>Related meanings</p> <p>PI TF 022, PI TF 023, PI TF 024, PI TF 025, PI TF 026, PI PF 055, PI PF 057, PI PF 058, PI PF 059.</p> <p>Field of application</p> <p>Public facilities.</p> <p>Context of use</p> <p>—</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension.</p> <p>This symbol is one of a set of five individual symbols, PI PF 055, PI PF 056, PI PF 057, PI PF 058 and PI PF 059. These symbols may be used in any combination as a set on one signboard.</p>	


PI PF 057: Priority access for people with internal medical conditions

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 057</p>
	Referent <p style="text-align: center;">Priority access for people with internal medical conditions</p>
	Function To indicate that people with internal medical conditions are given priority access to facilities e.g. lifts.
	Image content Frontal view of standing human figure with cross included within a heart shape.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning People with an internal medical condition are given priority to use the facility and other people give way.	
Need People with an internal medical condition may need to be given priority.	
Related meanings PI TF 022, PI TF 023, PI TF 024, PI TF 025, PI TF 026, PI PF 055, PI PF 056, PI PF 058, PI PF 059.	
Field of application Public facilities.	
Context of use —	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension. This symbol is one of a set of five individual symbols, PI PF 055, PI PF 056, PI PF 057, PI PF 058 and PI PF 059. These symbols may be used in any combination as a set on one signboard. The cross may be replaced with another element appropriate to the cultural requirements of the target group.	


PI PF 058: Priority access for people with small children

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 058</p>
	Referent <p style="text-align: center;">Priority access for people with small children</p>
	Function To indicate that people with small children are given priority access to facilities e.g. lifts.
	Image content Frontal view of standing human figure holding a small child.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> People accompanied by small children are given priority to use the facility and other people give way.	
<p>Need</p> People with small children may need to be given priority.	
<p>Related meanings</p> PI TF 022, PI TF 023, PI TF 024, PI TF 025, PI TF 026, PI PF 055, PI PF 056, PI PF 057, PI PF 059.	
<p>Field of application</p> Public facilities.	
<p>Context of use</p> —	
<p>Additional information</p> Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension.	
This symbol is one of a set of five individual symbols, PI PF 055, PI PF 056, PI PF 057, PI PF 058 and PI PF 059. These symbols may be used in any combination as a set on one signboard.	


PI PF 059: Priority access for expecting mothers

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 059</p>
	Referent <p style="text-align: center;">Priority access for expecting mothers</p>
	Function To indicate that expecting mothers are given priority access to facilities e.g. lifts.
	Image content Side view of standing pregnant female figure.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Expecting mothers are given priority to use the facility and other people give way.	
Need Expecting mothers may need to be given priority.	
Related meanings PI TF 022, PI TF 023, PI TF 024, PI TF 025, PI TF 026, PI PF 055, PI PF 056, PI PF 057, PI PF 058.	
Field of application Public facilities.	
Context of use —	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension. This symbol is one of a set of five individual symbols, PI PF 055, PI PF 056, PI PF 057, PI PF 058 and PI PF 059. These symbols may be used in any combination as a set on one signboard.	


PI PF 062: Communication in the specified language

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 062</p>
	Referent <p style="text-align: center;">Communication in the specified language</p>
	Function To indicate that a specified language (e.g. Spanish) can be used for communication at this location.
	Image content Human figure and a language specified in a speech bubble. The language can be changed depending on the particular locale.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> People are able to make communication with the specified language.	
<p>Need</p> To aid people with specified language needs.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities.	
<p>Context of use</p> —	
<p>Additional information</p> Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension. The text may be replaced by an appropriate flag.	


PI PF 063: Recycling – cans

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 063</p>
	Referent <p style="text-align: center;">Recycling – cans</p>
	Function To indicate where cans can be placed for recycling.
	Image content Can, recycling triangle in top right-hand corner.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Identify the type of material being collected, sorted and recycled.	
Need Being aware of the location of recycling containers or bins for cans.	
Related meanings PI PF 064, PI PF 065, PI PF 066.	
Field of application Public facilities.	
Context of use This symbol appears in a public place or recycling station. You might find it on a banner at the side of the road.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	

PI PF 064: Recycling – magnetic type of steel

	<p>Reference No.</p> <p style="text-align: center;">ISO 7001 - PI PF 064</p>
	<p>Referent</p> <p style="text-align: center;">Recycling – magnetic type of steel</p>
	<p>Function</p> <p>To indicate where magnetic types of steel can be placed for recycling.</p>
	<p>Image content</p> <p>Magnet at angle facing from left to right, three lines at the end of each bar and line under, recycling triangle in top right-hand corner.</p>
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Identify the type of material being collected, sorted and recycled.</p> <p>Need</p> <p>Being aware of the location of recycling containers or bins for magnetic types of steel.</p> <p>Related meanings</p> <p>PI PF 063, PI PF 065, PI PF 066.</p> <p>Field of application</p> <p>Public facilities, commercial facilities.</p> <p>Context of use</p> <p>This symbol appears in a public place or recycling station. You might find it on a banner at the side of the road.</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.</p>	

PI PF 065: Recycling – glass

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 065</p>
	Referent <p style="text-align: center;">Recycling – glass</p>
	Function To indicate where glass can be placed for recycling.
	Image content Bottle, recycling triangle in top right-hand corner.

Human behaviour that is intended to be caused after understanding the public information symbol's meaning

Identify the type of material being collected, sorted and recycled.

Need

Being aware of the location of recycling containers or bins for glass.

Related meanings

PI PF 063, PI PF 064, PI PF 066.

Field of application

Public facilities, commercial facilities.

Context of use

This symbol appears in a public place or recycling station. You might find it on a banner at the side of the road.


Additional information

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.


Different colours may be used to indicate different types of glass (green, brown, etc.) or an outline for clear glass.




PI PF 066: Recycling

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 066</p>
	Referent <p style="text-align: center;">Recycling</p>
	Function To indicate the location of a recycling bin or container.
	Image content Recycling triangle.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Being aware of the location of recycling containers or bins.	
<p>Need</p> Being aware of the location of recycling containers.	
<p>Related meanings</p> PI PF 063, PI PF 064, PI PF 065.	
<p>Field of application</p> Public facilities, transport facilities, commercial facilities.	
<p>Context of use</p> This symbol appears in a public place such as an airport, train station, shopping mall, or city street. You might find it displayed on the front of a recyclable materials' bin/container.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI SA 003: Indoor swimming pool

	Reference No. <p style="text-align: center;">ISO 7001 - PI SA 003</p>
	Referent <p style="text-align: center;">Indoor swimming pool</p>
	Function To indicate the location of a building for public swimming or bathing.
	Image content Human figure swimming. Two wavy lines. Inverted "V" shape over.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of the location of an indoor swimming pool.	
Need When information is needed about the location of an indoor swimming pool.	
Related meanings —	
Field of application Sporting facilities.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. It is recommended that this symbol is accompanied by text to increase comprehension.	


PI SA 004: Sports hall

	Reference No. ISO 7001 - PI SA 004
	Referent Sports hall
	Function To indicate the location of a facility for indoor sports.
	Image content Racket, ball, hockey stick. Inverted "V" shape over.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of a sports hall.</p> <p>Need When information is needed about the location of a sports hall.</p> <p>Related meanings —</p> <p>Field of application Sporting facilities.</p> <p>Context of use This information appears on information-boards or in guide-books, on a sign or door.</p> <p>Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.</p>	


PI TC 008: Natural area with public access

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 008</p>
	Referent <p style="text-align: center;">Natural area with public access</p>
	Function To indicate the location of a natural area for recreation and outdoor life for the public.
	Image content Two human figures holding hands, tree in top right-hand corner.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of a natural area with public access.	
Need When information is needed about the location of a natural area with public access.	
Related meanings —	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	

PI TC 009: Hiking trail

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 009</p>
	Referent <p style="text-align: center;">Hiking trail</p>
	Function To indicate the location of a track suitable for hiking.
	Image content Human figure viewed from the side with a rucksack, walking with stick in hand. Tree in top right-hand corner.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Finding the location of a hiking trail.	
<p>Need</p> When information is needed about the location of a hiking trail.	
<p>Related meanings</p> —	
<p>Field of application</p> Tourism, culture and heritage.	
<p>Context of use</p> This information appears on information-boards or in guide-books, on a sign or door.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI TC 010: Location for campfires

	Reference No. ISO 7001 - PI TC 010
	Referent Location for campfires
	Function To indicate a location where campfires may be lit.
	Image content Flame above logs, tent in top right-hand corner.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of a site where campfires may be lit.	
Need To help people find a location where they may have a campfire.	
Related meanings —	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI TC 011: Bird sanctuary

	Reference No. ISO 7001 - PI TC 011
	Referent Bird sanctuary
	Function To indicate the location of a bird sanctuary.
	Image content Two birds flying.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of the location of a bird sanctuary.	
Need To find the location of a bird sanctuary.	
Related meanings —	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books.	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension.	


PI TC 012: Wetland reserve

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 012</p>
	Referent <p style="text-align: center;">Wetland reserve</p>
	Function To indicate the location of a wetland reserve.
	Image content Pointed grass in three places. Two sets of wave lines.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of the location of a wetland reserve.	
Need To find the location of a wetland reserve.	
Related meanings —	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI TC 013: Hot spring or hot tub

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 013</p>
	Referent <p style="text-align: center;">Hot spring or hot tub</p>
	Function To show the location of a hot spring suitable for bathing or a hot tub.
	Image content Three s-shaped lines above three half human figures in a circle.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of the location of a hot spring suitable for bathing or a hot tub.	
Need To find the location of a hot spring suitable for bathing or a hot tub.	
Related meanings —	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI TC 014: Audio tour

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 014</p>
	Referent <p style="text-align: center;">Audio tour</p>
	Function To indicate where audio tour equipment is available for the public.
	Image content Headset, human figure.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of a location where audio tour equipment is available.	
Need To find a location where audio tour equipment is available to the public (free or for hire).	
Related meanings —	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books.	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol did not reach the criteria of acceptability. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI TC 015: Indoor play area

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 015</p>
	Referent <p style="text-align: center;">Indoor play area</p>
	Function To indicate the location of a facility where children can play indoors.
	Image content Two children (one boy, one girl) viewed from the side, on their knees, toy truck, inverted "V" over.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Being aware of the location of the facility for children to play under cover.	
Need When information is needed about the location of the facility for children to play under cover.	
Related meanings PI TC 005 Outdoor play area	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol did not reach the criteria of acceptability. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	


PI TC 016: Packed lunch room

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 016</p>
	Referent <p style="text-align: center;">Packed lunch room</p>
	Function To indicate the location of an under-cover facility where people may consume their own food and drink.
	Image content Apple, vacuum flask, mug, viewed from the side. Inverted "V" over.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of an under-cover facility where people may consume their own food and drink.	
Need When information is needed about the location of an under-cover facility where people may consume their own food and drink.	
Related meanings PI TC 004 Picnic area.	
Field of application Tourism, culture and heritage.	
Context of use This information appears on information-boards or in guide-books, on a sign or door.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. It is recommended that this symbol is accompanied by text to increase comprehension.	


PI TF 022: Priority seats for elderly people

	<p>Reference No.</p> <p style="text-align: center;">ISO 7001 - PI TF 022</p>
	<p>Referent</p> <p style="text-align: center;">Priority seats for elderly people</p>
	<p>Function</p> <p>To indicate priority seats for elderly people.</p>
	<p>Image content</p> <p>Side view of sitting human figure with cane, horizontal line.</p>
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Elderly people are given priority to use the seats and other people give way.</p> <p>Need</p> <p>Elderly people are able to sit when required.</p> <p>Related meanings</p> <p>PI TF 023, PI TF 024, PI TF 025, PI TF 026, PI PF 055, PI PF 056, PI PF 057, PI PF 058, PI PF 059.</p> <p>Field of application</p> <p>Public facilities, transport facilities.</p> <p>Context of use</p> <p>—</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension.</p> <p>This symbol is one of a set of five individual symbols, PI TF 022, PI TF 023, PI TF 024, PI TF 025 and PI TF 026. These symbols may be used in any combination as a set on one signboard.</p>	


PI TF 023: Priority seats for injured people

	Reference No. <p style="text-align: center;">ISO 7001 - PI TF 023</p>
	Referent <p style="text-align: center;">Priority seats for injured people</p>
	Function To indicate priority seats for injured people.
	Image content Side view of sitting human figure with crutch, horizontal line.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Injured people are given priority to use the seats and other people give way.	
Need Injured people are able to sit when required.	
Related meanings PI TF 022, PI TF 024, PI TF 025, PI TF 026, PI PF 055, PI PF 056, PI PF 057, PI PF 058, PI PF 059.	
Field of application Public facilities, transport facilities.	
Context of use —	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension. This symbol is one of a set of five individual symbols, PI TF 022, PI TF 023, PI TF 024, PI TF 025 and PI TF 026. These symbols may be used in any combination as a set on one signboard.	


PI TF 024: Priority seats for people with internal medical conditions

	Reference No. <p style="text-align: center;">ISO 7001 - PI TF 024</p>
	Referent <p style="text-align: center;">Priority seats for people with internal medical conditions</p>
	Function To indicate priority seats for people with internal medical conditions.
	Image content Side view of sitting human figure with cross included within a heart shape, horizontal line.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> People with internal medical conditions are given priority to use the seats and other people give way.	
<p>Need</p> People with internal medical conditions are able to sit when required.	
<p>Related meanings</p> PI TF 022, PI TF 023, PI TF 025, PI TF 026, PI PF 055, PI PF 056, PI PF 057, PI PF 058, PI PF 059.	
<p>Field of application</p> Public facilities, transport facilities.	
<p>Context of use</p> —	
<p>Additional information</p> Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension.	
This symbol is one of a set of five individual symbols, PI TF 022, PI TF 023, PI TF 024, PI TF 025 and PI TF 026. These symbols may be used in any combination as a set on one signboard.	
The cross may be replaced with another element appropriate to the cultural requirements of the target group.	

PI TF 025: Priority seats for people with small children

	Reference No. <p style="text-align: center;">ISO 7001 - PI TF 025</p>
	Referent <p style="text-align: center;">Priority seats for people with small children</p>
	Function To indicate priority seats for people with small children.
	Image content Side view of sitting human figure with a small child on the knee, horizontal line.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning People accompanied by small children are given priority to use the seats and other people give way.	
Need People with small children are able to sit when required.	
Related meanings PI TF 022, PI TF 023, PI TF 024, PI TF 026, PI PF 055, PI PF 056, PI PF 057, PI PF 058, PI PF 059.	
Field of application Public facilities, transport facilities.	
Context of use —	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension. This symbol is one of a set of five individual symbols, PI TF 022, PI TF 023, PI TF 024, PI TF 025 and PI TF 026. These symbols may be used in any combination as a set on one signboard.	


PI TF 026: Priority seats for expecting mothers

	Reference No. <p style="text-align: center;">ISO 7001 - PI TF 026</p>
	Referent <p style="text-align: center;">Priority seats for expecting mothers</p>
	Function To indicate priority seats for expecting mothers.
	Image content Side view of sitting pregnant female figure, horizontal line.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning Expecting mothers are given priority to use the seats and other people give way.</p> <p>Need Expecting mothers are able to sit when required.</p> <p>Related meanings PI TF 022, PI TF 023, PI TF 024, PI TF 025, PI PF 055, PI PF 056, PI PF 057, PI PF 058, PI PF 059.</p> <p>Field of application Public facilities, transport facilities.</p> <p>Context of use —</p> <p>Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension. This symbol is one of a set of five individual symbols, PI TF 022, PI TF 023, PI TF 024, PI TF 025 and PI TF 026. These symbols may be used in any combination as a set on one signboard.</p>	

PI TF 027: Airport bus

	Reference No. ISO 7001 - PI TF 027
	Referent Airport bus
	Function To show the location of an airport bus.
	Image content Side view of bus with aircraft in upper right-hand corner.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding an airport bus.	
Need To find a location where there is a bus service to an airport.	
Related meanings ISO 7001 – PI TF 001 Airport or aircraft	
Field of application Transport facilities.	
Context of use This information appears on information boards or in guide books.	
Additional information Test data obtained according to ISO 9186-1 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. Although not required, accompanying text may be used to increase comprehension.	

PI TF 028: Transportation centre

	<p>Reference No.</p> <p style="text-align: center;">ISO 7001 - PI TF 028</p>
	<p>Referent</p> <p style="text-align: center;">Transportation centre</p>
	<p>Function</p> <p>To indicate the location of a facility where co-ordinated interchange between different forms of transport is provided.</p>
	<p>Image content</p> <p>Train, bus, taxi viewed from the front.</p>
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Being aware of the location of a transport interchange facility.</p> <p>Need</p> <p>When information is needed about the location of a transportation centre.</p> <p>Related meanings</p> <p>—</p> <p>Field of application</p> <p>Transport facilities.</p> <p>Context of use</p> <p>This information appears on information-boards or in guide-books, on a sign or door.</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.</p>	

