# INTERNATIONAL STANDARD

ISO 9183-2

Second edition 2011-09-15

## Tools for pressing — Wear plates for press dies —

Part 2: **Type B** 

Outillage de presse — Plaques de frottement — Partie 2: Type B





#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9183-2 was prepared by Technical Committee ISO/TC 29, Small tools, Subcommittee SC 8, Tools for pressing and moulding.

This second edition cancels and replaces the first edition (ISO 9183-2:1993), of which it constitutes a minor revision. In particular, the indication of surface textures has been updated in accordance with ISO 1302:2002.

ISO 9183 consists of the following parts, under the general title *Tools for pressing* — *Wear plates for press dies*:

- Part 1: Type A
- Part 2: Type B

### Tools for pressing — Wear plates for press dies —

## Part 2: **Type B**

#### 1 Scope

This part of ISO 9183 specifies the basic dimensions and tolerances, in millimetres, of wear plates, type B, intended for use mainly in large presses. It also specifies the size and positions of the clearance holes for attachment.

It gives guidance on the materials and hardness, and specifies the designation of wear plates for press dies, type B, which meet the requirements of this part of ISO 9183.

#### 2 Dimensions

The dimensions of wear plates for press dies shall be in accordance with the indications of Figures 1 and 2 and Table 1.

Dimensions in millimetres

Surface roughness values in micrometres




Figure 1 — Dimensions




Figure 2 — Clearance hole patterns

 $b_1$  $l_1$  $l_2$  $l_3$  $l_4$ **Figure** Number of  $b_2$  $b_3$  $b_4$ t nom. clearance holes ±0,25 ±0,1  $\pm 0,1$ ±0,1 ±0,1  $\pm 0,1$ ±0,1 for attachment -2 2 a) 2 b) 2 c) 2 d) 2 e) 2 c) 2 f) 2 g) 2 h) 2 e) 2 c) 2 f) 2 g)

Table 1 — Dimensions of wear plates for press dies

#### 3 Material and corresponding hardness

Material and hardness are left to the manufacturer's discretion.

#### 4 Designation

Wear plates in accordance with this part of ISO 9183 shall be designated by:

2 h)

- a) "wear plate";
- b) reference to this part of ISO 9183, i.e. ISO 9183-2:2011;
- c) its type (B);
- d) its width,  $b_1$ , in millimetres;
- e) its length,  $l_1$ , in millimetres.

EXAMPLE The designation for a wear plate for press dies, type B, of width  $b_1$  = 70 mm and length  $l_1$  = 100 mm is as follows:

Wear plate ISO 9183-2 B -  $70 \times 100$ 

### **Bibliography**

ISO 1302:2002, Geometrical Product Specifications (GPS) — Indication of surface texture in technical [1] product documentation



ICS 25.120.10

Price based on 4 pages