

First edition
2013-05-15

**Greenhouse gases — Carbon footprint
of products — Requirements and
guidelines for quantification and
communication**

*Gaz à effet de serre — Empreinte carbone des produits — Exigences
et lignes directrices pour la quantification et la communication*



Reference number
ISO/TS 14067:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions.....	1
3.2 Abbreviated terms.....	11
4 Application	11
5 Principles	11
5.1 General.....	11
5.2 Life cycle perspective.....	12
5.3 Relative approach and functional unit.....	12
5.4 Iterative approach.....	12
5.5 Scientific approach.....	12
5.6 Relevance.....	12
5.7 Completeness.....	12
5.8 Consistency.....	12
5.9 Coherence.....	13
5.10 Accuracy.....	13
5.11 Transparency.....	13
5.12 Avoidance of double-counting.....	13
5.13 Participation.....	13
5.14 Fairness.....	13
6 Methodology for CFP quantification	13
6.1 General.....	13
6.2 Use of CFP-PCR.....	14
6.3 Goal and scope of the CFP quantification.....	15
6.4 Life cycle inventory analysis for the CFP.....	20
6.5 Life cycle impact assessment.....	28
6.6 Life cycle interpretation.....	29
7 CFP study report	29
8 Preparation for publicly available CFP communication	31
8.1 General.....	31
8.2 CFP disclosure report.....	31
9 CFP communication	32
9.1 Options for CFP communication.....	32
9.2 CFP communication intended to be publicly available.....	35
9.3 CFP communication not intended to be publicly available.....	36
9.4 CFP communication programme.....	36
9.5 Creation of CFP-PCR.....	39
9.6 Additional aspects for CFP communication.....	39
Annex A (normative) The 100-year GWP	41
Annex B (normative) Limitations of the carbon footprint of a product	44
Annex C (informative) Possible procedures for the treatment of recycling in CFP studies	46
Annex D (normative) Comparison based on the CFP of different products	50
Bibliography	51

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is Technical Committee ISO/TC 207, *Environmental management*, Subcommittee SC 7, *Greenhouse gas management and related activities*.

Introduction

Climate change arising from anthropogenic activity has been identified as one of the greatest challenges facing countries, governments, business and individuals, with major implications for both human and natural systems. In response, international, regional, national and local initiatives are being developed and implemented to limit greenhouse gas (GHG) concentrations in the Earth's atmosphere. Such GHG initiatives rely on the assessment, monitoring, reporting and verification of GHG emissions and/or removals.

GHGs are emitted and removed throughout the life cycle of a product (i.e. cradle-to-grave) from raw material acquisition through production, use and end-of-life treatment.

This Technical Specification¹⁾ details principles, requirements and guidelines for the quantification and communication of the carbon footprint of products (CFPs), including both goods and services, based on GHG emissions and removals over the life cycle of a product. Requirements and guidelines for the quantification and communication of a partial carbon footprint of products (partial CFP) are also provided. The communication of the CFP to the intended audience is based on a CFP study report that provides an accurate, relevant and fair representation of the CFP.

This Technical Specification is based on existing International Standards ISO 14020, ISO 14024, ISO 14025, ISO 14040 and ISO 14044 and aims to set specific requirements for the quantification and communication of a CFP, including additional requirements where the CFP information is intended to be publicly available.

This Technical Specification is expected to benefit organizations, governments, communities and other interested parties by providing clarity and consistency in quantifying and communicating CFPs. Specifically, using life cycle assessment according to this Technical Specification with climate change as the single impact category may offer benefits through:

- providing requirements for the methods to be adopted in assessing the CFP;
- facilitating the tracking of performance in reducing GHG emissions;
- assisting in the creation of efficient and consistent procedures to provide CFP information to interested parties;
- providing a better understanding of the CFP such that opportunities for GHG reductions may be identified;
- providing CFP information to encourage changes in consumer behaviour which could contribute to reductions in GHG emissions through improved purchasing, use and end-of-life decisions;
- providing correct and consistent communication of CFPs which supports comparability of products in a free and open market;
- enhancing the credibility, consistency and transparency of the quantification, reporting and communication of the CFP;
- facilitating the evaluation of alternative product design and sourcing options, production and manufacturing methods, raw material choices, recycling and other end-of-life processes;
- facilitating the development and implementation of GHG management strategies and plans across product life cycles as well as the detection of additional efficiencies in the supply chain;

CFPs prepared in accordance with this Technical Specification contribute to the objectives of GHG related policies and/or regimes.

1) As the subject on quantification and communication of a carbon footprint of products is still under development, the agreement to publish an International Standard could not be reached and ISO/TC 207/SC 7 decided that the publication of a Technical Specification (according to the ISO/IEC Directives, Part 1) is appropriate.


An organization may wish to publicly communicate a CFP for many reasons which may include:

- providing information to consumers and others for decision-making purposes;
- enhancing climate change awareness and consumer engagement on environmental issues;
- supporting an organization’s commitment to tackling climate change;
- supporting implementation of policies on climate change management.

The requirements for communication provided in this Technical Specification vary with the option chosen for the CFP communication and the intended target group.

Figure 1 shows how CFP quantification is linked to CFP communication in this Technical Specification. The specific linkage depends on the choice of different options with respect to communication and verification. The structure of this Technical Specification corresponds to the flow as presented in Figure 1.

This Technical Specification addresses the single impact category of climate change. It does not assess any social or economic aspects or impacts or any other potential environmental aspects and related impacts arising from the life cycle of a product. Therefore a CFP assessed in accordance with this Technical Specification does not provide an indicator of any social or economic impact or the overall environmental impact of a product. Information on limitations of the CFPs based on this Technical Specification is included in Clause 4 and Annex B.



NOTE For more information on CFP communication options, see Figure 3.

Figure 1 — Linkage of CFP quantification and CFP communication

Greenhouse gases — Carbon footprint of products — Requirements and guidelines for quantification and communication

1 Scope

This Technical Specification specifies principles, requirements and guidelines for the quantification and communication of the carbon footprint of a product (CFP), based on International Standards on life cycle assessment (ISO 14040 and ISO 14044) for quantification and on environmental labels and declarations (ISO 14020, ISO 14024 and ISO 14025) for communication.

Requirements and guidelines for the quantification and communication of a partial carbon footprint of a product (partial CFP) are also provided.

This Technical Specification is applicable to CFP studies and different options for CFP communication based on the results of such studies.

Where the results of a CFP study are reported according to this Technical Specification, procedures are provided to support both transparency and credibility and also to allow for informed choices.

This Technical Specification also provides for the development of CFP-product category rules (CFP-PCR), or the adoption of product category rules (PCR) that have been developed in accordance with ISO 14025 and that are consistent with this Technical Specification.

This Technical Specification addresses only one impact category: climate change.

Offsetting is outside of the scope of this Technical Specification.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14025:2006, *Environmental labels and declarations — Type III environmental declarations — Principles and procedures*

ISO 14044:2006, *Environmental management — Life cycle assessment — Requirements and guidelines*

ISO 14050, *Environmental management — Vocabulary*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14050²⁾ and the following apply.

2) Terms and definitions in ISO 14050 are available via the ISO Online Browsing Platform (<https://www.iso.org/obp/ui/>).

3.1.1 Terms relating to CFP quantification

3.1.1.1

carbon footprint of a product

CFP

sum of *greenhouse gas emissions* (3.1.3.5) and *removals* (3.1.3.6) in a *product system* (3.1.4.2), expressed as *CO₂ equivalents* (3.1.3.2) and based on a *life cycle assessment* (3.1.5.3) using the single *impact category* (3.1.5.8) of climate change

Note 1 to entry: The CO₂ equivalent of a specific amount of a *greenhouse gas* (3.1.3.1) is calculated as the mass of a given greenhouse gas multiplied by its *global warming potential* (3.1.3.4).

Note 2 to entry: A list of greenhouse gases with their recognized global warming potentials is provided in [Annex A](#).

Note 3 to entry: A CFP can be disaggregated into a set of figures identifying specific GHG emissions and removals (see [Table 1](#)).

Note 4 to entry: Results of the quantification of the CFP are documented in the CFP study report expressed in mass of CO₂e per *functional unit* (3.1.4.8).

3.1.1.2

partial CFP

sum of *greenhouse gas emissions* (3.1.3.5) and *removals* (3.1.3.6) of one or more selected *process(es)* (3.1.4.6) of a *product system* (3.1.4.2), expressed as *CO₂ equivalents* (3.1.3.2) and based on the relevant stages or processes within the *life cycle* (3.1.5.2)

Note 1 to entry: A partial CFP is based on or compiled from data related to (a) specific process(es) or *information modules* (3.1.4.5), which is (are) part of a product system and may form the basis for quantification of a *CFP* (3.1.1.1). More detailed information on information modules is given in ISO 14025:2006, 5.4.

3.1.1.3

CFP study

study that quantifies the *CFP* (3.1.1.1) or a *partial CFP* (3.1.1.2)

3.1.1.4

offsetting

mechanism for compensating for all or for a part of the *CFP* (3.1.1.1) through the prevention of the release of, reduction in, or removal of an amount of *greenhouse gas emissions* (3.1.3.5) in a *process* (3.1.4.6) outside the boundary of the *product system* (3.1.4.2)

EXAMPLE Investment outside the relevant product system, e.g. in renewable energy technologies, energy efficiency measures, afforestation/reforestation.

Note 1 to entry: Offsetting is not allowed in the CFP quantification, and communication of offsetting related to the CFP is outside of the scope of this Technical Specification (see [6.3.4.1](#)).

[SOURCE: ISO 14021:1999/Amd.1:2011, 3.1.12, modified — To refer to all or part of the CFP, to revise the Example to identify types of investments implicated and delete “external” and to add a new Note 1 to entry providing information on rules regarding offsetting]

3.1.2 Terms relating to CFP communication

3.1.2.1

CFP communication programme

programme for the development and use of CFP communication based on a set of operating rules

Note 1 to entry: The programme may be voluntary or mandatory, international, national or sub-national.

3.1.2.2**CFP programme operator**

body or bodies that conduct a *CFP communication programme* ([3.1.2.1](#))

Note 1 to entry: A CFP programme operator can be a company or a group of companies, industrial sector or trade association, public authorities or agencies, or an independent scientific body or other *organization* ([3.1.6.1](#)).

[SOURCE: ISO 14025:2006, 3.4, modified — Specific references added to CFP in the preferred term, definition and Note to relate concept to CFP instead of a “type III environmental declaration programme”]

3.1.2.3**CFP disclosure report**

report required for publicly available CFP communication without third-party *CFP verification* ([3.1.9.1](#))

3.1.2.4**CFP external communication report**

report on the *CFP* ([3.1.1.1](#)) that is based on the CFP study report and intended to be communicated externally

3.1.2.5**CFP performance tracking report**

report comparing the *CFP* ([3.1.1.1](#)) of one specific *product* ([3.1.4.1](#)) of the same *organization* ([3.1.6.1](#)) over time

3.1.2.6**CFP label**

mark on a *product* ([3.1.4.1](#)) identifying its *CFP* ([3.1.1.1](#)) within a particular *product category* ([3.1.4.11](#)) according to the requirements of a *CFP communication programme* ([3.1.2.1](#))

3.1.2.7**CFP declaration**

declaration of the *CFP* ([3.1.1.1](#)) made according to the *CFP-PCR* ([3.1.4.13](#)) or relevant *PCR* ([3.1.4.12](#))

3.1.3 Terms relating to greenhouse gases**3.1.3.1****greenhouse gas****GHG**

gaseous constituent of the atmosphere, both natural and anthropogenic, that absorbs and emits radiation at specific wavelengths within the spectrum of infrared radiation emitted by the earth's surface, the atmosphere, and clouds

Note 1 to entry: A list of greenhouse gases with their recognized *global warming potentials* ([3.1.3.4](#)) is provided in [Annex A](#).

Note 2 to entry: Water vapour and ozone are anthropogenic as well as natural greenhouse gases but are not included as recognized greenhouse gases due to difficulties, in most cases, in isolating the human-induced component of global warming attributable to their presence in the atmosphere.

[SOURCE: ISO 14064-1:2006, 2.1, modified — Notes 1 and 2 to entry have been added; original Note listing examples of GHGs has been omitted]

3.1.3.2**carbon dioxide equivalent****CO₂ equivalent****CO₂e**

unit for comparing the radiative forcing of a *greenhouse gas* ([3.1.3.2](#)) to that of carbon dioxide

Note 1 to entry: Mass of a greenhouse gas is converted into CO₂ equivalents using *global warming potentials* ([3.1.3.4](#)).

Note 2 to entry: A list of GHGs with their recognized global warming potentials is provided in [Annex A](#).

[SOURCE: ISO 14064-1:2006, 2.19, modified — An additional preferred term has been included; Note 1 to entry has been reworded due to clarification; the reference in Note 2 to entry has been specified]

3.1.3.3

carbon storage

<in product> carbon removed from the atmosphere and stored as carbon in a *product* ([3.1.4.1](#))

3.1.3.4

global warming potential

GWP

characterization factor describing the radiative forcing impact of one mass-based unit of a given *greenhouse gas* ([3.1.3.2](#)) relative to that of carbon dioxide over a given period of time

Note 1 to entry: A list of greenhouse gases with their recognized global warming potentials is provided in [Annex A](#).

Note 2 to entry: “Characterization factor” is defined in ISO 14040:2006, 3.37.

[SOURCE: ISO 14064-1:2006, 2.18, modified — A specific reference to characterization factor has been added and reference to an equivalent unit has been deleted; Notes 1 and 2 to entry have been added]

3.1.3.5

greenhouse gas emission

GHG emission

mass of a *greenhouse gas* ([3.1.3.1](#)) released to the atmosphere

[SOURCE: ISO 14064-1:2006, 2.5, modified — The phrase “over a specified time period” has been omitted because the time period for a CFP is determined by the life cycle of the product; the term “total” has been omitted because a CFP allows for the quantification of emissions relevant to footprint calculation]

3.1.3.6

greenhouse gas removal

GHG removal

mass of a *greenhouse gas* ([3.1.3.1](#)) removed from the atmosphere

[SOURCE: ISO 14064-1:2006, 2.6, modified — The phrase “over a specified time period” has been omitted because the time period for a CFP is determined by the life cycle of the product; the term “total” has been omitted because CFP allows for the quantification of removals relevant to footprint calculation]

3.1.3.7

greenhouse gas emission factor

GHG emission factor

mass of a greenhouse gas ([3.1.3.1](#)) emitted relative to an input or an output of a unit process ([3.1.4.7](#)) or a combination of unit processes

Note 1 to entry: “Input” is defined in ISO 14040:2006, 3.21; “output” is defined in ISO 14040:2006, 3.25.

[SOURCE: ISO 14064-1:2006, 2.7, modified — Definition is written specifically to relate only to GHG emissions relative to given sources and units of activity; Note 1 to entry has been added]

3.1.3.8

greenhouse gas source

GHG source

process ([3.1.4.5](#)) that releases a *greenhouse gas* ([3.1.3.1](#)) into the atmosphere

Note 1 to entry: The process can be natural or anthropogenic.

[SOURCE: ISO 14064-1:2006, 2.2, modified — Reference to “physical unit” has been removed]

3.1.3.9 greenhouse gas sink GHG sink

process (3.1.4.6) that removes a *greenhouse gas* (3.1.3.1) from the atmosphere

Note 1 to entry: The process can be natural or anthropogenic.

[SOURCE: ISO 14064-1:2006, 2.2, modified – Reference to “physical unit” has been removed]

3.1.4 Terms relating to products, product systems and processes

3.1.4.1 product

any goods or service

Note 1 to entry: The product can be categorized as follows:

- service (e.g. transport, implementation of events, electricity);
- software (e.g. computer programme);
- hardware (e.g. engine mechanical part);
- processed material (e.g. lubricant, ore, fuel);
- unprocessed material (e.g. agricultural produce).

Note 2 to entry: Services have tangible and intangible elements. Provision of a service can involve, for example, the following:

- an activity performed on a customer-supplied tangible product (e.g. automobile to be repaired);
- an activity performed on a customer-supplied intangible product (e.g. the income statement needed to prepare a tax return);
- the delivery of an intangible product (e.g. the delivery of information in the context of knowledge transmission);
- the creation of ambience for the customer (e.g. in hotels and restaurants).

[SOURCE: ISO 14044:2006, 3.9, modified – Notes 1 and 2 to entry have been slightly modified, and Note 3 to entry dealing with the origin of the definition has been omitted]

3.1.4.2 product system

collection of *unit processes* (3.1.4.7) with *elementary flows* (3.1.4.10) and product flows, performing one or more defined functions and which models the *life cycle* (3.1.5.2) of a *product* (3.1.4.1)

Note 1 to entry: “Product flow” is defined in ISO 14040:2006, 3.27.

[SOURCE: ISO 14044:2006, 3.28, modified – Note 1 to entry has been added]

3.1.4.3 co-product

any of two or more *products* (3.1.4.1) coming from the same *unit process* (3.1.4.7) or *product system* (3.1.4.2)

[SOURCE: ISO 14040:2006, 3.10]

3.1.4.4 system boundary

set of criteria specifying which *unit processes* (3.1.4.7) are part of a *product system* (3.1.4.2)

[SOURCE: ISO 14044:2006, 3.32]

3.1.4.5

information module

compilation of data covering a *unit process* ([3.1.4.7](#)) or a combination of unit processes that are part of the *life cycle* ([3.1.5.2](#)) of a *product* ([3.1.4.1](#))

Note 1 to entry: One or more information modules can be the basis of a *partial CFP* ([3.1.1.2](#)), and several information modules can be the basis of a *CFP* ([3.1.1.1](#)).

[SOURCE: ISO 14025:2006, 3.13, modified – Removed reference in definition to being used as a basis for type III environmental declarations and added new Note 1 to entry]

3.1.4.6

process

set of interrelated or interacting activities that transforms inputs into outputs

[SOURCE: ISO 14044:2006, 3.11]

3.1.4.7

unit process

smallest element considered in the *life cycle inventory analysis* ([3.1.5.6](#)) for which input and output data are quantified

[SOURCE: ISO 14040:2006, 3.34]

3.1.4.8

functional unit

quantified performance of a *product system* ([3.1.4.2](#)) for use as a reference unit

Note 1 to entry: As the *CFP* ([3.1.1.1](#)) treats information on a *product* ([3.1.4.1](#)) basis, an additional calculation based on a product unit, sales unit or service unit can be presented.

Note 2 to entry: For the use of the term “product unit” see [6.3.3](#).

[SOURCE: ISO 14040:2006, 3.20, modified – Notes 1 and Note 2 to entry have been added]

3.1.4.9

reference flow

measure of the outputs from *processes* ([3.1.4.6](#)) in a given *product system* ([3.1.4.2](#)) required to fulfil the function expressed by the *functional unit* ([3.1.4.8](#))

Note 1 to entry: For an example of applying the concept of a reference flow, see Example in [6.3.3](#).

[SOURCE: ISO 14040:2006, 3.29, modified – Note 1 to entry has been added]

3.1.4.10

elementary flow

material or energy entering the system being studied that has been drawn from the environment without previous human transformation, or material or energy leaving the system being studied that is released into the environment without subsequent human transformation

Note 1 to entry: “Environment” is defined in ISO 14001:2004, 3.5.

[SOURCE: ISO 14044:2006, 3.12, modified – Note 1 to entry has been added]

3.1.4.11

product category

group of *products* ([3.1.4.1](#)) that can fulfil equivalent functions

[SOURCE: ISO 14025:2006, 3.12]

3.1.4.12 product category rules PCR

set of specific rules, requirements and guidelines for developing Type III environmental declarations for one or more *product categories* (3.1.4.11)

Note 1 to entry: PCR include quantification rules compliant with ISO 14044.

Note 2 to entry: “Type III environmental declaration” is defined in ISO 14025:2006, 3.2.

[SOURCE: ISO 14025:2006, 3.5, modified – Notes 1 and 2 to entry have been added]

3.1.4.13 carbon footprint of a product-product category rules CFP-PCR

set of specific rules, requirements and guidelines for quantification of and communication on the *CFP* (3.1.1.1) for one or more *product categories* (3.1.4.11)

3.1.4.14 service life

period of time during which a *product* (3.1.4.1) in use meets or exceeds the performance requirements

[SOURCE: ISO 15686-1:2011, 3.25, modified – More general wording has been used]

3.1.5 Terms relating to life cycle assessment

3.1.5.1 cut-off criteria

specification of the amount of material or energy flow or the level of significance associated with *unit processes* (3.1.4.7) or *product system* (3.1.4.2) to be excluded from a *CFP study* (3.1.1.3)

Note 1 to entry: “Energy flow” is defined in ISO 14040:2006, 3.13.

[SOURCE: ISO 14044:2006, 3.18, modified – The term “environmental significance” has been changed to “significance” and “study” has been changed to “CFP study”; Note 1 to entry has been added]

3.1.5.2 life cycle

consecutive and interlinked stages of a *product system* (3.1.4.2), from raw material acquisition or generation from natural resources to final disposal

Note 1 to entry: “Raw material” is defined in ISO 14040:2006, 3.15.

[SOURCE: ISO 14044:2006, 3.1, modified – Note 1 to entry has been added]

3.1.5.3 life cycle assessment LCA

compilation and evaluation of the inputs, outputs and the potential environmental impacts of a *product system* (3.1.4.2) throughout its *life cycle* (3.1.5.2)

Note 1 to entry: “Environmental impact” is defined in ISO 14001:2004, 3.7.

[SOURCE: ISO 14044:2006, 3.2, modified – Note 1 to entry has been added]

3.1.5.4

life cycle impact assessment

LCIA

phase of *life cycle assessment* (3.1.5.3) aimed at understanding and evaluating the magnitude and significance of the potential environmental impacts for a *product system* (3.1.4.2) throughout the *life cycle* (3.1.5.2) of the *product* (3.1.4.1)

[SOURCE: ISO 14044:2006, 3.4]

3.1.5.5

life cycle interpretation

phase of *life cycle assessment* (3.1.5.3) in which the findings of either the *life cycle inventory analysis* (3.1.5.6) or the *life cycle impact assessment* (3.1.5.4), or both, are evaluated in relation to the defined goal and scope in order to reach conclusions and recommendations

[SOURCE: ISO 14044:2006, 3.5, modified – The “inventory analysis” has been expanded by using the term “life cycle inventory analysis”]

3.1.5.6

life cycle inventory analysis

LCI

phase of *life cycle assessment* (3.1.5.3) involving the compilation and quantification of inputs and outputs for a *product* (3.1.4.1) throughout its *life cycle* (3.1.5.2)

[SOURCE: ISO 14044:2006, 3.3]

3.1.5.7

sensitivity analysis

systematic procedures for estimating the effects of the choices made regarding methods and data on the outcome of a *CFP study* (3.1.1.3)

[SOURCE: ISO 14044:2006, 3.31, modified – By making specific reference to CFP study]

3.1.5.8

impact category

class representing environmental issues of concern to which *life cycle inventory analysis* (3.1.5.6) results may be assigned

[SOURCE: ISO 14040:2006, 3.39]

3.1.5.9

waste

substances or objects which the holder intends or is required to dispose of

Note 1 to entry: This definition is taken from the *Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal* (22 March 1989), but is not confined in this Technical Specification to hazardous waste.

[SOURCE: ISO 14040:2006, 3.35]

3.1.6 Terms relating to organizations and interested parties

3.1.6.1

organization

person or group of people that has its own functions with responsibilities, authorities and relationships to achieve its objectives

Note 1 to entry: The concept of organization includes, but is not limited to sole-trader, company, corporation, firm, enterprise, authority, partnership, charity or institution, or part or combination thereof, whether incorporated or not, public or private.

3.1.6.2**supply chain**

those involved, through upstream and downstream linkages, in *processes* (3.1.4.6) and activities delivering value in the form of *products* (3.1.4.1) to the user

Note 1 to entry: In practice, the expression “interlinked chain” applies from suppliers to those involved in end-of-life processing which may include vendors, manufacturing facilities, logistics providers, internal distribution centres, distributors, wholesalers and other entities that lead to the end user.

[SOURCE: ISO/TR 14062:2002, 3.9, modified — Examples have been added to Note 1 to entry; Note 2 to entry has been deleted]

3.1.6.3**consumer**

individual member of the general public purchasing or using goods, property or services for private purposes

[SOURCE: ISO 14025:2006, 3.16]

3.1.6.4**interested party**

person or *organization* (3.1.6.1) that can affect, be affected by, or perceive themselves to be affected by a decision or activity

Note 1 to entry: This can be an individual or group that has an interest in any decision or activity of an organization.

3.1.7 Terms relating to data and data quality**3.1.7.1****primary data**

quantified value of a *unit process* (3.1.4.7) or an activity obtained from a direct measurement or a calculation based on direct measurements at its original source

Note 1 to entry: Primary data need not necessarily originate from the *product system* (3.1.4.2) under study because primary data may relate to a different but comparable product system to that being studied.

Note 2 to entry: Primary data may include *GHG emission factors* (3.1.3.7) and/or GHG activity data (defined in ISO 14064-1:2006, 2.11).

3.1.7.2**site-specific data**

data obtained from a direct measurement or a calculation based on direct measurement at its original source within the *product system* (3.1.4.2)

Note 1 to entry: All site-specific data are *primary data* (3.1.7.1) but not all primary data are site-specific data because they may also relate to a different product system.

3.1.7.3**secondary data**

data obtained from sources other than a direct measurement or a calculation based on direct measurements at the original source

Note 1 to entry: Such sources can include databases and published literature validated by competent authorities.

3.1.7.4**uncertainty**

parameter associated with the result of quantification which characterizes the dispersion of the values that could be reasonably attributed to the quantified amount

Note 1 to entry: Uncertainty information typically specifies quantitative estimates of the likely dispersion of values and a qualitative description of the likely causes of the dispersion.

[SOURCE: ISO 14064-1:2006, 2.37]

3.1.8 Terms relating to biogenic material and land use

3.1.8.1

biomass

material of biological origin excluding material embedded in geological formations and material transformed to fossilized material, and excluding peat

Note 1 to entry: Biomass includes organic material (both living and dead), e.g. trees, crops, grasses, tree litter, algae, animals, and *waste* (3.1.5.9) of biological origin, e.g. manure.

3.1.8.2

biogenic carbon

carbon derived from *biomass* (3.1.8.1)

3.1.8.3

fossil carbon

carbon which is contained in fossilized material

Note 1 to entry: Examples of fossilized material are coal, oil and natural gas.

3.1.8.4

direct land use change

dLUC

change in human use or management of land within the *product system* (3.1.4.2) being assessed

3.1.8.5

indirect land use change

iLUC

change in the use or management of land which is a consequence of *direct land use change* (3.1.8.4), but which occurs outside the *product system* (3.1.4.2) being assessed

3.1.9 Terms relating to CFP verification

3.1.9.1

CFP verification

confirmation, through provision of evidence, that specified requirements related to a *CFP study* (3.1.1.3) and a CFP communication have been fulfilled

[SOURCE: ISO 9000:2005, 3.8.4, modified – Changed term designation and definition to be specific to CFP verification]

3.1.9.2

CFP verifier

competent person, body or team that carries out a *CFP verification* (3.1.9.1)

[SOURCE: ISO 14025:2006, 3.8, modified – Changed term designation and definition to be specific to CFP verification and added reference to essential characteristic of the CFP verifier being competent]

3.1.9.3

critical review

activity intended to ensure consistency between the *CFP study* (3.1.1.3) and the principles and requirements according to [Clauses 5, 6](#) and [7](#) of this Technical Specification

[SOURCE: ISO 14040:2006, 3.45, modified – Replaced “process” by “activity”, “life cycle assessment” by “CFP study” and “the International Standards on life cycle assessment” by “according to [Clauses 5, 6](#) and [7](#) of this Technical Specification”]

3.1.9.4**sensitivity check**

activity of verifying that the information obtained from a *sensitivity analysis* ([3.1.5.7](#)) is relevant for reaching the conclusions and giving recommendations

[SOURCE: ISO 14044:2006, 3.43, modified – Replaced “process” by “activity”]

3.2 Abbreviated terms

CFP	carbon footprint of a product
CFP-PCR	carbon footprint of a product – product category rules
CH ₄	methane
CO ₂	carbon dioxide
CO ₂ e	carbon dioxide equivalent
dLUC	direct land use change
GHG	greenhouse gas
GWP	global warming potential
iLUC	indirect land use change
IPCC	Intergovernmental Panel on Climate Change
LCA	life cycle assessment
LCIA	life cycle impact assessment
LCI	life cycle inventory analysis
LUC	land use change
N ₂ O	nitrous oxide
PCR	product category rules

4 Application

As with all ISO International Standards, this Technical Specification is not intended to create barriers to trade or to contradict any World Trade Organization requirements.

The CFP study shall not be used for a communication on overall environmental superiority because a CFP study covers only a single impact category.

Comparisons based on the CFP of different products shall not be made public unless the requirements of [Annex D](#) are fulfilled, because of the inherent limitations of the CFP approach (see also [Annex B](#)).

NOTE Guidance for the use of successive CFPs in performance tracking of a product is provided in [9.1.3](#).

5 Principles**5.1 General**

These principles are the basis for the subsequent requirements in this Technical Specification.

The quantification and reporting of a CFP in accordance with this Technical Specification is based on the principles of the LCA methodology provided in ISO 14040 and ISO 14044. The communication of a CFP in accordance with this Technical Specification is based on the relevant principles of ISO 14020, ISO 14024 and ISO 14025.

5.2 Life cycle perspective

The development of CFP quantification and CFP communication takes into consideration all stages of the life cycle of a product, including raw material acquisition, production, use and the end-of-life stage.

NOTE 1 This subclause is adapted from ISO 14040:2006, 4.1.2.

NOTE 2 Under certain conditions partial CFPs can be added together to quantify and communicate the CFP (see [6.1](#)).

5.3 Relative approach and functional unit

Structure the CFP study around a functional unit and calculate the results relative to this functional unit.

NOTE This subclause is adapted from ISO 14040:2006, 4.1.4.

5.4 Iterative approach

When applying the four phases of LCA (goal and scope definition, life cycle inventory analysis (LCI), life cycle impact assessment (LCIA) and interpretation, see [6.1](#)) to a CFP study, take an iterative approach of continuous reassessment as needed when refining the CFP study. The iterative approach will contribute to the consistency of the CFP study and the reported results.

NOTE This subclause is adapted from ISO 14040:2006, 4.1.5.

5.5 Scientific approach

When making decisions within a LCA, give preference to natural science (such as physics, chemistry, biology). If this is not possible, use other scientific approaches (such as social and economic sciences) or refer to approaches contained in conventions relevant and valid within the geographical scope as defined in [6.3.2](#) of this Technical Specification. Permit decisions within a LCA based on value choices, as appropriate, only if neither a natural scientific basis exists nor a justification based on other scientific approaches or international conventions is possible, and explain the rationale for such value choices.

NOTE 1 See [6.4.6.2](#), bullet c).

NOTE 2 This subclause is adapted from ISO 14040:2006, 4.1.8.

5.6 Relevance

Select data and methods appropriate to the assessment of the GHG emissions and removals arising from the product system being studied.

5.7 Completeness

Include all GHG emissions and removals that provide a significant contribution to the CFP of the product system being studied.

5.8 Consistency

Apply assumptions, methods and data in the same way throughout the CFP study to arrive at conclusions in accordance with the goal and scope definition.

5.9 Coherence

Select methodologies, standards and guidance documents already recognized and adopted for product categories to enhance comparability between CFPs within any specific product category.

5.10 Accuracy

Ensure that CFP quantification and communication are accurate, verifiable, relevant and not misleading and that bias and uncertainties are reduced as far as is practical.

5.11 Transparency

Address and document all relevant issues in an open, comprehensive and understandable presentation of information.

Disclose any relevant assumptions and make appropriate references to the methodologies and data sources used. Clearly explain any estimates and avoid bias so that the CFP study report faithfully represents what it purports to represent.

Ensure that CFP communication is available to the intended audience and its intended meaning is presented in a way that is clear, meaningful and understandable. Include information on functional unit, data assumptions, calculation methods and other characteristics to make limitations in the comparisons of CFPs transparent and clear to the target group. Present CFP information so that it is accurate, verifiable, relevant and not misleading.

5.12 Avoidance of double-counting

Avoid double counting of GHG emissions and removals within the studied product system and avoid the allocation of GHG emissions and removals that have already been taken into account within other product systems.

NOTE See example given in [6.4.9.3](#), Note.

5.13 Participation

Apply an open, participatory process with interested parties when developing and implementing CFP communication programmes and undertake reasonable efforts to achieve a consensus throughout the process.

NOTE This subclause is adapted from ISO 14020:2000, 4.9.1.

5.14 Fairness

Make clear that the CFP communication is based on a CFP study that assesses the single impact category of climate change and does not imply overall environmental superiority nor examine broader environmental implications. Do not confuse quantified GHG emissions with reductions in GHG emissions.

6 Methodology for CFP quantification

6.1 General

A CFP study according to this Technical Specification shall include the four phases of LCA, i.e., goal and scope definition (see [6.3](#)), LCI (see [6.4](#)), LCIA (see [6.5](#)) and life cycle interpretation (see [6.6](#)).

The unit processes comprising the product system shall be grouped into life cycle stages, e.g. raw material acquisition, production, distribution, use and end-of-life.

GHG emissions and removals from the product's life cycle shall be assigned to the life cycle stage in which the GHG emissions and removals occur.

Partial CFPs may be added together to quantify the CFP, provided that they are performed according to the same methodology and that no gaps and overlaps exist.

NOTE As an example from the construction sector, it is possible to have a partial CFP for a substance or preparation (e.g. cement), for a bulk product (e.g. gravel), for a service (e.g. maintenance of a building) or for an assembled system (e.g. masonry wall).

6.2 Use of CFP-PCR

6.2.1 General

Where relevant PCR or CFP-PCR exist, they shall be adopted. PCR or CFP-PCR are relevant provided they

- have been developed in accordance with ISO 14025, this Technical Specification or any other relevant sector-specific ISO standard,
- comply with the requirements of [6.2](#), [6.3](#), [6.4](#), [6.5](#) and [9.5](#), and
- are considered proper (e.g. for system boundaries, modularity, allocation and data quality) by the organization applying this Technical Specification (for CFP-PCR see [9.5](#)) and are in accordance with the principles in [Clause 5](#).

NOTE Examples of organizations that apply this Technical Specification are producers, owners and commissioners of the CFP study.

If more than one set of relevant PCR or CFP-PCR exist, the relevant PCR or CFP-PCR shall be reviewed by the organisation applying this Technical Specification (e.g. for system boundaries, modularity, allocation, data quality). The choice of the PCR or CFP-PCR adopted shall be justified.

When all above-mentioned requirements are met by PCR, those PCR are equivalent to the CFP-PCR.

If CFP-PCR are adopted for the CFP study, the quantification shall be conducted according to the requirements in these CFP-PCR.

Where no relevant CFP-PCR exist, the requirements and guidance of other internationally agreed sector-specific documents, related to specific materials or product categories, should be adopted, if they comply with the requirements of this Technical Specification and are considered appropriate by the organization applying this Technical Specification.

6.2.2 Content of CFP-PCR

The CFP-PCR shall identify and document the goal and scope of the CFP study for the product category according to [6.3](#) and the rules for producing additional information for the product category. The CFP-PCR shall also determine the life cycle stages to be included, the parameters to be covered, and the way in which the parameters shall be collated and documented.

The CFP-PCR shall include, but are not limited to, the following:

- a) instructions on the content of the CFP communication;
- b) information on, and justification for, which life cycle stages are covered and which are not, if the communication is not based on a CFP covering all life cycle stages;
- c) product category definition and description (e.g. function, technical performance and use);
- d) goal and scope definition for the CFP including:
 - functional unit;

- system boundary;
 - description of data;
 - criteria for the inclusion of inputs and outputs;
 - data quality requirements including coverage, site-specific data content, precision, completeness, representativeness, consistency, reproducibility, sources, uncertainty and units;
- e) LCI, including:
- data collection;
 - quantification procedures (according to [Clause 6](#));
 - allocation of flows and releases;
- f) period of validity.

NOTE The numbered list above is adapted from ISO 14025:2006, 6.7.1.

The CFP-PCR may include additional guidance, e.g. for use and end-of-life stages.

6.3 Goal and scope of the CFP quantification

6.3.1 Goal of a CFP study

The goal of carrying out a CFP study is to calculate the potential contribution of a product to global warming expressed as CO_{2e} by quantifying all significant GHG emissions and removals over the product's life cycle.

NOTE 1 This quantification supports a range of objectives and applications, including, but not limited to, individual studies, comparative studies in accordance with [Annex D](#) and performance tracking over time, and is intended for a range of audiences.

NOTE 2 Guidance on goal and scope definition is provided in ISO 14040:2006, 5.2 and specific requirements are given in ISO 14044:2006, 4.2.

In defining the goal of a CFP study, the following items shall be unambiguously stated:

- the intended application;
- the reasons for carrying out the CFP study; and
- if any, the intended CFP communication according to [Clause 9](#) and the intended audience, i.e., to whom the results of the CFP study are intended to be communicated.

NOTE 3 This subclause is adapted from ISO 14044:2006, 4.2.2.

6.3.2 Scope of a CFP study

The scope of a CFP study shall be consistent with the goal of the CFP study (see [6.3.1](#)).

In defining the scope of the CFP study, the following items shall be considered and clearly described, taking into account the requirements and guidance given in the relevant sub-clauses of this Technical Specification:

- a) the product system to be studied and its functions;
- b) the functional unit (see [6.3.3](#));
- c) the system boundary, including the geographical scope of the product system (see [6.3.4](#));
- d) data and data quality requirements (see [6.3.5](#));

- e) time boundary for data (see [6.3.6](#));
- f) assumptions especially for the use stage and the end-of-life stage (see [6.3.7](#) and [6.3.8](#));
- g) allocation procedures (see [6.4.6](#));
- h) specific GHG emissions and removals (see [6.4.9](#)), e.g. due to land use change (LUC) (see [6.4.9.4](#));
- i) methods to address issues occurring with specific product categories, e.g. carbon storage (see [6.4.9.6](#));
- j) CFP study report (see [Clause 7](#));
- k) type of critical review, if any (see [8.1](#));
- l) limitations of the CFP study (see [Annexes B](#) and [D](#)).

In some cases, the scope of the CFP study may be revised due to unforeseen limitations, constraints or as a result of additional information. Such modifications, together with their explanation, shall be documented.

6.3.3 Functional unit

A CFP study shall clearly specify the functions of the product system being studied. The functional unit shall be consistent with the goal and scope of the CFP study. The primary purpose of a functional unit is to provide a reference to which the inputs and outputs are related. Therefore the functional unit shall be clearly defined and measurable.

When the use of the CFP-PCR is decided, the requirements in the CFP-PCR shall be followed.

When CFP-PCR are adopted, the functional unit used shall be that defined in the CFP-PCR and be consistent with the goal and scope of the CFP study.

Having chosen the functional unit, the reference flow shall be defined.

Comparisons between product systems shall be made on the basis of the same function(s), quantified by the same functional unit(s) in the form of their reference flows. If additional functions of any of the product systems are not taken into account in the comparison of functional units, then these omissions shall be explained and documented. As an alternative to this approach, systems associated with the delivery of these functions may be added to the boundary of the other product system to make the product systems more comparable. In these cases, the processes selected shall be explained and documented.

NOTE 1 The first, fourth and fifth paragraphs of this subclause are adapted from ISO 14044:2006, 4.2.3.2.

NOTE 2 The choice of the functional unit and the associated reference flow requires special attention, e.g. in order to allow comparisons without bias (see also [Annex D](#)).

EXAMPLE In the function of drying hands, both a paper towel and an air-dryer system are studied. The selected functional unit may be expressed in terms of the identical number of pairs of hands dried for both systems. For each system, it is possible to determine the reference flow, e.g. the average mass of paper or the average volume of hot air required to dry one pair of hands, respectively. For both systems, it is possible to compile an inventory of inputs and outputs on the basis of the reference flows. At its simplest level, in the case of paper towel, this would be related to the paper consumed. In the case of the air-dryer, this would be related to the volume and temperature of hot air needed to dry the hands.

Results of the quantification of the CFP shall be documented in the CFP study report in mass of CO_{2e} per functional unit.

NOTE 3 The example above is taken from ISO 14040:2006, 5.2.2, with modifications.

A CFP may be reported on a self-selected product unit basis, e.g. one item of product, provided that a functional unit is also presented and the relationship of the functional unit to the product unit is documented and explained.

6.3.4 System boundary

6.3.4.1 General

The system boundary shall be the basis used to determine which unit processes are included within the CFP study.

Where CFP-PCR are used (see [6.2](#)), their requirements on the processes to be included shall also apply.

The selection of the system boundary shall be consistent with the goal of the CFP study. The criteria, e.g. cut-off criteria, used in establishing the system boundary shall be identified and explained.

Decisions shall be made regarding which unit processes to include in the CFP study and to which level of detail these unit processes shall be studied. The deletion of life cycle stages, processes, inputs or outputs is only permitted if they do not significantly change the overall conclusions of the CFP study. Any decisions to omit life cycle stages, processes, inputs or outputs shall be clearly stated and the reasons and implications for their omission shall be explained. The threshold for significance shall be stated and justified.

Decisions made regarding which unit processes, inputs and outputs shall be included and the level of detail of the CFP quantification shall be clearly stated.

NOTE 1 The first five paragraphs of this subclause are adapted from ISO 14044:2006, 4.2.3.3.

The CFP and the partial CFP shall not include offsetting.

NOTE 2 GHG removals that are not linked to offsetting can occur within the boundaries of the product system.

6.3.4.2 System boundary options

The setting of the system boundary can be different depending on the intended use of the CFP study. Where the assessment of the CFP is intended to be publicly available, the quantification of the CFP shall comprise all stages of the life cycle, if not otherwise specified in [9.6.2](#).

Where the assessment of the CFP is not intended to be publicly available, a partial CFP shall, as a minimum, represent the cradle-to-gate GHG emissions and removals arising from all stages, processes/modules up to the point where the product leaves the production site (the “gate”).

As an exception, a partial CFP representing a gate-to-gate approach may be adopted because of difficulties in obtaining representative data for the cradle to receiving gate stage, when operated by different organizations in the supply chain.

This exception shall be consistent with the scope of the CFP study and justified in the CFP study report.

For internal applications (e.g. internal business use, supply chain optimisation or design support), a partial CFP may be calculated, based on GHG emissions and removals arising from a restricted number of stages within the life cycle of the product.

For decision-making (e.g. design options), the whole life cycle of the product should be considered in addition to other impacts (e.g. health and safety, environmental) and the limitations identified in [Annex B](#) of this Technical Specification in order to avoid trade-offs and unintended consequences.

6.3.4.3 Criteria for system boundary

Quantification carried out in accordance with this Technical Specification shall include all GHG emissions and removals of those unit processes within the defined system boundary that have the potential to make a significant contribution to the CFP (see [6.3.4.1](#)).

Within the goal and scope definition phase, consistent criteria shall be defined as follows:

- for which unit processes a detailed assessment due to a significant expected contribution to the CFP is needed;

- for which unit processes the quantification of GHG emissions may be based on secondary data, due to lesser expected contribution to the CFP or because the collection of primary data is not possible or practicable (see [6.3.5](#));
- which unit processes may be merged, e.g. all transport processes within a plant.

6.3.4.4 Cut-off criteria

Consistent cut-off criteria that allow the omission of certain processes of minor importance shall be defined within the goal and scope definition phase.

The effect of the selected cut-off criteria on the outcome of the study shall also be assessed and described in the CFP study report.

NOTE For additional guidance on cut-off criteria, see ISO 14044:2006, 4.2.3.3.3.

6.3.5 Data and data quality

Site-specific data shall be collected for individual processes under the financial or operational control of the organization undertaking the CFP study, and shall be representative of the processes for which they are collected. Site-specific data should also be used where practicable for those unit processes that contribute significantly to the CFP, but are not under the financial or operational control of the organisation undertaking the CFP study. Site-specific data include GHG emissions from GHG sources as well as GHG removals by GHG sinks for one specific unit process within a site.

NOTE 1 Site-specific data refer to either direct GHG emissions (determined through direct monitoring, stoichiometry, mass balance, or similar methods), activity data (inputs and outputs of processes that result in GHG emissions or removals) or emission factors. Site-specific data can be collected from a specific site, or can be averaged across all sites that contain the process within the product system under study. They can be measured or modelled, as long as the result is specific to the process in the product's life cycle.

NOTE 2 Sensitivity analyses are helpful to find out if a process contributes significantly to the CFP (see [6.4.5](#)).

Secondary data and primary data that are not site-specific data shall only be used for inputs where the collection of site-specific data is not practicable, or for processes of minor importance and may include literature data, such as default emission factors, calculated data, estimates or other representative data.

Primary data that are not site-specific data, based on global or regional averages, collected by regional or international organizations and which have undergone third-party verification should be used when the collection of site-specific data is not practicable.

Secondary data shall be justified and documented with references in the CFP study report.

A CFP study should use data that reduce bias and uncertainty as far as practical by using the best quality data available. Primary and secondary data shall be selected to enable the goal and scope of the CFP study to be met. Data quality shall be characterized by both quantitative and qualitative aspects and characterisation should address the following:

- a) time-related coverage: age of data and the minimum length of time over which data should be collected;
- b) geographical coverage: geographical area from which data for unit processes should be collected to satisfy the goal of the CFP study;
- c) technology coverage: specific technology or technology mix;
- d) precision: measure of the variability of each data value expressed (e.g. variance);
- e) completeness: percentage of flow that is measured or estimated;
- f) representativeness: qualitative assessment of the degree to which the dataset reflects the true population of interest (i.e. geographical coverage, time period and technology coverage);

- g) consistency: qualitative assessment of whether or not the study methodology is applied uniformly to the various components of the sensitivity analysis;
- h) reproducibility: qualitative assessment of the extent to which information about the methodology and data values would allow an independent practitioner to reproduce the results reported in the CFP study;
- i) sources of the data;
- j) uncertainty of the information.

NOTE 3 Uncertainty can include, for example:

- parameter uncertainty, e.g. emission factors, activity data;
- scenario uncertainty, e.g. use stage scenario or end-of-life stage scenario;
- model uncertainty.

NOTE 4 The numbered list above is adapted from ISO 14044:2006, 4.2.3.6.2.

NOTE 5 Specific values for data quality requirements can be specified in a CFP-PCR or in the CFP study report.

NOTE 6 Data quality requirements are a mandatory part of a CFP-PCR (see [6.2.2](#)).

Organizations undertaking a CFP study should have a data management system and should seek to continuously improve the consistency and quality of their data and retention of relevant documents and other records.

6.3.6 Time boundary for data

The time boundary for data is the time period for which the quantified figure for the CFP is representative.

The time period for which the CFP is representative shall be specified and justified.

Where the GHG emissions and removals associated with specific unit processes within the life cycle of a product vary over time, data shall be collected over a period of time appropriate to establish the average GHG emissions and removals associated with the life cycle of the product.

If a process within the system boundary is linked to a specific time period (e.g. seasonal products such as fruit and vegetables), the assessment of GHG emissions and removals shall cover that particular period in the life cycle of the product. Any activity(ies) occurring outside that period shall also be included provided that it is within the product system (e.g. GHG emissions related to a tree nursery). These data on GHG emissions and removals shall be properly linked to the functional unit.

6.3.7 Use stage and use profile

When the use stage is included within the scope of the CFP study (see [6.3.2](#)), GHG emissions and removals arising from the use stage of the product during the product's service life shall be included.

Service life information shall be verifiable and shall refer to the intended use conditions and to the related functions of the product. The use profile should seek to represent the actual usage pattern in the selected market.

Where not otherwise justified, the determination of the use profile (i.e. the related scenarios and assumed service life for the use stage of products) shall be based on published technical information such as:

- a) CFP-PCR (see [6.2](#));
- b) published international standards that specify guidance and requirements for development of scenarios and service life for the use stage for the product being assessed;
- c) published national guidelines that specify guidance for development of scenarios and service life for the use stage for the product being assessed;

- d) published industry guidelines that specify guidance for development of scenarios and service life for the use stage for the product being assessed;
- e) use profiles based on documented usage patterns for the product in the selected market.

Where no method for determining the use stage of products has been established in accordance with any of the bullet points above, the assumptions made in determining the use stage of products shall be established by the organization carrying out the CFP study.

The manufacturer's recommendation for proper use (e.g. cooking in an oven at a specified temperature for a specified time) might provide a basis for determining the use stage of a product. The actual usage pattern may, however, differ from those recommended. Any difference should be explained.

All relevant assumptions for the use stage shall be documented in the CFP study report.

6.3.8 End-of-life stage

The end-of-life stage begins when the used product is ready for disposal, recycling, reuse, etc.

All the GHG emissions and removals arising from the end-of-life stage of a product shall be included in a CFP study, if this stage is included in the scope (see [6.3.2](#)). End-of-life processes may include:

- a) collection, packaging and transport of end-of-life products;
- b) preparation for recycling and reuse;
- c) dismantling of components from end-of-life products;
- d) shredding and sorting;
- e) material recycling;
- f) organic recovery (e.g. composting and anaerobic digestion);
- g) energy recovery or other recovery processes;
- h) incineration and sorting of bottom ash;
- i) landfilling, landfill maintenance, promoting emissions from decomposition, such as methane.

NOTE For end-of-life processes, CFP-PCR can provide additional guidance.

All relevant assumptions regarding end-of-life treatment, shall be

- based on best available information,
- based on current technology, and
- documented in the CFP study report.

6.4 Life cycle inventory analysis for the CFP

6.4.1 General

LCI is the phase of LCA involving the compilation and quantification of inputs and outputs for a product throughout its life cycle.

After the goal and scope definition phase, the LCI of a CFP study shall be performed, which consists of the following steps, for which the following pertinent provisions, adapted from ISO 14044:2006, listed below shall apply.

If CFP-PCR are adopted for the CFP study, the LCI shall be conducted according to the requirements in the CFP-PCR.

6.4.2 Data collection

The qualitative and quantitative data for inclusion in the life cycle inventory shall be collected for all unit processes that are included in the system boundary. The collected data, whether measured, calculated or estimated, are utilized to quantify the inputs and outputs of a unit process. Significant unit processes shall be documented in the CFP study report.

When data have been collected from public sources, the sources shall be referenced in the CFP study report. For those data that may be significant for the conclusions of the CFP study, details about the relevant data collection process, the time when data have been collected, and further information about data quality shall be referenced. If such data do not meet the data quality requirements, this shall be stated.

Since data collection may span several reporting locations and published references, measures should be taken to reach uniform and consistent understanding of the product systems to be modelled.

NOTE 1 This subclause is adapted from ISO 14044:2006, 4.3.2.

NOTE 2 For data and data quality, see [6.3.5](#).

6.4.3 Validation of data

A check on data validity shall be conducted during the process of data collection to confirm and provide evidence that the data quality requirements specified in [6.3.5](#) have been met.

Validation may involve establishing, for example, mass balances, energy balances and/or comparative analyses of emission factors. As each unit process obeys the laws of conservation of mass and energy, mass and energy balances provide a useful check on the validity of the description of a unit process.

NOTE This subclause is adapted from ISO 14044:2006, 4.3.3.2.

6.4.4 Relating data to unit process and functional unit

An appropriate flow shall be determined for each unit process. The quantitative input and output data of the unit process shall be calculated in relation to this flow.

Based on the flow chart and the flows between unit processes, the flows of all unit processes are related to the reference flow. The calculation shall relate system input and output data to the functional unit.

Care should be taken when aggregating the inputs and outputs in the product system. The level of aggregation shall be consistent with the goal of the CFP study. If more detailed aggregation rules are required, they should be explained in the goal and scope definition phase of the CFP study or should be left to a subsequent LCIA phase.

NOTE This subclause is adapted from ISO 14044:2006, 4.3.3.3.

6.4.5 Refining the system boundary

Reflecting the iterative nature of the CFP quantification, decisions regarding the data to be included shall be based on a sensitivity analysis to determine their significance. The initial system boundary shall be revised, as appropriate, in accordance with the cut-off criteria established in the definition of the scope. The results of this refining process and the sensitivity analysis shall be documented in the CFP study report.

The sensitivity analysis may result in

- a) exclusion of life cycle stages or unit processes when lack of significance can be shown by the sensitivity analysis,
- b) exclusion of inputs and outputs that lack significance to the results of the CFP study, or

- c) inclusion of new unit processes, inputs and outputs that are shown to be significant in the sensitivity analysis.

This sensitivity analysis serves to limit the subsequent data handling to those input and output data that are determined to be significant to the goal of the CFP.

NOTE This subclause is adapted from ISO 14044:2006, 4.3.3.4.

6.4.6 Allocation

6.4.6.1 General

The inputs and outputs shall be allocated to the different products according to the clearly stated and justified allocation procedure.

The sum of the allocated inputs and outputs of a unit process shall be equal to the inputs and outputs of the unit process before allocation.

Whenever several alternative allocation procedures seem applicable, a sensitivity analysis shall be conducted to illustrate the consequences of the departure from the selected approach.

NOTE This subclause is adapted from ISO 14044:2006, 4.3.4.2.

6.4.6.2 Allocation procedure

The CFP study shall identify the processes shared with other product systems and deal with them according to the stepwise procedure presented below.

- a) Step 1: Wherever possible, allocation should be avoided by
- 1) dividing the unit process to be allocated into two or more sub-processes and collecting the input and output data related to these sub-processes, or
 - 2) expanding the product system to include the additional functions related to the co-products.
- b) Step 2: Where allocation cannot be avoided, the inputs and outputs of the system should be partitioned between its different products or functions in a way that reflects the underlying physical relationships between them; i.e. they should reflect the way in which the inputs and outputs are changed by quantitative changes in the products or functions delivered by the system.
- c) Step 3: Where physical relationship alone cannot be established or used as the basis for allocation, the inputs should be allocated between the products and functions in a way that reflects other relationships between them. For example, input and output data might be allocated between co-products in proportion to the economic value of the products.

Some outputs may be partly co-products and partly waste. In such cases, it is necessary to identify the ratio between co-products and waste since the inputs and outputs shall be allocated to the co-products only.

Allocation procedures shall be uniformly applied to similar inputs and outputs of the product system under consideration. For example, if allocation is made to usable products (e.g. intermediate or discarded products) leaving the system, then the allocation procedure shall be similar to the allocation procedure used for such products entering the system.

The life cycle inventory is based on material balances between input and output. Allocation procedures should therefore approximate as much as possible such fundamental input/output relationships and characteristics.

NOTE 1 This subclause is adapted from ISO 14044:2006, 4.3.4.2.

NOTE 2 For allocation procedures, CFP-PCR can provide additional guidance.

6.4.6.3 Allocation procedure for reuse and recycling

The allocation principles and procedures in [6.4.6.1](#) and [6.4.6.2](#) also apply to reuse and recycling situations.

Changes in the inherent properties of materials shall be taken into account. In addition, particularly for the recovery processes between the original and subsequent product system, the system boundary shall be identified and explained, ensuring that the allocation principles are observed as described in [6.4.6.2](#).

However, in these situations, additional elaboration is needed for the following reasons:

- reuse and recycling (as well as composting, energy recovery and other processes that can be assimilated to reuse/recycling) may imply that the inputs and outputs associated with unit processes for extraction and processing of raw materials and final disposal of products are to be shared by more than one product system;
- reuse and recycling may change the inherent properties of materials in subsequent use.

Specific care should be taken when defining system boundary with regard to recovery processes.

Several allocation procedures are applicable for reuse and recycling. The application of some procedures is distinguished in the following to illustrate how the above constraints can be addressed:

- a) A closed-loop allocation procedure applies to closed-loop product systems. It also applies to open-loop product systems where no changes occur in the inherent properties of the recycled material. In such cases, the need for allocation is avoided since the use of secondary material displaces the use of virgin (primary) materials. However, the first use of virgin materials in applicable open-loop product systems may follow an open-loop allocation procedure outlined in bullet b).
- b) An open-loop allocation procedure applies to open-loop product systems where the material is recycled into other product systems and the material undergoes a change to its inherent properties.

The allocation procedures for the shared unit processes should use, as the basis for allocation, the following order, if feasible:

- physical properties (e.g. mass);
- economic value (e.g. market value of the scrap material or recycled material in relation to market value of primary material); or
- the number of subsequent uses of the recycled material.

NOTE 1 A possible procedure how to treat recycling in CFP studies is given in [Annex C](#). Examples how to treat recycling in LCA studies are given in ISO/TR 14049.

NOTE 2 This subclause is adapted from ISO 14044:2006, 4.3.4.3.

6.4.7 CFP performance tracking

When the CFP is intended to be used for CFP performance tracking, i.e. calculation of the change to the CFP for one specific product over time, the following additional requirements for the quantification of the CFP shall be met:

- a) the assessments shall be carried out for different points in time in conformity with this Technical Specification;
- b) the change to the CFP over time shall be calculated for products with an identical functional unit;
- c) the change to the CFP over time shall be calculated using the same method for all subsequent assessments (e.g. systems for selecting and managing data, system boundaries, allocation, identical characterization factors, etc.).

The time period between the points in time for which the CFP performance tracking is undertaken shall not be shorter than the time boundary for data as described in [6.3.6](#) and shall be described in the goal and scope.

6.4.8 Time period for assessment of GHG emissions and removals

For CFP, the GHG emissions and removals arising from the life cycle of a product shall be calculated over the entire life cycle of the product, including the use stage and the end-of-life stage.

GHG emissions and removals arising from all life cycle stages of the products, or in the case of partial CFP the relevant life cycle stages, shall be calculated and reported according to the following requirements.

For all life cycle stages except the use stage (see 6.3.7) and the end-of-life stage (see 6.3.8), GHG emissions and removals shall be included as if released or removed at the beginning of the assessment period.

Where all GHG emissions and removals arising from the use stage or from the end-of-life stage occur within ten years after the product has been brought into use, all those GHG emissions and removals shall be calculated as if released or removed at the beginning of the assessment period and included in the CFP.

Where GHG emissions and removals arising from the use stage (see 6.3.7) or from the end-of-life stage (see 6.3.8) occur over more than ten years after the product has been brought into use, these GHG emissions and removals shall be included in the CFP without the effect of timing of the GHG emissions and removals.

In addition, the timing of GHG emissions and removals relative to the year of production of the product shall be specified in the life cycle inventory, and the effect of this timing of the GHG emissions and removals from the product system (as CO₂e) may be included and shall then be documented separately in the CFP study report. The method used to calculate the effect of timing shall be stated and justified in the CFP study report.

NOTE The time period of ten years has been selected to avoid additional reporting of GHG emissions and removals over shorter time periods and to achieve comparability in reporting. This value might be revised in future based on experience or improved scientific knowledge.

6.4.9 Treatment of specific GHG emissions and removals

6.4.9.1 General

For the sake of consistency of quantification, specific requirements and guidelines are provided in the following sub-clauses for specific GHG emissions and removals where different approaches could lead to different results.

More detailed guidance and data may be available in relevant CFP-PCR, other sector guidance documents or other CFP communication programme rules.

6.4.9.2 Treatment of fossil and biogenic carbon

GHG emissions and removals arising from fossil and biogenic carbon sources and sinks shall be included in the CFP and shall be documented separately in the CFP study report.

NOTE The amount of CO₂ taken up in biomass and the equivalent amount of CO₂ emissions from the biomass at the point of complete oxidation results in zero net CO₂ emissions when biomass carbon is not converted into methane, non methane volatile organic compounds (NMVOC) or other precursor gases.

All the unit processes of the life cycle of biomass shall be included in the product system, including biomass cultivation and production.

6.4.9.3 Treatment of electricity

The GHG emissions associated with the use of electricity shall include, where relevant, GHG emissions arising from the life cycle of the electricity supply system, including but not restricted to:

- the GHG emissions arising from the generation of electricity, e.g. combustion of fuels;

- the GHG emissions arising from the generation of electricity lost in transmission and distribution in the grid;
- upstream GHG emissions (e.g. the mining and transport of fuel to the electricity generator or the growing and processing of biomass for use as a fuel);
- downstream GHG emissions (e.g. the treatment of waste arising from the operation of nuclear electricity generators or treatment of ashes from coal fired electricity plants);
- GHG emissions related to construction, maintenance and decommission of the electricity supply system.

When electricity is internally (e.g. on-site generated electricity) produced and consumed for a product under study, life cycle data for that electricity shall be used for that product.

When a supplier of grid electricity can deliver a specific electricity product with specific life cycle data and guarantee that the electricity sale and the associated GHG emissions are not double counted, life cycle data for that electricity product shall be used. When the supplier of electricity does not provide specific GHG data for the specific electricity product, the GHG emissions associated with the national grid where the life cycle stage occurs shall be used.

Where a country does not have a national grid but has several unconnected grids or several countries share a common grid, GHG emissions associated with the relevant grid from which the electricity is obtained shall be used.

If specific life cycle data on a process within the electricity supply system are difficult to access, data from recognized databases may be used.

The treatment of electricity shall be documented in the CFP study report.

NOTE This Technical Specification includes the principle of avoidance of double-counting. This is considered especially in some situations where supplier/generator-specific emission factors for electricity are used, e.g.

- where the process which used the electricity (or used an equivalent amount of electricity of the same type to that generated) and another process did not claim the generator-specific emission factors for that electricity, and
- where the generator-specific electricity production does not influence the emission factors of any other process or organization.

Some electricity attributes such as green certificates are sold without direct coupling to the electricity itself. In some countries parts of the electricity from renewable energy sources might be sold/exported as renewable electricity without being excluded from the supplied mix.

6.4.9.4 Land use change

When significant, the GHG emissions and removals occurring as a result of direct land use change (dLUC) shall be assessed in accordance with internationally recognized methods such as the Intergovernmental Panel on Climate Change (IPCC) Guidelines for National Greenhouse Gas Inventories and included in the CFP.

LUC GHG emissions and removals shall be documented separately in the CFP study report. If site-specific data are applied, they shall be transparently documented in the CFP study report.

If a national approach is used, the data shall be based on a verified study, a peer reviewed study or similar scientific evidence and shall be documented in the CFP study report.

Indirect land use change (iLUC) should be considered in CFP studies, once an internationally agreed procedure exists.

All choices and assumptions shall be justified and documented in the CFP study report.

NOTE 1 There is on-going research to develop methodology and data for the inclusion of iLUC in GHG reporting.

NOTE 2 With respect to GHG emissions and removals connected to marine areas related to products, only very limited information is available.

6.4.9.5 Soil carbon change

If not calculated as part of LUC, the GHG emissions and removals occurring as a result of soil carbon change should be assessed and should be included in the CFP. Where included, it shall be assessed in accordance with internationally recognized methods such as the IPCC Guidelines for National Greenhouse Gas Inventories and shall be documented separately in the CFP study report.

If a national approach is used, the data shall be based on a verified study, a peer reviewed study or similar scientific evidence and shall be documented in the CFP study report.

NOTE 1 Soil carbon change can occur in the absence of land use change, where ongoing management to produce a product results in a net increase or decrease in soil organic matter, e.g. due to continuous tillage.

NOTE 2 There is on-going research to develop methodology and models, and provide data for the inclusion of soil carbon change in GHG reporting.

6.4.9.6 Carbon storage in products

When CO₂ is stored as carbon in a product for a specified time, this carbon storage shall be treated according to the provisions in [6.4.8](#). If any carbon storage in products is calculated, it shall be documented separately in the CFP study report but not included in the CFP.

Information on carbon storage may also be provided when performing cradle to gate studies when this information is relevant for the remaining value chain.

NOTE In the case of products from biomass, carbon storage is calculated as carbon removal during plant growth and subsequent emission if the carbon is released in the end-of-life stage. The carbon removal is equal to the carbon contained in the product.

6.4.9.7 Non-CO₂ GHG emissions and removals from livestock, manure and soils

The non-CO₂ GHG emissions and removals (e.g. N₂O and CH₄) arising from livestock, manure and soils shall be included in the CFP, if significant, and shall be assessed in accordance with internationally recognized methods, such as the IPCC Guidelines for National Greenhouse Gas Inventories.

If a national approach is used, the data shall be based on a verified study, a peer reviewed study or similar scientific evidence, and shall be documented in the CFP study report.

6.4.9.8 Aircraft GHG emissions

Aircraft transportation GHG emissions shall be included in the CFP and documented separately in the CFP study report, if significant.

NOTE Aircraft GHG emissions under certain circumstances in high altitudes have additional climate impacts as a result of physical and chemical reactions with the atmosphere. For more information on GHG emissions from aircraft, see IPCC Guidelines for National Greenhouse Gas Inventories and IPCC Special Report on Aviation.

6.4.10 Summary of requirements and guidance in [6.4.9](#)

[Table 1](#) is an informative summary of the requirements and guidance given in [6.4.9](#) and [Figure 2](#) is an informative illustration of the specific components of the CFP. Refer to [6.4.9.2](#) to [6.4.9.8](#) for the full requirements and guidance.


Table 1 — Specific GHG emissions and removals documented separately in the CFP and the CFP study report

Sub-clause	Specific GHG emissions and removals ^a	Treatment in the CFP			Documentation in the CFP study report	
		Shall be included in the CFP	Should be included in the CFP	Should be considered for inclusion in the CFP	Shall be documented separately in the CFP study report	Shall be documented separately in the CFP study report, if calculated
6.4.9.2	GHG emissions and removals arising from fossil and biogenic carbon sources and sinks	X			X	
6.4.9.4	GHG emissions and removals occurring as a result of dLUC	X			X	
6.4.9.4	GHG emissions and removals occurring as a result of iLUC			X		X
6.4.9.5	GHG emissions and removals from soil carbon change, if not already calculated as part of LUC		X			X
6.4.9.6	Effect of carbon storage ^b					X
6.4.9.7	Non-CO ₂ GHG emissions and removals (e.g. N ₂ O and CH ₄) arising from livestock, manure and soils ^c	X				
6.4.9.8	Aircraft GHG emissions	X			X	

^a The treatment of electricity shall be documented in the CFP study report, but GHG emissions and removals from electricity do not have to be documented separately in the CFP study report, see [6.4.9.3](#).

^b Effect of carbon storage is not included in the CFP. For reporting of timing of emissions and removals, see [6.4.8](#).

^c Non-CO₂ GHG emissions and removals arising from livestock, manure and soils shall be included in the CFP but do not have to be documented separately in the CFP study report, see [6.4.9.7](#).



NOTE Soil carbon change, dLUC, Non-CO₂ (livestock, manure and soils) and iLUC can have a positive or negative contribution to the CFP.

Figure 2 — Illustration of the specific components of the CFP

6.5 Life cycle impact assessment

In the LCIA phase of a CFP study, the potential climate change impact of each GHG emitted and removed by the product system shall be calculated by multiplying the mass of GHG released or removed by the 100-year GWP given by the IPCC in units of “kg CO₂e per kg emission” (see [Annex A](#)).

NOTE 1 The CFP is the sum of these calculated impacts.

Where GWP values are amended by the IPCC, the latest values shall be used in the CFP calculations. If the latest IPCC GWP data are not used, this shall be stated and justified in the CFP study report.

NOTE 2 The 100-year GWPs, as published in the Fourth Assessment Report of the IPCC, are provided in [Annex A](#).

6.6 Life cycle interpretation

The life cycle interpretation phase of a CFP study shall comprise the following steps:

- a) identification of the significant issues based on the results of the quantification of the CFP according to LCI and LCIA phases;
- b) an evaluation that considers completeness, sensitivity and consistency checks;
- c) conclusions, limitations, and recommendations.

The results of the quantification of the CFP according to the LCI or LCIA phases shall be interpreted according to the goal and scope of the CFP study. The interpretation shall:

- include a quantitative and/or qualitative assessment of uncertainty, including the application of rounding rules or ranges;
- identify and document the selected allocation methods in the CFP study report in detail;
- identify the limitations of the CFP study (according to, but not limited to, [Annex B](#)).

The interpretation should include:

- a sensitivity check of the significant inputs, outputs and methodological choices, including allocation methods, in order to understand the sensitivity and uncertainty of the results;
- an assessment of the influence of alternative use profiles on the final result; and
- an assessment of the influence of different end-of-life scenarios on the final result.

NOTE For more information, see ISO 14044:2006, 4.5, and ISO 14044:2006, Annex B.

7 CFP study report

7.1 The purpose of the CFP study report is to document the results of the quantification of the CFP study, to present the decisions within the goal and scope definition phase, and to demonstrate that the provisions of this Technical Specification have been met.

The results and conclusions of the CFP study shall be documented in the CFP study report without bias. The results, data, methods, assumptions and the life cycle interpretation (see [6.6](#)) shall be transparent and presented in sufficient detail to allow the reader to comprehend the complexities and trade-offs inherent in the CFP study.

The type and format of the CFP study report shall be defined in the goal and scope definition phase of the CFP study. The CFP study report shall also allow the results and life cycle interpretation to be used in a manner consistent with the goals of the CFP study.

The selected allocation methods shall be documented in the CFP study report in detail and the GHGs taken into account shall be clearly stated.

7.2 The following GHG values shall be documented separately in the CFP study report:

- a) GHG emissions and removals linked to the main life cycle stages in which they occur, including the absolute and the relative contribution of each life cycle stage;
- b) GHG emissions and removals arising from fossil carbon sources and sinks (see [6.4.9.2](#));
- c) GHG emissions and removals arising from biogenic carbon sources and sinks (see [6.4.9.2](#));
- d) GHG emissions resulting from dLUC (see [6.4.9.4](#)), when significant;
- e) GHG emissions resulting from aircraft transportation (see [6.4.9.8](#)), when significant.

7.3 The following GHG values shall be documented separately in the CFP study report, if calculated:

- a) carbon storage arising from the use stage and/or end-of-life stage of products (see [6.3.7](#), [6.3.8](#) and [6.4.9.6](#));
- b) GHG emissions and removals occurring as a result of iLUC (see [6.4.9.4](#));
- c) soil carbon change (see [6.4.9.5](#)).

The CFP study report shall include a sensitivity check regarding the significant inputs, and an assessment of the influence of alternative use profiles and end-of-life scenarios on the final result.

7.4 In addition to the items above, the following items shall be included in the CFP study report:

- a) functional unit and reference flow (see [6.3.3](#));
- b) system boundary, including:
 - type of inputs and outputs of the system as elementary flows;
 - decision criteria concerning treatment of unit processes, considering their importance for the conclusions of the CFP study;
- c) cut-off criteria and cut-offs (see [6.3.4.4](#));
- d) the selected allocation approach (see [6.4.6](#));
- e) time period related information (see [6.4.8](#) and [6.4.9.6](#)), if applicable;
- f) description of data (see [6.3.5](#)), including:
 - decisions concerning data;
 - details of individual data;
 - assessment of data quality, e.g. results of sensitivity analysis and uncertainty assessments;
- g) relevant assumptions for the use stage and the end-of-life stage;
- h) treatment of electricity (see [6.4.9.3](#));
- i) results of the life cycle interpretation (see [6.6](#)), including conclusions and limitations;
- j) disclosure and justification of value choices that have been made in the context of decisions within the CFP study.

7.5 In addition to the items above, the following items should be considered for inclusion in the CFP study report:

- a) scope, modified scope if applicable, along with justifications and exclusions (see [6.3.2](#));
- b) description of the stages of the life cycle including a description of the selected use profiles and end-of-life scenarios;
- c) description of significant unit processes;
- d) time period for which the CFP is representative (see [6.3.6](#));
- e) compliance with [Annex D](#).

A graphical presentation of results of the CFP study may be included as part of the CFP study report.

NOTE 1 Where a critical review is needed, see [8.1](#).

NOTE 2 The CFP study report is an integral part of a CFP disclosure report, if developed (see [Clause 8](#)).

8 Preparation for publicly available CFP communication

8.1 General

When an organization decides to make a CFP communication publicly available, regardless of the chosen CFP communication option (see [9.1.1](#)), that CFP communication shall either:

- a) be verified by a third party in accordance with ISO 14025:2006, Clause 8, based on CFP quantification that has undergone an external critical review according to ISO 14044:2006, Clause 6, or
- b) be supported by a CFP disclosure report (see [8.2](#)).

NOTE 1 An external critical review and a third-party CFP verification of the CFP communication can be undertaken at the same time.

NOTE 2 A future Technical Specification (ISO/TS 14071) on critical review processes and reviewer competencies, including additional requirements and guidelines to ISO 14044:2006, is currently under development.

NOTE 3 In relation to a CFP communication, the term “publicly available” means a communication which is deliberately placed in the public domain or intended to be available to consumers, for instance through an intentional publication or through an open internet site. Communications which are, for instance, exchanged between businesses or posted on a restricted access internet site are not classified as publicly available even if they subsequently enter the public domain through the unforeseen actions of a third party.

8.2 CFP disclosure report

8.2.1 General

CFP communication disclosed to the public supported by a CFP disclosure report shall not imply that the communication is verified by a third party.

The results, data, methods, assumptions and limitations shall be published in a transparent manner and presented in sufficient detail to allow the reader to comprehend the complexities and trade-offs inherent in the CFP. The CFP disclosure report shall also allow the results and interpretation to be used in a manner consistent with the goals of the CFP study.

The CFP disclosure report shall contain the CFP study report, including all the elements listed in [7.1](#) to [7.5](#), without exceptions, and the additional items listed in [8.2.2](#).

8.2.2 Additional requirements for CFP disclosure report

The following information shall be included:

- a) contact information;
- b) studied product name and description;
- c) type of CFP (partial or full);
- d) CFP-PCR, if used;
- e) date and source of life cycle inventory;
- f) a disclaimer stating the relevant limitations of various potential uses;
- g) a process map including processes in the system boundary;
- h) justification for the exclusion of processes in the system boundary;

- i) disclosure and justification of the methods used to avoid or perform allocation due to co-products or recycling;
- j) the source and date of the GWP factors used;
- k) results of previous review(s), (e.g. critical review or peer review), if any.

9 CFP communication

9.1 Options for CFP communication

9.1.1 General

[Clause 9](#) provides requirements and guidance for an organization that decides to communicate the CFP.

CFP communication includes communication of a CFP or a partial CFP.

CFP communication may take the form of a CFP external communication report, a CFP performance tracking report, a CFP label or a CFP declaration. For communication of a partial CFP the additional requirements in [9.6.2](#) apply.

NOTE Self-declared claims (Type II) related to GHG emissions of products are outside the scope of this Technical Specification and are covered by ISO 14021:1999/Amd.1:2011, 7.17, which requires that, for claims relating to greenhouse gas emissions, the quantification of a product “carbon footprint” needs to be based on the application of ISO 14040 and ISO 14044, and product category rules as specified in ISO 14025 when appropriate.

A key purpose of CFP communication is for users of the product to make informed choices. Such information can influence the GHG emissions by behaviour during the use stage or in making decisions on recycling and final disposal.

General requirements and guidelines for the four CFP communication options addressed in this Technical Specification are summarized in [Figure 3](#).

	CFP external communication report (9.1.2)	CFP performance tracking report (9.1.3)	CFP label (9.1.4)	CFP declaration (9.1.5)
CFP communication intended to be publicly available (9.2)	CFP communication programme optional	CFP communication programme optional	CFP communication programme mandatory	CFP communication programme mandatory
	CFP-PCR optional	CFP-PCR optional	CFP-PCR mandatory	CFP-PCR mandatory
	3 rd party CFP verification or CFP disclosure report mandatory	3 rd party CFP verification or CFP disclosure report mandatory	3 rd party CFP verification or CFP disclosure report mandatory	3 rd party CFP verification or CFP disclosure report mandatory
CFP communication not intended to be publicly available (9.3)	CFP communication programme optional	CFP communication programme optional		CFP communication programme mandatory
	CFP-PCR optional	CFP-PCR optional		CFP-PCR mandatory
	Independent CFP verification or CFP disclosure report optional	Independent CFP verification or CFP disclosure report optional		Independent CFP verification or CFP disclosure report mandatory

Figure 3 — General requirements and guidelines for the different CFP communication options

NOTE 1 With reference to Figure 3, the CFP external communication report and the CFP performance tracking report do not require a CFP-PCR and a CFP communication programme, because they are primarily intended for business to business communication and not intended for direct consumer communication.

NOTE 2 In case of CFP-PCR the term “optional” means that when relevant CFP-PCR exist in conformance to 6.2 they are mandatory, while in all other cases they are not required.

9.1.2 CFP external communication report

CFP communication may take the form of a CFP external communication report.

The CFP external communication report shall be based on the CFP study report and shall include but is not limited to:

- a) contact information;
- b) studied product name and description;
- c) functional unit of the product system and the reference flow;
- d) type of CFP (partial or full);
- e) a reference to the CFP-PCR, if used;
- f) disclaimer stating the relevant limitations of various potential uses, in accordance with Annex B;
- g) description of the stages of the life cycle including a description of the selected use profiles and end-of-life scenarios, if relevant;
- h) system boundaries, including cut-off criteria;

- i) exclusions and their justification;
- j) time boundary for data;
- k) description of primary and secondary data;
- l) life cycle inventory results, multiplied with the relevant GWP, in units of CO_{2e} per functional unit of the product system, which includes all GHG emissions;
- m) GHG emissions and removals linked to the life cycle stages in which they occur, including the absolute and the relative contribution of each life cycle stage;
- n) GHG emissions and removals arising from fossil carbon sources and sinks;
- o) GHG emissions and removals arising from biogenic carbon sources and sinks;
- p) GHG emissions resulting from LUC, if quantified;
- q) GHG emissions resulting from aircraft transportation, if significant;
- r) results of the life cycle interpretation (e.g. sensitivity analysis and uncertainty), including conclusions and limitations.

The communication shall also be supported by a disclaimer on the proper use of the CFP external communication report.

The CFP external communication report should include graphical representations of the processes of the life cycle of the product which describe the system boundary and the contribution to the CFP.

9.1.3 CFP performance tracking report

CFP communication may take the form of a CFP performance tracking report, which allows for the comparison of CFP results of one specific product of the same organization over time with respect to its original or previous CFP.

The communication of the performance tracking report shall be based on the quantification results in accordance with [6.4.7](#).

When an organization intends to communicate a CFP performance tracking report to the public, the main contributions to the change in CFP shall be specified and the requirements of [9.2](#) shall be met.

Communication of performance tracking may be made when the change in CFP is due to:

- a) improvements made by the reporting organization;
- b) selection of other suppliers;
- c) deliberate and verifiable improvements made by suppliers;
- d) improvements in the use stage and in the end-of-life stage made by improved product design or an improved end-of-life procedure;
- e) changes due to process improvements, e.g. introducing no-till or low-till cultivation in agricultural processes.

Changes due to seasonal changes or finding better secondary data sources shall not be reported as performance changes.

NOTE Examples of seasonal changes are seasonal variation in sales of a product that can impact production rate and hence efficiency of the production plant, and seasonal variation in agricultural production.

The communication may be supported by a graphical representation of the processes in the life cycle of the product, which allows an understanding of the system boundary, the contribution to the CFP and the changes included.

9.1.4 CFP label

CFP communication may take the form of a CFP label.

The CFP label shall always be considered as a publicly available communication.

The CFP label shall be awarded only to products that meet predetermined programme requirements.

A CFP communication programme (see [9.4](#)) for a CFP label shall identify the CFP values that meet the specific criteria of the programme. This criterion is quantified by using the CFP-PCR of the product categories.

NOTE A CFP communication programme for CFP labels is a programme, based on a single impact category, that awards a licence, which authorizes the use of this label on products.

The CFP programme operator (see [9.4.3](#)) shall select the criteria and set the levels by product category based on the CFP-PCR developed in compliance with this Technical Specification and determine the validity period for the label.

It shall be made clear that a CFP label refers to a single impact category and is not a Type I environmental label.

The CFP communication programme may be operated by public or private agencies and can be national, regional or international in nature.

The CFP programme operator may identify additional non-CFP criteria.

9.1.5 CFP declaration

CFP communication may take the form of a CFP declaration that is intended to be either publicly available or not publicly available.

The CFP declaration shall be based on CFP-PCR developed for a CFP communication in accordance with [9.5](#), or on equivalent Type III environmental declaration PCR (see ISO 14025) in accordance with [6.2](#).

NOTE A CFP communication programme for CFP declarations is similar to Type III environmental declaration programmes developed in accordance with ISO 14025, but revised to conform to general CFP communication programme requirements of this Technical Specification (see [9.4](#)).

9.2 CFP communication intended to be publicly available

In addition to the requirements of [Clause 8](#) and [9.1](#), the following requirements shall apply to CFP communications intended to be publicly available.

The CFP labels and CFP declarations shall be based on relevant CFP-PCR and a CFP communication programme.

A CFP communication programme is optional for the CFP external communication report and the CFP performance tracking report.

NOTE 1 For the use of CFP-PCR, see [6.2](#).

In communicating the CFP as a single number, sufficient information shall be provided to enable the intended audience to understand the specific components comprising the CFP described in [6.4.9](#) and illustrated in [Figure 2](#).

CFP communications intended to be publicly available shall be supported by:

- a) information at an appropriate place in the CFP communication that the CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product;
- b) a CFP with components as illustrated in [Table 1](#) and [Figure 2](#);
- c) the functional unit to which the CFP communication refers;
- d) the date of issue and a direct link to background information on a website, at the point of sale or any other publicly available communication. Publicly available background information includes but is not limited to:
 - 1) the methodology used;
 - 2) the involvement of interested parties in the CFP communication programme when required;
 - 3) definition of rated scales and colour/letter codes, if used;
 - 4) background information on GHG emissions and removals [e.g. GHG emissions and removals deriving from different life cycle stages (fossil and biogenic); total fossil and total biogenic GHG emissions and removals for the functional unit; total fossil and total biogenic GHG emissions and removals for the product unit (when applicable)];
 - 5) information on the fulfilment of data quality requirements;
 - 6) information on uncertainties and how they were assessed;

NOTE 2 Information on uncertainties can be quantitative or qualitative.

- e) the CFP verification statement of the CFP study report and the CFP communication when verified by a third-party;
- f) a publicly available CFP disclosure report, when the CFP study report is not third-party verified;
- g) the storage time period for biogenic carbon in the product if applicable.

9.3 CFP communication not intended to be publicly available

When the CFP communication is not intended to be available to the public, requirements for a CFP communication programme, CFP-PCR and CFP verification are optional with the exception of the CFP declaration, where these elements are required.

For an organization which decides to use CFP communication that is not intended to be available to the public, [9.2](#) and [9.6](#) may be used as additional guidance.

9.4 CFP communication programme

9.4.1 General

A CFP communication programme shall be used for CFP labels and CFP declarations. For CFP external communication reports and CFP performance tracking reports, a CFP communication programme is optional.

When a CFP communication programme is established, the requirements in [9.4.2](#) to [9.4.4](#) shall apply.

9.4.2 CFP communication programme requirements

The purpose of a CFP communication programme is to establish specific requirements and procedures for ensuring communication of CFPs are accurate, clear and verified.

The CFP communication programme shall manage and maintain CFP-PCR to ensure CFPs are calculated consistently within product groups or sectors.

The scope of the CFP communication programme shall be clear and shall contain an explanation whether the programme is limited to a certain geographical area or to certain industrial sectors, products or groups of products.

The CFP programme operator shall prepare general programme instructions describing the operation of the programme including, but not limited to, the following information:

- a) objectives of the programme;
- b) identification of CFP programme operator;
- c) intended audience of the programme;
- d) involvement of interested parties;
- e) procedure for the definition of product categories;
- f) procedure for the management of the data and documentation used (such procedures may be based on ISO 14001:2004, 4.4.5, or ISO 14044:2006, Clause 4);
- g) data confidentiality management;
- h) procedure for development and maintenance of CFP-PCR, including:
 - content of CFP-PCR;
 - rules for period of validity, which shall include consideration of changes in relevant information affecting the CFP-PCR;
 - selection procedure for predetermined parameters;
- i) any procedure for third-party CFP verification, including:
 - additional competence of CFP verifiers;
 - competence of the CFP-PCR review panel;
- j) any additional requirements for the CFP disclosure report;
- k) funding sources and other resources provided for programme development and operation;
- l) periodic review of the programme instructions;
- m) fees, if relevant.

The CFP communication programme instructions shall be available to any person on request.

A CFP communication programme shall be accessible to all interested parties.

NOTE This subclause is adapted from ISO 14025:2006, 6.4.

9.4.3 CFP programme operator

The CFP programme operator is responsible for the administration of a CFP communication programme. This administration shall include, but is not limited to, the following tasks:

- a) preparing, maintaining and communicating general CFP communication programme instructions;
- b) involving interested parties in the CFP communication programme development (for CFP declarations see [9.4.4](#));

- c) publishing the names of the organizations actually involved as interested parties in the CFP communication programme development;
- d) ensuring that the requirements of this Technical Specification are followed;
- e) establishing a procedure to safeguard the consistency of data within the CFP communication programme;
- f) maintaining publicly available lists and records of CFP communication programme rules and CFP communication requirements within the CFP communication programme;
- g) publishing CFP communication programme instructions and CFP communication specifications within the CFP communication programme;
- h) monitoring changes in procedures and documents of related CFP communication programmes and revising procedures and documents when necessary;
- i) publishing CFP-PCR as soon as they have been approved;
- j) ensuring the selection of competent third-party CFP verifiers and CFP-PCR review panel members;
- k) establishing, documenting and making available upon request, a procedure for the CFP verification, including the scope of the CFP verification, details of the CFP verification and how the CFP verification is constituted or the additional requirements for the CFP disclosure report (see [8.2](#));
- l) when CFP-PCR are developed, establishing a transparent procedure for the CFP-PCR review, including the scope of the CFP-PCR review, details of the CFP-PCR review and how the CFP-PCR review panel is constituted;
- m) establishing procedures to avoid misuse of references to this Technical Specification, the CFP communication programme, its CFP communication and, where relevant, its logo.

The CFP programme operator may establish requirements for the competence of third-party CFP verifiers in addition to those defined in ISO 14025:2006, Clause 8.

NOTE This subclause is adapted from ISO 14025:2006, 6.3.

9.4.4 Involvement of interested parties

The CFP programme operator shall identify and invite interested parties to participate in the CFP programme development by an open consultation process, and shall ensure that the role of interested parties in the process is made clear and open to enable their participation.

This consultation process shall specifically cover:

- the development or adoption of CFP-PCR, and
- the set of rules that describe the general methodological and procedural aspects of how to produce and verify CFP information.

Reasonable efforts should be made and resources and time should be made available to achieve the involvement of interested parties.

Interested parties shall be given adequate time for review and access to details and sources of information used.

The consultation process shall also ensure that interested parties who comment on the general programme instructions or the CFP-PCR draft documents receive consideration of, and response to, their comments within a reasonable time.

The consultation process for the participation of interested parties may include the use of selected groups of interested parties' representatives, for instance through consultation boards, advisory committees or public hearings.

NOTE This subclause is adapted from ISO 14025:2006, 6.5.

9.5 Creation of CFP-PCR

9.5.1 General

9.5.1.1 CFP external communication report or CFP performance tracking report

If CFP-PCR exist and are relevant in accordance with [6.2](#), the CFP-PCR shall be used for a CFP external communication report or a CFP performance tracking report intended to be available to the public.

9.5.1.2 CFP label and CFP declaration

CFP-PCR shall be used for CFP label and CFP declarations. If relevant CFP-PCR exist in accordance with [6.2](#) they shall be adopted. If no relevant CFP-PCR exist, CFP-PCR shall be established by an entity according to [6.2.2](#), [9.5.2](#) and [9.5.3](#).

9.5.2 Defining a product category

Within the established consultation process, the CFP programme operator shall ensure that product categories are defined using a transparent procedure.

Different products that have similar functions and applications shall be assigned to the same product category only if the same functional unit can be applied.

9.5.3 Harmonization of CFP-PCR

When developing CFP-PCR, CFP programme operators should facilitate harmonization of CFP-PCR by considering the adoption of readily available documents, e.g. PCR in Type III environmental declaration programmes in the same product category and in the appropriate market area.

Justification for developing requirements that differ in content from those of existing documents shall be based on the substance and not on the origin of the document.

The efforts undertaken to achieve harmonization, the outcome and the justifications for not using readily available documents shall be documented in the CFP-PCR (see also [6.2](#)).

9.6 Additional aspects for CFP communication

9.6.1 Confidentiality

For CFP communication intended to be available to the public, confidential information shall be accessible for CFP verification activities (see [8.1](#)).

For CFP communication not intended to be available to the public, organizations may decide to provide the data to a third-party and also may specify which confidentiality requirements to impose.

NOTE Product-specific data are often confidential because of:

- competitive business requirements,
- proprietary information covered by intellectual property rights, or
- similar legal restrictions.

9.6.2 Communication of partial CFP

Communication of partial CFP as described in [6.3.4.2](#) may be made for:

- a) GHG emissions and removals from selected stages of a product's life cycle, or
- b) results based on different scenarios as defined by the CFP-PCR, e.g. use and disposal.

CFP communication intended to be available to the public shall be based on the life cycle (see [3.1.5.2](#)) of the product, unless:

- information on specific stages (e.g. the use and end-of-life stages of the product) is not available and reasonable scenarios cannot be modelled, or
- there are stages that are insignificant for the GHG emissions and removals of the product.

NOTE The unnumbered list above is adapted from ISO 14025:2006, 9.2.1.

Where it is possible to model reasonable scenarios for any specific stage(s), and the stage(s) is (are) significant for the CFP, the stage(s) shall not be excluded. Assumptions made to create the scenarios shall be clearly stated.

A statement on omissions and justifications shall be included in the communication of partial CFP and shall justify the included and excluded life cycle stages.

Partial CFP showing a value less than zero shall not be made available to the public.

Communication of a partial CFP shall not take the form of a CFP label.

Annex A (normative)

The 100-year GWP

For the use of [Table A.1](#)³⁾, refer to [6.5](#).

NOTE 1 The global warming potential is an index, based upon radiative properties of well mixed GHGs, measuring the radiative forcing of a unit mass of a given well-mixed GHG in the present day atmosphere over a chosen time horizon, relative to that of carbon dioxide. [Table A.1](#) shows the 100-year GWP of GHGs according to IPCC Fourth assessment report.

NOTE 2 When new data are published by the IPCC, the new data supersede those in [Table A.1](#).

Table A.1 — Global warming potentials (GWP) relative to CO₂ for the 100-year time horizon

Industrial designation or common name	Chemical formula	GWP for 100-year time horizon (at date of publication)
Carbon dioxide	CO ₂	1
Methane	CH ₄	25
Nitrous oxide	N ₂ O	298
<i>Substances controlled by the Montreal Protocol</i>		
CFC-11	CCl ₃ F	4 750
CFC-12	CCl ₂ F ₂	10 900
CFC-13	CClF ₃	14 400
CFC-113	CCl ₂ FCClF ₂	6 130
CFC-114	CClF ₂ CClF ₂	10 000
CFC-115	CClF ₂ CF ₃	7 370
Halon-1301	CBrF ₃	7 140
Halon-1211	CBrClF ₂	1 890
Halon-2402	CBrF ₂ CBrF ₂	1 640
Carbon tetrachloride	CCl ₄	1 400
Methyl bromide	CH ₃ Br	5
Methyl chloroform	CH ₃ CCl ₃	146
HCFC-21	CHCl ₂ F	151
HCFC-22	CHClF ₂	1 810
HCFC-123	CHCl ₂ CF ₃	77
HCFC-124	CHClF ₂ CF ₃	609
HCFC-141b	CH ₃ CCl ₂ F	725
HCFC-142b	CH ₃ CClF ₂	2 310
HCFC-225ca	CHCl ₂ CF ₂ CF ₃	122
HCFC-225cb	CHClF ₂ CClF ₂	595
<i>Hydrofluorocarbons</i>		
HFC-23	CHF ₃	14 800
HFC-32	CH ₂ F ₂	675
HFC-41	CH ₃ F	92

3) Source: http://www.ipcc.ch/publications_and_data/ar4/wg1/en/ch2s2-10-2.html#table-2-14, "Changes in Atmospheric Constituents and in Radiative Forcing", Table 2.14.

Table A.1 (continued)

Industrial designation or common name	Chemical formula	GWP for 100-year time horizon (at date of publication)
HFC-125	CHF ₂ CF ₃	3 500
HFC-134	CHF ₂ CHF ₂	1 100
HFC-134a	CH ₂ FCF ₃	1 430
HFC-143	CH ₂ FCHF ₂	353
HFC-143a	CH ₃ CF ₃	4 470
HFC-152	CH ₂ FCH ₂ F	53
HFC-152a	CH ₃ CHF ₂	124
HFC-161	CH ₃ CH ₂ F	12
HFC-227ea	CF ₃ CHFCF ₃	3 220
HFC-236cb	CH ₂ FCF ₂ CF ₃	1 340
HFC-236ea	CHF ₂ CHFCF ₃	1 370
HFC-236fa	CF ₃ CH ₂ CF ₃	9 810
HFC-245ca	CH ₂ FCF ₂ CHF ₂	693
HFC-245fa	CHF ₂ CH ₂ CF ₃	1 030
HFC-365mfc	CH ₃ CF ₂ CH ₂ CF ₃	794
HFC-43-10mee	CF ₃ CHFCHFCF ₂ CF ₃	1 640
<i>Perfluorinated compounds</i>		
Sulphur hexafluoride	SF ₆	22 800
Nitrogen trifluoride	NF ₃	17 200
PFC-14	CF ₄	7 390
PFC-116	C ₂ F ₆	12 200
PFC-218	C ₃ F ₈	8 830
PFC-318	c-C ₄ F ₈	10 300
PFC-3-1-10	C ₄ F ₁₀	8 860
PFC-4-1-12	C ₅ F ₁₂	9 160
PFC-5-1-14	C ₆ F ₁₄	9 300
PFC-9-1-18	C ₁₀ F ₁₈	> 7 500
trifluoromethyl sulphur pentafluoride	SF ₅ CF ₃	17 700
Perfluorocyclopropane	c-C ₃ F ₆	> 17 340
<i>Fluorinated ethers</i>		
HFE-125	CHF ₂ OCF ₃	14 900
HFE-134	CHF ₂ OCHF ₂	6 320
HFE-143a	CH ₃ OCF ₃	756
HCFE-235da2	CHF ₂ OCHCICF ₃	350
HFE-245cb2	CH ₃ OCF ₂ CF ₃	708
HFE-245fa2	CHF ₂ OCH ₂ CF ₃	659
HFE-254cb2	CH ₃ OCF ₂ CHF ₂	359
HFE-347mcc3	CH ₃ OCF ₂ CF ₂ CF ₃	575
HFE-347pcf2	CHF ₂ CF ₂ OCH ₂ CF ₃	580
HFE-356pcc3	CH ₃ OCF ₂ CF ₂ CHF ₂	110
HFE-449sl (HFE-7100)	C ₄ F ₉ OCH ₃	297
HFE-569sf2 (HFE-7200)	C ₄ F ₉ OC ₂ H ₅	59
HFE-43-10pccc124 (H-Galden1040x)	CHF ₂ OCF ₂ OC ₂ F ₄ OCHF ₂	1 870
HFE-236ca12 (HG-10)	CHF ₂ OCF ₂ OCHF ₂	2 800
HFE-338pcc13 (HG-01)	CHF ₂ OCF ₂ CF ₂ OCHF ₂	1 500

Table A.1 (continued)

Industrial designation or common name	Chemical formula	GWP for 100-year time horizon (at date of publication)
	$(CF_3)_2CFOCH_3$	343
	$CF_3CF_2CH_2OH$	42
HFE-338pcc13 (HG-01)	$(CF_3)_2CHOH$	195
HFE-227ea	$CF_3CHFOCF_3$	1 540
HFE-236ea2	CHF_2OCHF_3	989
HFE-236fa	$CF_3CH_2OCF_3$	487
HFE-245fa1	$CHF_2CH_2OCF_3$	286
HFE-263fb2	$CF_3CH_2OCH_3$	11
HFE-329mcc2	$CHF_2CF_2OCF_2CF_3$	919
HFE-338mcf2	$CF_3CH_2OCF_2CF_3$	552
HFE-347mcf2	$CHF_2CH_2OCF_2CF_3$	374
HFE-356mec3	$CH_3OCF_2CHF_3$	101
HFE-356pcf2	$CHF_2CH_2OCF_2CHF_2$	265
HFE-356pcf3	$CHF_2OCH_2CF_2CHF_2$	502
HFE-365mcf3	$CF_3CF_2CH_2OCH_3$	11
HFE-374pc2	$CHF_2CF_2OCH_2CH_3$	557
	- $(CF_2)_4CH(OH)$ -	73
	$(CF_3)_2CHOCHF_2$	380
	$(CF_3)_2CHOCH_3$	27
<i>Perfluoropolyethers</i>		
PFPME	$CF_3OCF(CF_3)CF_2OCF_2OCF_3$	10 300
<i>Hydrocarbons and other compounds - Direct Effects</i>		
Dimethylether	CH_3OCH_3	1
Chloroform	$CHCl_3$	31
Methylene chloride	CH_2Cl_2	8,7
Methyl chloride	CH_3Cl	13
Methylene bromide	CH_2Br_2	1,54
Halon-1201	$CHBrF_2$	404
Trifluoroiodomethane	CF_3I	0,4

Annex B (normative)

Limitations of the carbon footprint of a product

B.1 General

Limitations of CFPs affect both CFP quantification and CFP communication. The two most important inherent limitations are:

- focus on climate change as the single impact category;
- limitations related to the methodology.

The consequences of these limitations shall be reflected in the communication of the CFP.

B.2 Focus on a single environmental issue

The CFP reflects the sum of GHG emissions and removals of a product system, expressed as CO₂e, which are associated with raw material acquisition, the production, use and end-of-life treatment of a product. While the CFP can be an important environmental aspect of the life cycle of a product affecting the safeguard subject “climate”, a product’s life cycle can have other environmental impacts of concern (e.g. resource depletion, air, water, soil and ecosystems).

An objective of LCA is to allow an informed decision regarding environmental impacts. Climate change attributable to the CFP is only one of a variety of environmental impacts that can arise from a product’s life cycle, and the relative importance of different impacts can vary with different products. In some cases, action to minimise a single environmental impact can result in greater impacts arising from other environmental aspects (e.g. activities to reduce water pollution can result in increased GHG emissions from the life cycle of a product, while the use of biomass to reduce GHG emissions can negatively affect biodiversity). Decisions about product impacts that are only based on a single environmental issue can be in conflict with goals and objectives related to other environmental issues. Where information regarding CFPs is used to inform consumer decisions, consideration shall be given to the potential importance of other relevant environmental aspects in the life cycle of that product.

NOTE Such considerations need not require a multi-criteria assessment.

B.3 Limitations related to the methodology

The CFP is calculated based on LCA methodology. ISO 14040 and ISO 14044 address its inherent limitations and trade-offs. These include the establishment of a functional unit and the system boundary, the availability and selection of appropriate data sources, allocation rules and assumptions regarding the transport, user behaviour and end-of-life scenarios. Some of the chosen data may be limited to a specific geographical area (e.g. national electricity grid) and/or may vary in time (e.g. seasonal variations). Value choices (e.g. for the selection of the functional unit or allocation rules) are also needed to model a life cycle.

These methodological constraints may have an influence on the outcome of the calculations. As a result, the accuracy of quantifying the CFP is limited and is also difficult to assess. Hence, other approaches such as energy-consumption-in-use assessment may be preferable in certain circumstances; however, establishing the importance of use stage GHG emissions is not possible without first assessing the life cycle GHG emissions of a product. As a result, CFP communication needs to consider the most appropriate information to be made public, once a fuller assessment has been completed.

Because of the above limitations the results of a quantification of the CFP in accordance with this Technical Specification are often not a sound basis for comparisons. However, these results may be used for comparisons provided that at a minimum the requirements of [Annex D](#) and requirements for a separate CFP communication programme are met.

Annex C (informative)

Possible procedures for the treatment of recycling in CFP studies

C.1 General

Based on the requirements and guidelines given in ISO 14040 and ISO 14044 and the examples as shown in ISO/TR 14049, this informative annex presents possible procedures for how to treat recycling in CFP studies. This annex does not preclude alternative procedures for how to treat recycling in CFP studies, provided they are in line with ISO 14040 and ISO 14044.

C.2 Recycling as an allocation issue

ISO 14044:2006, 4.3.4.3.1 states the following:

“The allocation principles and procedures in 4.3.4.1 and 4.3.4.2 also apply to reuse and recycling situations.

Changes in the inherent properties of materials shall be taken into account. In addition, particularly for the recovery processes between the original and subsequent product system, the system boundary shall be identified and explained, ensuring that the allocation principles are observed as described in 4.3.4.2.”

Furthermore, ISO 14044:2006, 4.3.4.3.2 states the following:

“However, in these situations, additional elaboration is needed for the following reasons:

- *reuse and recycling (as well as composting, energy recovery and other processes that can be assimilated to reuse/recycling) may imply that the inputs and outputs associated with unit processes for extraction and processing of raw materials and final disposal of products are to be shared by more than one product system;*
- *reuse and recycling may change the inherent properties of materials in subsequent use;*
- *specific care should be taken when defining system boundary with regard to recovery processes.”*

This means that recycling is considered as an allocation issue, which may imply that the GHG emissions associated with

- unit processes for extraction and processing of raw materials, and
- unit processes for the final disposal of products, including recycling,

are to be shared by more than one product system, i.e. the product system that delivers the recycled material and the subsequent system which uses the recycled material.

C.3 Closed-loop allocation procedure

ISO 14044:2006, 4.3.4.3.3, bullet a), states the following:

“A closed-loop allocation procedure applies to closed-loop product systems. It also applies to open-loop product systems where no changes occur in the inherent properties of the recycled material. In such cases, the need for allocation is avoided since the use of secondary material displaces the use of virgin (primary) materials.”

This addresses the case of the closed-loop system, where the recycled material is recovered in the end-of-life stage of a product system and is reused for the same product system again. In this case allocation can be avoided, because the recycled material substitutes the primary material in the same product system.

ISO 14044 states that the closed-loop procedure can also be applied to open-loop product systems, when the recycled material has the same inherent properties as the primary material. In this case the GHG emissions of the unit processes for the final disposal of products, including recycling are allocated to the product that delivers the recycled material, but the recycled material which leaves the product system carries a “recycling credit” which corresponds to the GHG emissions of the relevant primary material acquisition.

If material is lost within the product’s life cycle, then the GHG emissions of the production of this lost material from natural resources are completely charged to the product system that delivers the recycled material.

In the case of the closed-loop allocation procedure, the product system under study includes as end-of-life operations all processes from the end-of-life product to the recycled material, up to the point where it fulfils the same quality requirements as the primary material which it substitutes. As no further pre-processing of the recycled material is required, all unit processes for the final disposal of products, including recycling are allocated to the product system which generates the recycled material.

For closed-loop allocation each GHG emission tied to raw material acquisition and end-of-life operations can be calculated according to Equation (C.1):

$$E_M = E_V + E_{EoL} - R \cdot E_V \quad (C.1)$$

where

E_M is the GHG emissions tied to raw material acquisition and end-of-life operations;

E_V is the GHG emissions tied to extracting or producing the raw material needed for the product, from natural resources, as if it were all primary material;

E_{EoL} is the GHG emissions tied to end-of-life operations (being part of the product system which delivers recycled material);

R is the recycling rate of the material;

$R \cdot E_V$ is the recycling credit.

NOTE This method is equivalent to the closed loop approximation method in the GHG Protocol Product Life Cycle Accounting and Reporting Standard.

C.4 Open-loop allocation procedure

ISO 14044:2006, 4.3.4.3.3, bullet b), states the following:

“An open-loop allocation procedure applies to open-loop product systems where the material is recycled into other product systems and the material undergoes a change to its inherent properties.”

This means that recycled material, compared with primary material, may have a different chemical composition, a different structure, e.g. length of fibres in recycled paper, or a higher concentration of dissolved impurities.

ISO 14044:2006, 4.3.4.3.4 states the following:

The allocation procedures for the shared unit processes mentioned in 4.3.4.3 should use, as the basis for allocation, if feasible, the following order:

— *physical properties (e.g. mass);*

ISO/TS 14067:2013(E)

- *economic value (e.g. market value of the scrap material or recycled material in relation to market value of primary material); or*
- *the number of subsequent uses of the recycled material (see ISO/TR 14049)."*

The following is one possible interpretation of the above provisions from ISO 14044:2006.

The "shared unit processes" for the open-loop recycling are the processes for extraction and processing of raw materials and the end-of-life operations of products as mentioned in ISO 14044:2006, 4.3.4.3.2 (see above).

As for the GHG emissions of the unit processes of final disposal/recycling, allocation can be avoided by process subdivision. In practice, such process subdivision depends on the relevant product and material categories; further guidance can be found in sector guidance documents and PCR. One possible way of process subdivision is for the GHG emissions tied to final disposal/recycling to be split into a component E_{EoL} charged to the product system under study and a component E_{PP} charged to the product system which uses the recycled material. E_{PP} are the GHG emissions tied to the pre-processing of the recycled material in order to fulfil the quality requirements of the substituted primary material.

The remaining allocation issue is to share the GHG emissions associated with unit processes for extraction and processing of raw material between the system under study and the subsequent systems which use the recycled material. The first step is to try to avoid allocation, e.g. by system expansion. If allocation cannot be avoided, the provisions of ISO 14044:2006, 4.3.4.3.4, apply.

When the first option, allocation based on physical properties, is applied, the choice of a physical parameter needs justification, i.e. a physical relationship between the product system that delivers the recycled material and the (usually unknown) subsequent product system needs to be demonstrated [see ISO 14044:2006, 4.3.4.2, bullet b)].

The option of ISO 14044:2006, 4.3.4.3.4, second bullet, includes the choice of an allocation factor A , which is determined as the ratio between the global market price of the recycled material and the global market price of the primary material, typically as an average over a longer time period, e.g. five years. This option can be used if such global market prices exist. If the recycled material has the same market value as primary material, then an allocation factor $A = 1$ results, even if the inherent properties differ from those of the primary material. If the recycled material is given away free of charge, then the allocation factor $A = 0$. The application of market value allocation needs justification.

The market value allocation is difficult to apply because market price ratios may change significantly. Then, the use of different possible ratios in a sensitivity analysis can be helpful.

The number of subsequent uses of the recycled material can be applied for the allocation if this number can be determined and justified. Further guidance is given in ISO/TR 14049.

In the literature sometimes an arbitrary allocation factor, e.g. $A = 0,5$, is proposed for all materials without further justification. According to ISO 14044 such a factor is justified if the criteria for allocation mentioned in ISO 14044 (physical properties, economic value, number of subsequent uses) are neither feasible or applicable.

When a product consists of 100 % primary material, then, in the case of open-loop recycling, the GHG emissions related to raw material acquisition and end-of-life operations can be calculated according to Equation (C.2):

$$E_M = E_V + E_{EoL} - R \cdot A \cdot E_V \quad (C.2)$$

where

- E_M is the GHG emissions tied to raw material acquisition and end-of-life operations;
- E_V is the GHG emissions tied to extracting or producing all the raw material needed for the product, from natural resources;
- E_{EoL} is the GHG emissions tied to end-of-life operations (being part of the product system which delivers recycled material);
- R is the recycling rate;
- A is the allocation factor;
- $R \cdot A \cdot E_V$ is the recycling credit.

In the case of $A = 0$, i.e. complete down-cycling, no recycling credit is given.

When recycled material enters a product system, such recycled material carries an environmental burden if a recycling credit has previously been given to the product system that the recycled material comes from [see Equations (C.1) and (C.2) regarding recycling credit].

When a product consists of 100 % recycled material, then, in the case of open-loop recycling, the GHG emissions related to raw material acquisition and end-of-life operations can be calculated according to Equation (C.3) or Equation (C.4):

$$E_M = E_V \cdot A + E_{PP} + E_{EoL} - R \cdot A \cdot E_V \quad (C.3)$$

$$E_{PP} + E_{EoL} + (1 - R) \cdot A \cdot E_V \quad (C.4)$$

where E_{PP} are the GHG emissions tied to pre-processing of the recycled material in order to fulfil the quality requirements of the substituted primary material.

When a product consists of both primary and recycled material, then, in the case of open-loop recycling, the GHG emissions related to raw material acquisition and end-of-life operations can be calculated according to Equation (C.5) or Equation (C.6):

$$E_M = C \cdot A \cdot E_V + C \cdot E_{PP} + (1 - C) \cdot E_V + E_{EoL} - R \cdot A \cdot E_V \quad \text{or} \quad (C.5)$$

$$E_M = C \cdot E_{PP} + (1 - C) \cdot E_V + E_{EoL} + (C - R) \cdot A \cdot E_V \quad (C.6)$$

where C is the recycled content of the product.

Equation (C.3)/Equation (C.4) and Equation (C.5)/Equation (C.6) only apply if the allocation factor for the recycled material which enters the product system is identical with the allocation factor of the recycled material which leaves the product system. Otherwise, the calculation needs to be extended, using two different allocation factors.

Annex D (normative)

Comparison based on the CFP of different products

As indicated in [Clause 4](#) and [Annex B](#), a CFP study shall not be used for a communication on overall environmental superiority of one product vs. another one. Comparison based on the CFPs of different products is only permitted if the calculation of CFPs of the products to be compared follows identical CFP quantification and communication requirements. Users of this Technical Specification should acknowledge that CFPs developed according to requirements from different CFP communication programmes may not be comparable.

Products shall not be compared based on their partial CFPs unless the function of the product is included and the omitted processes of the product system are identical and/or not relevant for all compared products.

Comparison of products based on their CFPs is permissible if the calculation of CFPs is made according to equivalent CFP-PCR or mutually recognized CFP-PCR and includes information on the following issues:

- the product category definition and description (e.g. function, technical performance and use) are identical;
- the product definitions have the following characteristics:
 - the functional unit is identical;
 - the system boundary is equivalent;
 - the description of data is equivalent;
 - the criteria for inclusion of inputs and outputs are identical;
 - the data quality requirements, including coverage precision, completeness, representativeness, consistency and reproducibility are the same;
 - the units are identical.
- for the life cycle inventory and LCI:
 - the methods of data collection and data quality requirements are equivalent;
 - the calculation procedures are identical;
 - the allocation of the flows and releases is equivalent;
- the impact category calculation rules are identical;
- instructions on the content and the format of the CFP communication are equivalent.

Bibliography

- [1] ISO 9000:2005, *Quality management systems — Fundamentals and vocabulary*
- [2] ISO 11771, *Air quality — Determination of time-averaged mass emissions and emission factors — General approach*
- [3] ISO 14001:2004, *Environmental management systems — Requirements with guidance for use*
- [4] ISO 14020:2000, *Environmental labels and declarations — General principles*
- [5] ISO 14021:1999, *Environmental labels and declarations — Self-declared environmental claims (Type II environmental labelling)*
- [6] ISO 14021:1999/Amd.1:2011, *Environmental labels and declarations — Self-declared environmental claims (Type II environmental labelling) — Amendment 1*
- [7] ISO 14024, *Environmental labels and declarations — Type I environmental labelling — Principles and procedures*
- [8] ISO 14040:2006, *Environmental management — Life cycle assessment — Principles and framework*
- [9] ISO/TR 14047, *Environmental management — Life cycle assessment — Illustrative examples on how to apply ISO 14044 to impact assessment situations*
- [10] ISO/TR 14049, *Environmental management — Life cycle assessment — Illustrative examples on how to apply ISO 14044 to goal and scope definition and inventory analysis*
- [11] ISO/TR 14062:2002, *Environmental management — Integrating environmental aspects into product design and development*
- [12] ISO 14064-1:2006, *Greenhouse gases — Part 1: Specification with guidance at the organization level for quantification and reporting of greenhouse gas emissions and removals*
- [13] ISO 14064-2, *Greenhouse gases — Part 2: Specification with guidance at the project level for quantification, monitoring and reporting of greenhouse gas emission reductions or removal enhancements*
- [14] ISO 14064-3, *Greenhouse gases — Part 3: Specification with guidance for the validation and verification of greenhouse gas assertions*
- [15] ISO 14065, *Greenhouse gases — Requirements for greenhouse gas validation and verification bodies for use in accreditation or other forms of recognition*
- [16] ISO 14066, *Greenhouse gases — Competence requirements for greenhouse gas validation teams and verification teams*
- [17] ISO/TS 14071, *Environmental management — Life cycle assessment — Critical review processes and reviewer competencies: Additional requirements and guidelines to ISO 14044:2006⁴⁾*
- [18] ISO 15686-1:2011, *Buildings and constructed assets — Service life planning — Part 1: General principles and framework*
- [19] PAS 2050:2011, *Specification for the assessment of the life cycle greenhouse gas emissions of goods and services*
- [20] Greenhouse Gas Protocol – Product Life Cycle Accounting and Reporting Standard, 2011

4) Under development.

- [21] SOLOMON S., QIN D., MANNING M., CHEN Z., MARQUIS M., AVERYT K.B. et al.eds. *Intergovernmental Panel on Climate Change, Contribution of Working Group 1 to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 2007
- [22] EUROPEAN COMMISSION - JOINT RESEARCH CENTRE - INSTITUTE FOR ENVIRONMENT AND SUSTAINABILITY. *International Reference Life Cycle Data System (ILCD) Handbook - General guide for Life Cycle Assessment - Provisions and Action Steps*. First edition March 2010. EUR 24378 EN. Luxembourg. Publications Office of the European Union; 2010
- [23] IPCC. 1997, *Revised 1996 IPCC Guidelines for National Greenhouse Inventories*, Prepared by the IPCC/OECD/IEA, Paris, France, J.T., Houghton, Meira Filho L.G., Lim B., Tréanton K., Mamaty I., Bonduki Y., Griggs D.J. and Callander B.A. (Eds).
- [24] IPCC. 2006, *2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme*, Eggleston H.S., Buendia L., Miwa K., Ngara T. and Tanabe K. (eds). Published: IGES, Japan.
- [25] IPCC. 2003, *Good Practice Guidance for Land Use, land-Use Change and Forestry, Prepared by the National Greenhouse Gas Inventories Programme*, Penman J., Gytarsky M., Hiraishi T., Krug, T., Kruger D., Pipatti R., Buendia L., Miwa K., Ngara T., Tanabe K., Wagner F. (eds). Published: IGES, Japan.
- [26] IPCC. 2000, *Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme*, Penman J., Kruger D., Galbally I., Hiraishi T., Nyenzi B., Emmanuel S., Buendia L., Hoppaus R., Martinsen T., Meijer J., Miwa K., and Tanabe K. (eds). IPCC/OECD/IEA/IGES, Hayama, Japan

ICS 13.020.40

Price based on 52 pages