

INTERNATIONAL
STANDARD

ISO
10303-515

First edition
2000-03-01

**Industrial automation systems and
integration — Product data representation
and exchange —**

**Part 515:
Application interpreted construct:
Constructive solid geometry**

*Systèmes d'automatisation industrielle et intégration — Représentation
et échange de données de produits —*

*Partie 515: Construction interprétée d'application: Représentation
géométrique constructive des solides*



Reference number
ISO 10303-515:2000(E)

© ISO 2000

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

	Page
1 Scope	1
2 Normative references	2
3 Terms, definitions and abbreviations	3
3.1 Terms defined in ISO 10303-1	3
3.2 Terms defined in ISO 10303-202	3
3.3 Abbreviations	3
4 EXPRESS short listing	4
4.1 Fundamental concepts and assumptions	5
4.2 aic_csg entity definition: csg_shape_representation	5
Annex A (normative) Short names of entities.....	7
Annex B (normative) Information object registration.....	8
B.1 Document identification	8
B.2 Schema identification	8
Annex C (informative) EXPRESS-G diagrams	9
Annex D (informative) Computer interpretable listings	25
Index	26

Figures

Figure C.1	AIC expanded listing diagram in EXPRESS-G: 1 of 15	10
Figure C.2	AIC expanded listing diagram in EXPRESS-G: 2 of 15	11
Figure C.3	AIC expanded listing diagram in EXPRESS-G: 3 of 15	12
Figure C.4	AIC expanded listing diagram in EXPRESS-G: 4 of 15	13
Figure C.5	AIC expanded listing diagram in EXPRESS-G: 5 of 15	14
Figure C.6	AIC expanded listing diagram in EXPRESS-G: 6 of 15	15
Figure C.7	AIC expanded listing diagram in EXPRESS-G: 7 of 15	16
Figure C.8	AIC expanded listing diagram in EXPRESS-G: 8 of 15	17
Figure C.9	AIC expanded listing diagram in EXPRESS-G: 9 of 15	18
Figure C.10	AIC expanded listing diagram in EXPRESS-G: 10 of 15	19
Figure C.11	AIC expanded listing diagram in EXPRESS-G: 11 of 15	20
Figure C.12	AIC expanded listing diagram in EXPRESS-G: 12 of 15	21
Figure C.13	AIC expanded listing diagram in EXPRESS-G: 13 of 15	22
Figure C.14	AIC expanded listing diagram in EXPRESS-G: 14 of 15	23
Figure C.15	AIC expanded listing diagram in EXPRESS-G: 15 of 15	24

Tables

Table A.1 - Short names of entities.....	7
--	---

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 10303-515 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC4, *Industrial data*.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1.

A complete list of parts of ISO 10303 is available from the internet:

<http://www.nist.gov/sc4/editing/step/titles/>

Annexes A and B form a normative part of this part of ISO 10303. Annexes C and D are for information only.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product, independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1. This part of ISO 10303 is a member of the application interpreted constructs series.

An application interpreted construct (AIC) provides a logical grouping of interpreted constructs that supports a specific functionality for the usage of product data across multiple application contexts. An interpreted construct is a common interpretation of the integrated resources that supports shared information requirements among application protocols.

This document specifies the application interpreted construct for a consistent set of geometric and structural entities for the definition of Constructive Solid Geometry (CSG). The geometric information is conveyed by solid models, and the structural information is communicated through acyclic graphs.

Industrial automation systems and integration — Product data representation and exchange — Part 515: Application interpreted construct: Constructive solid geometry

1 Scope

This part of ISO 10303 specifies the interpretation of the integrated resources to satisfy requirements for representation of product shape using constructive solid geometry.

The following are within the scope of this part of ISO 10303:

- solid primitives;

EXAMPLE 1 - sphere, right circular cone, right circular cylinder, and torus are types of solid primitives.

- regularised boolean operations of union, intersection, and difference on solid primitives, manifold brep and other solids;

EXAMPLE 2 - manifold solid breps, extruded face solids, revolved face solids, solid replicas, and half-space solids are other types of solids.

- extruded_face_solids and swept_face_solids to define new primitive shapes;
- boolean results generated by applying operators to solids.

The following are outside the scope of this part of ISO 10303:

- 2D geometric entities;
- self-intersecting geometry;
- evaluation of constructive solid geometry models to generate B-rep models.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 10303. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 10303 are encouraged to investigate the possibility of applying the most recent editions of the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 8824-1:1995, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation.*

ISO 10303-1:1994, *Industrial automation systems and integration — Product data representation and exchange — Part 1: Overview and fundamental principles.*

ISO 10303-11:1994, *Industrial automation systems and integration — Product data representation and exchange — Part 11: Description methods: The EXPRESS language reference manual.*

ISO 10303-41:1994, *Industrial automation systems and integration — Product data representation and exchange — Part 41: Integrated generic resources: Fundamentals of product description and support.*

ISO 10303-42:1994, *Industrial automation systems and integration — Product data representation and exchange — Part 42: Integrated generic resources: Geometric and topological representation.*

ISO 10303-43:1994, *Industrial automation systems and integration — Product data representation and exchange — Part 43: Integrated generic resources: Representation structures.*

ISO 10303-202:1996, *Industrial automation systems and integration — Product data representation and exchange — Part 202: Application protocol: Associative draughting.*

ISO 10303-511: 1999, *Industrial automation systems and integration — Product data representation and exchange — Part 511: Application interpreted construct: Topologically bounded surface.*

ISO 10303-512: 1999, *Industrial automation systems and integration — Product data representation and exchange — Part 512: Application interpreted construct: Faceted boundary representation.*

ISO 10303-514: 1999, *Industrial automation systems and integration — Product data representation and exchange — Part 514: Application interpreted construct: Advanced boundary representation.*

3 Terms, definitions and abbreviations

3.1 Terms defined in ISO 10303-1

For the purpose of this part of ISO 10303, the following terms defined in ISO 10303-1 apply:

- application;
- application context;
- application protocol (AP);
- implementation method;
- integrated resource;
- interpretation;
- product;
- product data.

3.2 Terms defined in ISO 10303-202

3.2.1

application interpreted construct (AIC)

a logical grouping of interpreted constructs that supports a specific function for the usage of product data across multiple application contexts

[ISO 10303-202:1996 definition 3.7.1]

3.3 Abbreviations

For the purposes of this part of ISO 10303, the following abbreviations apply:

AIC application interpreted construct

AP application protocol

CSG constructive solid geometry

4 EXPRESS short listing

This clause specifies the EXPRESS schema that uses elements from the integrated resources and contains the types, entity specializations, and functions that are specific to this part of ISO 10303.

NOTE 1 - There may be subtypes and items of select lists that appear in the integrated resources that are not imported into the AIC. Constructs are eliminated from the subtype tree or select list through the use of the implicit interface rules of ISO 10303-11. References to eliminated constructs are outside the scope of the AIC. In some cases, all items of the select list are eliminated. Because AICs are intended to be implemented in the context of an application protocol, the items of the select list will be defined by the scope of the application protocol.

EXPRESS Specification:

```
*)  
SCHEMA aic_csg;  
  
USE FROM aic_advanced_brep; -- ISO 10303-514  
USE FROM aic_faceted_brep; -- ISO 10303-512  
USE FROM geometric_model_schema  
  (block,  
   boolean_operand,  
   boolean_operator,  
   boolean_result,  
   box_domain,  
   boxed_half_space,  
   csg_primitive,  
   csg_select,  
   csg_solid,  
   extruded_face_solid,  
   half_space_solid,  
   revolved_face_solid,  
   right_angular_wedge,  
   right_circular_cone,  
   right_circular_cylinder,  
   solid_replica,  
   sphere,  
   torus);  
  
(*
```

NOTE 2 - The schemas referenced above can be found in the following parts of ISO 10303:

aic_advanced_brep	ISO 10303-514
aic_faceted_brep	ISO 10303-512
geometric_model_schema	ISO 10303-42

4.1 Fundamental concepts and assumptions

The following entities are intended to be independently instantiated in the application protocol schemas that use this AIC:

— aic_csg

4.2 aic_csg entity definition: csg_shape_representation

A **csg_shape_representation** is a three-dimensional **shape_representation** that represents the shape of a **product** using constructive solid geometry operations and techniques. The solid objects may be either solid primitives, swept face solids, half-space solids, faceted B-rep solids (consistent with ISO 10303-512), or advanced B-rep solids (consistent with ISO 10303-514).

NOTE - An application protocol that uses this AIC may ensure that the **shape_representation** entity is instantiated as a **csg_shape_representation**.

EXPRESS Specification:

```
*)
ENTITY csg_shape_representation
  SUBTYPE OF (shape_representation);
WHERE
  WR1: SELF.context_of_items\geometric_representation_context.coordinate_space_dimension = 3;
  WR2: SIZEOF(QUERY (it <* SELF.items |
    SIZEOF(['AIC_CSG.CSG_SOLID',
           'AIC_CSG.MAPPED_ITEM', 'AIC_CSG.AXIS2_PLACEMENT_3D',
           'AIC_CSG.SOLID_REPLICA', 'AIC_CSG.REVOLVED_FACE_SOLID',
           'AIC_CSG.EXTRUDED_FACE_SOLID']) * TYPEOF(it)) >> 1) = 0;
  WR3: SIZEOF(QUERY (mi <* QUERY (it <* SELF.items |
    'AIC_CSG.MAPPED_ITEM' IN TYPEOF(it)) |
    NOT('AIC_CSG.CSG_SHAPE REPRESENTATION' IN
      TYPEOF(mi\mapped_item.mapping_source.mapped_representation))) = 0;
  WR4: SIZEOF(QUERY (sr <* QUERY (it <* SELF.items |
    'AIC_CSG.SOLID_REPLICA' IN TYPEOF(it)) |
    SIZEOF(['AIC_CSG.CSG_SOLID', 'AIC_CSG.REVOLVED_FACE_SOLID',
           'AIC_CSG.EXTRUDED_FACE_SOLID']) * TYPEOF(sr\solid_replica.parent_solid)) = 0)) = 0;
  WR5: SIZEOF(QUERY(it <* SELF.items |
    NOT('AIC_CSG.AXIS2_PLACEMENT_3D' IN TYPEOF(it)))) > 0;
END_ENTITY;
END_SCHEMA; -- aic_csg
(*)
```

WR1: The **geometric_representation_context** of the **csg_shape_representation** shall have a **coordinate_space_dimension** equal to three.

WR2: The **items** in a **csg_shape_representation** shall be either of type **csg_solid**, **solid_replica**, **mapped_item**, **revolved_face_solid**, **extruded_face_solid** or **axis2_placement_3d**.

WR3: The **mapping_source** of any **mapped_item** in the **items** set of a **csg_shape_representation** shall be of type **csg_shape_representation**.

WR4: The **parent_solid** of any **solid_replica** in the **items** set of a **csg_shape_representation** shall be either of type **csg_solid**, **revolved_face_solid** or **extruded_face_solid**.

WR5: There shall be at least one element in the **items** set of a **csg_shape_representation**, which is not of type **axis2_placement_3d**.

Informal Propositions:

IP1: Any instance of **solid_model** used directly, or indirectly, as **first_operand** or **second_operand** of a **boolean_result** to define **csg_solid** in the **items** set of a **csg_shape_representation** shall be either of type **extruded_face_solid**, **revolved_face_solid**, **manifold_solid_brep**, or **solid_replica**. If it is of type **solid_replica**, its **parent_solid** shall be of type **csg_solid**, **extruded_face_solid**, **revolved_face_solid** or **manifold_solid_brep**.

IP2: Any instance of **manifold_solid_brep** used directly, or indirectly, as **first_operand** or **second_operand** of a **boolean_result** to define a **csg_solid** occurring in a **csg_shape_representation** shall be compatible with either the rules defined for its use in an **advanced_brep_shape_representation** or, the rules defined for its use in a **faceted_brep_shape_representation**. In particular each face shall either be of type **advanced_face** or, in the case of a **faceted_brep**, shall be a **face_surface** bounded by **poly_loops** and with a **plane** as **face_geometry**.

Annex A
(normative)**Short names of entities**

Table A.1 provides the short names of entities specified in this part of ISO 10303. Requirements on the use of the short names are found in the implementation methods included in ISO 10303.

Table A.1 - Short names of entities

Entity names	Short names
CSG_SHAPE_REPRESENTATION	CSSHRP

Annex B
(normative)**Information object registration****B.1 Document identification**

To provide for unambiguous identification of an information object in an open system, the object identifier

{ iso standard 10303 part(515) version(1) }

is assigned to this part of ISO 10303. The meaning of this value is defined in ISO/IEC 8824-1 and is described in ISO 10303-1.

B.2 Schema identification

To provide for unambiguous identification of the aic_csg schema in an open system, the object identifier

{ iso standard 10303 part(515) version(1) object(1) aic-csg(1) }


is assigned to the aic_csg schema (see clause 4). The meaning of this value is defined in ISO/IEC 8824-1 and is described in ISO 10303-1.

Annex C (informative)

EXPRESS-G diagrams

Figure C.1 through Figure C.15 correspond to the EXPRESS generated from the short listing given in clause 4 using the interface specifications of ISO 10303-11. The diagrams use the EXPRESS-G graphical notation for the EXPRESS language. EXPRESS-G is defined in annex D of ISO 10303-11.

NOTE - The following select types: curve_on_surface, founded_item_select, geometric_set_select, measure_value, reversible_topology, reversible_topology_item, transformation, trimming_select, vector_or_direction are interfaced into the AIC expanded listing according to the implicit interface rules of ISO 10303-11. These select types are not referenced by other entities of this part of ISO 10303.

**Figure C.1 – AIC expanded listing diagram in EXPRESS-G: 1 of 15**





Figure C.2 – AIC expanded listing diagram in EXPRESS-G: 2 of 15

**Figure C.3 – AIC expanded listing diagram in EXPRESS-G: 3 of 15**




Figure C.4 – AIC expanded listing diagram in EXPRESS-G: 4 of 15




Figure C.5 – AIC expanded listing diagram in EXPRESS-G: 5 of 15




Figure C.6 – AIC expanded listing diagram in EXPRESS-G: 6 of 15




Figure C.7 – AIC expanded listing diagram in EXPRESS-G: 7 of 15




Figure C.8 – AIC expanded listing diagram in EXPRESS-G: 8 of 15




Figure C.9 – AIC expanded listing diagram in EXPRESS-G: 9 of 15




Figure C.10 – AIC expanded listing diagram in EXPRESS-G: 10 of 15




Figure C.11 – AIC expanded listing diagram in EXPRESS-G: 11 of 15




Figure C.12 – AIC expanded listing diagram in EXPRESS-G: 12 of 15




Figure C.13 – AIC expanded listing diagram in EXPRESS-G: 13 of 15




Figure C.14 – AIC expanded listing diagram in EXPRESS-G: 14 of 15




Figure C.15 – AIC expanded listing diagram in EXPRESS-G: 15 of 15

Annex D
(informative)**Computer interpretable listings**

This annex references a listing of the EXPRESS entity names and corresponding short names as specified in this part of ISO 10303. It also provides a listing of each EXPRESS schema specified in this part of ISO 10303 without comments or other explanatory text. These listings are available in computer-interpretable form and can be found at the following URLs:

Short names: <http://www.mel.nist.gov/div826/subject/apde/snr/>

EXPRESS: <http://www.mel.nist.gov/step/parts/part515/is/>

If there is difficulty accessing these sites contact ISO Central Secretariat or contact the ISO TC 184/SC4 Secretariat directly at: sc4sec@cme.nist.gov.

NOTE - The information provided in computer-interpretable form at the above URLs is informative. The information that is contained in the body of this part of ISO 10303 is normative.

Index

advanced_brep_shape_representation	
AIC diagrams.....	10
advanced_face	
AIC diagrams.....	16
application	3
application context.....	3
application protocol	3
axis1_placement	
AIC diagrams.....	12
axis2_placement	
AIC diagrams.....	12
axis2_placement_2d	
AIC diagrams.....	12
axis2_placement_3d	
AIC diagrams.....	12
b_spline_curve	
AIC diagrams.....	14
b_spline_curve_form	
AIC diagrams.....	14
b_spline_curve_with_knots	
AIC diagrams.....	14
b_spline_surface	
AIC diagrams.....	18
b_spline_surface_form	
AIC diagrams.....	18
b_spline_surface_with_knots	
AIC diagrams.....	18
bezier_curve	
AIC diagrams.....	14
bezier_surface	
AIC diagrams.....	18
block	
AIC diagrams.....	21
boolean_operand	
AIC diagrams.....	21
boolean_operator	
AIC diagrams.....	21
boolean_result	
AIC diagrams.....	21
bounded_curve	
AIC diagrams.....	13
bounded_surface	
AIC diagrams.....	18
box_domain	
AIC diagrams.....	23

boxed_half_space	
AIC diagrams.....	23
brep_with_voids	
AIC diagrams.....	20
cartesian_point	
AIC diagrams.....	11
cartesian_transformation_operator	
AIC diagrams.....	12
cartesian_transformation_operator_3d	
AIC diagrams.....	12
circle	
AIC diagrams.....	13
closed_shell	
AIC diagrams.....	20
composite_curve	
AIC diagrams.....	14
composite_curve_on_surface	
AIC diagrams.....	14
composite_curve_segment	
AIC diagrams.....	14
conic	
AIC diagrams.....	13
conical_surface	
AIC diagrams.....	17
connected_face_set	
AIC diagrams.....	20
csg_primitive	
AIC diagrams.....	21
csg_select	
AIC diagrams.....	20
csg_shape_representation	
AIC diagrams.....	10
AIC EXPRESS short listing entities	5
csg_solid	
AIC diagrams.....	20
curve	
AIC diagrams.....	13
curve_on_surface	
AIC diagrams.....	15
cylindrical_surface	
AIC diagrams.....	17
definitional_representation	
AIC diagrams.....	10
degenerate_toroidal_surface	
AIC diagrams.....	17
dimension_count	
AIC diagrams.....	11
direction	
AIC diagrams.....	12

edge	
AIC diagrams.....	19
edge_curve	
AIC diagrams.....	19
edge_loop	
AIC diagrams.....	19
elementary_surface	
AIC diagrams.....	17
ellipse	
AIC diagrams.....	13
extruded_face_solid	
AIC diagrams.....	20
face	
AIC diagrams.....	16
face_bound	
AIC diagrams.....	16
face_outer_bound	
AIC diagrams.....	16
face_surface	
AIC diagrams.....	16
faceted_brep	
AIC diagrams.....	20
faceted_brep_shape_representation	
AIC diagrams.....	10
founded_item	
AIC diagrams.....	10
founded_item_select	
AIC diagrams.....	10
functionally_defined_transformation	
AIC diagrams.....	24
geometric_representation_context	
AIC diagrams.....	10
geometric_representation_item	
AIC diagrams.....	11
geometric_set_select	
AIC diagrams.....	11
half_space_solid	
AIC diagrams.....	23
hyperbola	
AIC diagrams.....	13
identifier	
AIC diagrams.....	10
implementation method	
AIC diagrams.....	3
integrated resource	
AIC diagrams.....	3
interpretation	
AIC diagrams.....	3

knot_type		
AIC diagrams.....		14
label		
AIC diagrams.....		10
length_measure		
AIC diagrams.....		25
line		
AIC diagrams.....		13
list_of_reversible_topology_item		
AIC diagrams.....		19
loop		
AIC diagrams.....		19
mapped_item		
AIC diagrams.....		10
measure_value		
AIC diagrams.....		12
open_shell		
AIC diagrams.....		20
oriented_closed_shell		
AIC diagrams.....		20
oriented_edge		
AIC diagrams.....		19
oriented_face		
AIC diagrams.....		16
oriented_open_shell		
AIC diagrams.....		20
oriented_path		
AIC diagrams.....		19
parabola		
AIC diagrams.....		13
parameter_value		
AIC diagrams.....		25
parametric_representation_context		
AIC diagrams.....		10
path		
AIC diagrams.....		19
pcurve		
AIC diagrams.....		15
pcurve_or_surface		
AIC diagrams.....		15
placement		
AIC diagrams.....		12
plane		
AIC diagrams.....		17

plane_angle_measure	
AIC diagrams.....	12
point	
AIC diagrams.....	11
poly_loop	
AIC diagrams.....	19
polyline	
AIC diagrams.....	13
positive_length_measure	
AIC diagrams.....	12
preferred_surface_curve_representation	
AIC diagrams.....	15
product data	3
quasi_uniform_curve	
AIC diagrams.....	14
quasi_uniform_surface	
AIC diagrams.....	18
rational_b_spline_curve	
AIC diagrams.....	14
rational_b_spline_surface	
AIC diagrams.....	18
representation	
AIC diagrams.....	10
representation_context	
AIC diagrams.....	10
representation_item	
AIC diagrams.....	10
representation_map	
AIC diagrams.....	10
reversible_topology	
AIC diagrams.....	19
reversible_topology_item	
AIC diagrams.....	19
revolved_face_solid	
AIC diagrams.....	20
right_angular_wedge	
AIC diagrams.....	22
right_circular_cone	
AIC diagrams.....	22
right_circular_cylinder	
AIC diagrams.....	22
set_of_reversible_topology_item	
AIC diagrams.....	19
shape_representation	
AIC diagrams.....	10
shell	
AIC diagrams.....	20

solid_model	
AIC diagrams.....	20
solid_replica	
AIC diagrams.....	20
sphere	
AIC diagrams.....	21
spherical_surface	
AIC diagrams.....	17
surface	
AIC diagrams.....	16
surface_curve	
AIC diagrams.....	15
surface_of_linear_extrusion	
AIC diagrams.....	16
surface_of_revolution	
AIC diagrams.....	16
swept_face_solid	
AIC diagrams.....	20
swept_surface	
AIC diagrams.....	16
text	
AIC diagrams.....	10
topological_representation_item	
AIC diagrams.....	10
toroidal_surface	
AIC diagrams.....	17
torus	
AIC diagrams.....	22
transformation	
AIC diagrams.....	24
transition_code	
AIC diagrams.....	14
trimming_select	
AIC diagrams.....	11
uniform_curve	
AIC diagrams.....	14
uniform_surface	
AIC diagrams.....	18
vector	
AIC diagrams.....	12
vector_or_direction	
AIC diagrams.....	12
vertex	
AIC diagrams.....	19
vertex_loop	
AIC diagrams.....	19
vertex_point	
AIC diagrams.....	19



ICS 25.040.40

Price based on 31 pages

© ISO 2000 – All rights reserved