



INTERNATIONAL STANDARD ISO 10545-12:1995
TECHNICAL CORRIGENDUM 1

Published 1997-02-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Ceramic tiles —

Part 12: Determination of frost resistance

TECHNICAL CORRIGENDUM 1

Carreaux et dalles céramiques —

Partie 12: Détermination de la résistance au gel

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to International Standard ISO 10545-12:1995 was prepared by Technical Committee ISO/TC 189, *Ceramic tile*.

Page 1

Subclause 4.2

4th line: replace “less than 0,01 %” by “less than 0,1 %”.

Page 2

Subclause 5.1

Replace “(60 ± 2,6) kPa” by “(40 ± 2,6) kPa”.

ICS 91.100.20

Ref. No. ISO 10545-12:1995/Cor.1:1997(E)

Descriptors: ceramics, tiles, tests, freezing tests, determination, thermal resistance.

This page intentionally left blank