

First edition  
1995-12-15

**AMENDMENT 1**  
2009-10-01

---

---

**Mechanical vibration — Evaluation of  
machine vibration by measurements on  
non-rotating parts —**

Part 1:  
**General guidelines**

AMENDMENT 1

*Vibrations mécaniques — Évaluation des vibrations des machines par  
mesurages sur les parties non tournantes —*

*Partie 1: Lignes directrices générales*

AMENDEMENT 1



Reference number  
ISO 10816-1:1995/Amd.1:2009(E)

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 10816-1:1995 was prepared by Technical Committee ISO/TC 108, *Mechanical vibration, shock and condition monitoring*, Subcommittee SC 2, *Measurement and evaluation of mechanical vibration and shock as applied to machines, vehicles and structures*.



# Mechanical vibration — Evaluation of machine vibration by measurements on non-rotating parts —

## Part 1: General guidelines

### AMENDMENT 1

*Cover, French title*

“Directives générales” has been replaced by “Lignes directrices générales”

*Page 1, Clause 2*

Replace the clause with the following:

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7919-1, *Mechanical vibration of non-reciprocating machines — Measurements on rotating shafts and evaluation criteria — Part 1: General guidelines*

*Page 7, 5.3.1*

Replace the first paragraph with the following:

The following typical evaluation zones are defined to permit a qualitative assessment of the vibration on a given machine and to provide guidelines on possible actions. Different categorization and number of zones may apply for specific machine types. These are provided in additional parts of ISO 10816, which also define specific values for the zone boundary limits. For those machine types for which no specific part has been developed, see Annex B.

*Page 11, Equation (A.2)*

Add a square closing bracket at the end of the first line of the equation as follows:

$$v_{\text{r.m.s.}} = \pi \times 10^{-3} \sqrt{\frac{1}{2} [(s_1 f_1)^2 + (s_2 f_2)^2 + \dots + (s_n f_n)^2]} \quad (\text{A.2})$$

Replace existing Annex B with the following:

## **Annex B** (informative)

### **Informative guidelines for setting zone boundary limits**

This part of ISO 10816 is a basis document which establishes general procedures for the measurement and evaluation of mechanical vibration of machines, as measured on non-rotating parts. It does not define specific evaluation criteria. These are provided for many common machine types in other parts of ISO 10816.

The evaluation criteria for machine types for which no specific parts have been developed are normally based on successful operating experience with machines of similar design and should be subject to agreement between the supplier and the purchaser of the machine. Factors which should be taken into account include the position and direction of measurement, frequency range, support flexibility and operating conditions.

In those cases where there is no suitable experience or part of ISO 10816 available, a range of typical values for the zone A/B, B/C and C/D boundaries, respectively (see 5.3.1), are given in Table B.1.

In general, the zone boundary limits

- a) for small machines (e.g. electric motors with power up to 15 kW) tend to lie at the lower end of the range, and
- b) for larger machines (e.g. prime movers with flexible supports in the direction of measurement) tend to lie at the upper end of the range.

These values provide a basis for facilitating discussion and agreement between the supplier and the purchaser and should ensure that in most cases gross deficiencies or unrealistic requirements are avoided.

Caution should be exercised when applying the values given in Table B.1 as there may be specific features associated with a particular machine which would require the use of different values.

**Table B.1 — Range of typical values for the zone A/B, B/C and C/D boundaries**

Range of typical zone boundary values r.m.s. vibration velocity mm/s					
0,28				0,28	
0,45				0,45	
0,71				0,71	
1,12	Zone boundary A/B 0,71 to 4,5			1,12	
1,8				1,8	
2,8				2,8	
4,5				4,5	
7,1		Zone boundary B/C 1,8 to 9,3		Zone boundary C/D 4,5 to 14,7	
9,3					9,3
11,2					11,2
14,7				14,7	
18				18	
28				28	
45				45	

NOTE 1 This table only applies to machines for which specific parts of ISO 10816 have not been developed and for which there is no past satisfactory experience available.

NOTE 2 Acceptance criteria should be subject to agreement between the supplier and the purchaser of the machine.

NOTE 3 The values selected should take into account the measurement position and the support flexibility/resilience.

NOTE 4 Small machines (e.g. electric motors with power up to 15 kW) tend to lie at the lower end of the range and larger machines (e.g. prime movers with flexible supports in the direction of measurement) tend to lie at the upper end of the range.

Replace Annex F with the following bibliography:

## Bibliography

- [1] ISO 2041, *Mechanical vibration, shock and condition monitoring — Vocabulary*
- [2] ISO 2954, *Mechanical vibration of rotating and reciprocating machinery — Requirements for instruments for measuring vibration severity*
- [3] ISO 7919-2, *Mechanical vibration — Evaluation of machine vibration by measurements on rotating shafts — Part 2: Land-based steam turbines and generators in excess of 50 MW with normal operating speeds of 1 500 r/min, 1 800 r/min, 3 000 r/min and 3 600 r/min*
- [4] ISO 7919-3, *Mechanical vibration — Evaluation of machine vibration by measurements on rotating shafts — Part 3: Coupled industrial machines*
- [5] ISO 7919-4, *Mechanical vibration — Evaluation of machine vibration by measurements on rotating shafts — Part 4: Gas turbine sets with fluid-film bearings*
- [6] ISO 7919-5, *Mechanical vibration — Evaluation of machine vibration by measurements on rotating shafts — Part 5: Machine sets in hydraulic power generating and pumping plants*
- [7] ISO 10437, *Petroleum, petrochemical and natural gas industries — Steam turbines — Special-purpose applications*
- [8] ISO 13709, *Centrifugal pumps for petroleum, petrochemical and natural gas industries*
- [9] ISO 22266-1, *Mechanical vibration — Torsional vibration of rotating machinery — Part 1: Land-based steam and gas turbine generator sets in excess of 50 MW*
- [10] VDI 3836, *Messung und Beurteilung mechanischer Schwingungen von Schraubenverdichtern und Rootsgebläsen; Ergänzung von DIN ISO 10816-3 (Measurement and evaluation of mechanical vibration of screw-type compressors and Root compressors; Addition to DIN ISO 10816-3). Bilingual*
- [11] VDI 3838, *Messung und Beurteilung mechanischer Schwingungen von Hubkolbenmotoren und -kompressoren mit Leistungen über 100 kW; Ergänzung von DIN ISO 10816-6 (Measurement and evaluation of mechanical vibration of reciprocating piston engines and piston compressors with power ratings above 100 kW; Addition to DIN ISO 10816-6). Bilingual*
- [12] API 611, *General-Purpose Steam Turbines for Petroleum, Chemical, and Gas Industry Services*
- [13] API 616, *Gas Turbines for Petroleum, Chemical, and Gas Industry Services*
- [14] API 617, *Axial and Centrifugal Compressors and Expander-compressors for Petroleum, Chemical and Gas Industry Services*
- [15] API 618, *Reciprocating Compressors for Petroleum, Chemical, and Gas Industry Services*
- [16] API 619, *Rotary-type Positive-displacement Compressors for Petroleum, Petrochemical, and Natural Gas Industries*





