INTERNATIONAL STANDARD

ISO 11687-2

> First edition 1995-02-01

Plain bearings — Pedestal plain bearings —

Part 2:

Side flange bearings

Paliers lisses — Paliers lisses à chaise sur le sol — Partie 2: Paliers à bride latérale



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 11687-2 was prepared by Technical Committee ISO/TC 123, *Plain bearings*, Subcommittee SC 3, *Dimensions*, *tolerances* and construction details.

ISO 11687 consists of the following parts, under the general title *Plain bearings* — *Pedestal plain bearings*:

- Part 1: Pillow blocks
- Part 2: Side flange bearings
- Part 3: Centre flange bearings

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

[©] ISO 1995

Plain bearings — Pedestal plain bearings —

Part 2:

Side flange bearings

1 Scope

This part of ISO 11687 specifies design characteristics for side flange bearings for the size range 9 to 28, as well as design characteristics for shafts.

It is applicable to side flange bearings used mainly in electrical and turbo engineering industries.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 11687. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 11687 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 185:1988, Grey cast iron — Classification.

ISO 426-1:1983, Wrought copper-zinc alloys — Chemical composition and forms of wrought products — Part 1: Non-leaded and special copper-zinc alloys.

ISO 426-2:1983, Wrought copper-zinc alloys — Chemical composition and forms of wrought products — Part 2: Leaded copper-zinc alloys.

ISO 630:1980, Structural steels.

ISO 683-11:1987, Heat-treatable steels, alloy steels and free-cutting steels — Part 11: Wrought case-hardening steels.

ISO 1302:1992, Technical drawings — Method of indicating surface texture.

ISO 2768-1:1989, General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications.

ISO 2768-2:1989, General tolerances — Part 2: Geometrical tolerances for features without individual tolerance indications.

ISO 3755:1991, Cast carbon steels for general engineering purposes.

ISO 4381:1991, Plain bearings — Lead and tin casting alloys for multilayer plain bearings.

ISO 8062:1994, Castings — System of dimensional tolerances and machining allowances.

ISO 12129-1:—11, Plain bearings — Part 1: Fits.

ISO 12129-2:—1), Plain bearings — Part 2: Tolerances on form and position and surface roughness for shafts, flanges and thrust collars.

¹⁾ To be published.

ISO 11687-2:1995(E) © ISO

Types of pillow block

According to their design, side flange bearings can be devised as follows, each characteristic being designated by a letter symbol.

Housing:

Side flange bearing with cooling fins

Heat dissipation:

- Natural cooling
- Water cooling in oil sump W
- Circulation pump and natural cooling 11
- Т Circulation pump and water cooling in oil sump
- Z Recirculating oil lubrication with external cooling of

Shape of bore for journal bearing and type of lubrication:

- Circular cylindrical bore without oil ring
- Circular cylindrical bore with split oil ring not fixed L on a rotating shaft
- Lobed bearing with two sliding surfaces without oil Υ
- Lobed bearing with four sliding surfaces without oil ring

Thrust bearing:

- Without sliding surfaces [non-locating (free) bearing
- Plain sliding surfaces with oil grooves (guide bear-В
- Wedge surfaces (design and dimensions K at the manufacturer's discretion)
- Tilting pads

Seal:

Type and dimensions subject to agreement

The symbols above figure 1 explain only the type illustrated; the complete type required shall be specified in the above-mentioned sequence when ordering.

4 Dimensions

See figures 1 to 3 and tables 1 and 2.

The side flange bearings are not expected to conform to the designs illustrated in figure 1; compliance is only required with respect to the dimensions specified.

NOTE 1 All dimensions are given in millimetres.

Details which are not specified shall be chosen as appropriate.

5 Shaft design

See figures 2 and 3 and table 2.

Materials

Housing:

Grade 300 in accordance with ISO 185; other materials subject to agreement

Half-bearing:

Bearing back:

Fe 360 B in accordance with ISO 630 C10 or C15 E 4 in accord-

ance with ISO 683-11 200 to 400 in accordance

with ISO 3755

Type of material at the manufacturer's discretion

Bearing metal:

Lead-tin-alloy in accordance with ISO 4381, or subject to agreement

Seal:

Copper alloy, aluminium alloy or plastic, subject to agreement

Oil ring, not fixed on rotating shaft:

Copper-zinc alloy in accordance with ISO 426, or subject to agreement

7 Design

General tolerances:

For machined surfaces:

ISO 2768-1 and ISO 2768-2 - mH

For unmachined surfaces:

ISO 8062 - CT 9 (for grade 300), or corresponding standards for other materials agreed upon.

Surface roughness in accordance with ISO 1302:

Flange bearing:

Mounted surfaces: $R_a = 3.2 \mu m$ Sliding surfaces: $R_a = 0.8 \mu m$

Shaft:

See table 2, footnote 1.

Housing:

Flange bearing housing with lifting eye bolts or means of conveyance at the manufacturer's discretion.

The inner surfaces of the housing shall be clean and shall have a coat of paint resistant to oil and solvents.

The outer surfaces of the housing shall be protected against corrosion.

For the purpose of pressure compensation, the individual oil spaces within the flange bearing

housing shall be connected to each other by means of appropriate openings above the oil level.

All bearing housing connections on both sides; other connecting dimensions and arrangements than those given in figure 1 as well as additional connections subject to agreement.

Type of inspection plate at the manufacturer's discretion.

With bolts and screws for housing parts and seals, at the manufacturer's discretion.

Bolts and screws for the housing flange do not form part of the delivery.

General:

Particular agreements shall be made for applications under special conditions (e.g. inclined positions).

Chamfered edges: type of edge chamfering at the manufacturer's discretion.

If the bearing is only applicable to one direction of rotation, a directional arrow shall be provided.


8 Designation

EXAMPLE

Designation of a side flange bearing of size 14, shaft diameter 125 mm, housing with cooling fins (F), for recirculating oil lubrication with external cooling of oil (Z), circular cylindrical bore with split oil ring not fixed on a rotating shaft for emergency run (L) and thrust bearing with wedge surfaces (K):

Side flange bearing ISO 11687-2 - 14 - 125 - FZLK

ISO 11687-2:1995(E) © ISO



- d₉ Oil inlet (recirculating plant, circulation pump)
- 2 Thread G 1/2 Connection for thermoprobe
- d_{10} Oil-level indicator or oil drainage for recirculating plant Screw plug (connection for radiator, oil-sump thermometer, suction line of circulation pump, finned cooler)

Figure 1 — Examples of side flange bearings — Size range 9 to 28

Table 1 — Side flange bearings — Size range 9 to 28 (see figure 1)

Table 1 — Olde Hange Bearings — Olze Fange 3 to 20 (See Ingule 1)																		
Size	9			11		14			18			22			28			
D H7 1)	80	90	100	100	110	125	125	140	160	160	180	200	200	225	250	250	280	300
B 2)		60			80			105			135			170			215	
<i>b</i> ₁		80			100			125			160			200			250	
<i>b</i> ₂		162			192			232			273			354			414	
<i>b</i> ₃		70			80			100			116			150			170	
b ₄		14			15			16			18			20			24	
<i>b</i> ₅		12			17			23			25			37			42	
b ₆ 3)		23			29			26			31			32			43	
d_1		80			100			125			160			200			250	
(nominal dimension		90			110			140			180			225			280	
seal)		100			125			160			200			250			315	
		110			140			180			225			280			355	
d_2		100			125			160			200			250			315	
<i>d</i> ₃		150			180			230			275			340			440	
<i>d</i> ₄ h6	280			315			355			400			500			600		
d ₅		310			350			415			490			620			770	
d ₆		340			380			460			540			680			850	
d ₇ 4)		420			460			550			640			785			970	
d_8		13,5			13,5			17,5			22			26			33	
d ₉ 5)		G 3/8		C	3/8			G 3/8		(G 1/2			G 3/4			G 3/4	
d ₁₀ 5)	0	3 1 1/4	4	G	1 1/4	1	G	3 1 1/2	2	G	1 1/:	2		G 2		G	2 1/2	2
d ₁₁		M12		1	M12			M16			M20			M24			M30	
h_1		250			280			340			400			450			500	
h ₂	130			145			185			225			275			325		
1		270			310			370			440			550			690	
$\phi k^{(6)}$ (spherical) h6		190			212			280			335			425			530	

¹⁾ Applies only to circular cylindrical bores.

²⁾ For the design with thrust bearing part (A), dimensions B may slightly deviate in order to obtain (depending on the type of tilting pad) a constant dimension b_1 (interchangeability of the half-bearing shell).

³⁾ Applies only to the seal shown in figure 1.

⁴⁾ Diameter of the machined surface of the machine plate.

⁵⁾ If larger connections are necessary, this shall be the subject of a special agreement.

⁶⁾ The fit of the half-bearing and housing shall be a transition fit or shall be subject to agreement.

ISO 11687-2:1995(E) © ISO




Figure 2 — Shaft design for non-locating (free) bearing (thrust bearing part Q)

Surface roughness in micrometres

Ra0,633

Ra0,633

Ra0,633

Ra0,633

Figure 3 — Shaft design for fixed bearing (thrust bearing parts A, B and K)

1) Bearing width including seal.

Table 2 — Shaft dimensions — Size range 9 to 28 (see figures 2 and 3)

Size		9			11			14			18			22			28			
	80	90	100	100	110	125	125	140	160	160	180	200	200	225	250	250	280	300		
± 0,1	80,4			100,4			125,4			160,4			200,4			250,4				
	90			110			140			180			220			280				
	100			120			150			188			240			296				
	5			6			8,5			10			13,5			19				
В, К	110	120	130	135	150	160	170	190	200	215	240	250	265	290	315	325	355	375		
Α	132	142	143	157	162	168	192	207	217	244	264	273	308	328	339	378	408	408		
e8	100			125			160			200			250			315				
		d_{14} d_{15}		d_{14} d_{15}		d ₁₅	d ₁₄		d_{15}	d ₁₄		d ₁₅	d_{14} d_{15}		d ₁₅	d_{14}		d ₁₅		
	80 80 90 80 100 90		80	100 100		125 125 140 125		160 160 180 160		200	200 200		250 2		250					
			110 100 125 110		100					225 200		280 2		250						
					160 140			200 180		250 225		315 28		280						
110 100		100	140 125			180 160			225 200			280 250		355 315		315				
	90	100	110	110	125	140	140	160	180	180	200	225	225	250	280	280	315	315		
	2,5			2,5			4			4			6				6			
	4			4			6			6			10				10			
	В, К	± 0,1 B, K 110 A 132 e8 d ₁₄ 80 90 100 110	80 90 ± 0,1 80,4 90 100 5 B, K 110 120 A 132 142 e8 100 d ₁₄ 80 90 100 110 90 100 2,5	80 90 100 ± 0,1 80,4 90 100 5 B, K 110 120 130 A 132 142 143 e8 100 4 ₁₄ 4 ₁₅ 80 80 90 80 100 90 110 100 90 110 100 90 110 110 2,5	80 90 100 100 ± 0,1 80,4 90 100 5 B, K 110 120 130 135 A 132 142 143 157 e8 100 4 ₁₄ 4 ₁₅ 4 ₁₄ 80 80 100 90 80 110 100 90 125 110 100 140 90 100 110 110	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	80 90 100 100 110 125 125 ± 0,1 80,4 100,4 90 110 100 120 5 6 B, K 110 120 130 135 150 160 170 A 132 142 143 157 162 168 192 e8 100 125 4 ₁₄ 4 ₁₅ 4 ₁₄ 4 ₁₅ 4 ₁₄ 80 80 100 100 125 90 80 110 100 140 100 90 125 110 160 110 100 140 125 180 90 100 110 110 125 140 140 2,5 2,5	80 90 100 100 110 125 125 140 ± 0,1 80,4 100,4 125,4 90 110 140 100 120 150 5 6 8,5 B, K 110 120 130 135 150 160 170 190 A 132 142 143 157 162 168 192 207 e8 100 125 160 414 415 414 415 414 80 80 100 100 125 90 80 110 100 140 100 90 125 110 160 110 100 140 125 180 90 100 110 110 125 140 140 160 2,5 2,5 4	80 90 100 100 110 125 125 140 160 ± 0,1 80,4 100,4 125,4 140 90 110 120 150 5 6 8,5 B, K 110 120 130 135 150 160 170 190 200, A 132 142 143 157 162 168 192 207 217 e8 100 125 160 80 80 100 100 125 125 90 80 110 100 140 125 100 90 125 110 160 140 110 100 140 125 180 160 90 100 110 110 125 140 140 160 180 2,5 2,5 4	80 90 100 100 110 125 125 140 160 160 ± 0,1 80,4 100,4 125,4 140 125,4 140 140 140 140 140 140 140 140 140 140 140 140 140 140 140 140 150 160 150 150 160 150 150 160 150 150 160 150 150 160	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	80 90 100 100 110 125 125 140 160 160 180 200 200 ± 0,1 80,4 100,4 125,4 160,4 90 110 120 150 188 5 6 8,5 10 B, K 110 120 130 135 150 160 170 190 200 215 240 250 265 A 132 142 143 157 162 168 192 207 217 244 264 273 308 e8 100 125 160 200 ### ### ### ### ### ### ### ### ###	80 90 100 100 110 125 125 140 160 160 180 200 200 225 ± 0,1 80,4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		

¹⁾ Limit deviations for shafts and tolerances of form and position and surface roughness in accordance with ISO 12129-1 and ISO 12129-2.

²⁾ Normal axial clearance of 0,5 mm is provided. If a change in direction of the axial loads of axial thrusts is to be expected, dimension b_7 may be reduced by 0,2 mm. If a fixed bearing (thrust bearing parts B, K) is only needed for the test run, dimension b_7 may be increased.

³⁾ If the non-locating (free) bearing (thrust bearing part Q) has to allow major axial movements (e.g. due to thermal expansion or large constitutional axial clearance), dimension b_8 may be increased.

⁴⁾ The clearance groove d_{15} may be omitted if it is equal to or smaller than the shaft diameter D.

⁵⁾ The radii r_1 and r_2 may be replaced by an undercut.

ICS 21.100.10

Descriptors: bearings, plain bearings, specifications, materials specifications, manufacturing requirements, dimensions, designation.

Price based on 7 pages