

INTERNATIONAL
STANDARD

ISO
12044

Second edition
2014-05-01

Rolling bearings — Single-row angular contact ball bearings — Chamfer dimensions for outer ring non-thrust side

Roulements — Roulements à billes à contact oblique à une rangée — Dimensions des arrondis des bagues côté non chargé



Reference number
ISO 12044:2014(E)

© ISO 2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	1
5 Chamfer dimensions	2
Bibliography	4



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 4, *Rolling bearings*, Subcommittee SC 12, *Ball bearings*.

This second edition cancels and replaces the first edition (ISO 12044:1995), which has been technically revised.

Rolling bearings — Single-row angular contact ball bearings — Chamfer dimensions for outer ring non-thrust side

1 Scope

This International Standard specifies chamfer dimensions for outer ring, non-thrust side of single-row angular contact ball bearings, where the dimensions differ from those specified in ISO 15.^[1] It is applicable to bearings in the diameter series 9, 0, and 2 for contact angles, up to and including 30°, and in the diameter series 2 and 3 for contact angles over 30°.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5593, *Rolling bearings — Vocabulary*

ISO 15241, *Rolling bearings — Symbols for physical quantities*

3 Terms and definitions


For the purposes of this document, the terms and definitions given in ISO 5593 apply.

4 Symbols

For the purposes of this document, the symbols given in ISO 15241 and the following apply.

The symbols shown in [Figure 1](#) and the values given in [Table 1](#) denote nominal dimensions, unless specified otherwise.

- | | |
|---------------|---|
| d | bearing bore diameter |
| r_1 | chamfer dimension of outer ring non-thrust side |
| $r_{1s\ min}$ | smallest single chamfer dimension of outer ring non-thrust side |
| α | contact angle |



NOTE 1 For tandem mounting, check that there is sufficient contact area between the mating ring faces.

NOTE 2 The figure shows an example of design.

Figure 1 — Chamfer dimension for outer ring non-thrust side of single-row angular contact ball bearing

5 Chamfer dimensions

The chamfer dimensions for outer ring non-thrust side of single-row angular contact ball bearings are given in [Table 1](#).

Chamfer dimension, r_1 , applies at the corner indicated in [Figure 1](#) and specified with $r_{1s\ min}$ in [Table 1](#). See ISO 582^[2] for the corresponding largest single chamfer dimensions to the $r_{1s\ min}$ in [Table 1](#).

Table 1 — Chamfer dimensions

Dimensions in millimetres

d	$r_{1s\ min}$					
	Diameter series			Diameter series		
	9	0	2	2	3	
$\alpha \leq 30^\circ$						$\alpha > 30^\circ$
8	0,1	0,1	0,15	0,15	0,15	0,15
9	0,1	0,1	0,15	0,15	0,15	0,3
10	0,1	0,1	0,3	0,3	0,3	0,3
12	0,1	0,1	0,3	0,3	0,3	0,6
15	0,1	0,1	0,3	0,3	0,3	0,6

Table 1 (continued)

d	$r_{1s\ min}$					
	Diameter series			Diameter series		
	9	0	2	2	3	
	$\alpha \leq 30^\circ$					
17	0,1	0,1	0,3	0,6	0,6	
20	0,15	0,3	0,3	0,6	0,6	
25	0,15	0,3	0,3	0,6	0,6	
30	0,15	0,3	0,3	0,6	0,6	
35	0,15	0,3	0,3	0,6	1	
40	0,15	0,3	0,6	0,6	1	
45	0,15	0,3	0,6	0,6	1	
50	0,15	0,3	0,6	0,6	1	
55	0,3	0,6	0,6	1	1	
60	0,3	0,6	0,6	1	1,1	
65	0,3	0,6	0,6	1	1,1	
70	0,3	0,6	0,6	1	1,1	
75	0,3	0,6	0,6	1	1,1	
80	0,3	0,6	1	1	1,1	
85	0,6	0,6	1	1	1,1	
90	0,6	0,6	1	1	1,1	
95	0,6	0,6	1,1	1,1	1,1	
100	0,6	0,6	1,1	1,1	1,1	
105	0,6	1	1,1	1,1	1,1	
110	0,6	1	1,1	1,1	1,1	
120	0,6	1	1,1	1,1	1,1	
130	0,6	1	1,1	1,1	1,5	
140	0,6	1	1,1	1,1	1,5	
150	1	1	1,1	1,1	1,5	
160	1	1	1,1	1,1	1,5	
170	1	1,1	1,5	1,5	1,5	
180	1	1,1	1,5	1,5	2	
190	1	1,1	1,5	1,5	2	
200	1	1,1	1,5	1,5	2	
220	1	1,1	1,5	1,5	2	
240	1	1,1	1,5	1,5	2	

Bibliography

- [1] ISO 15, *Rolling bearings — Radial bearings — Boundary dimensions, general plan*
- [2] ISO 582, *Rolling bearings — Chamfer dimensions — Maximum values*



ICS 21.100.20

Price based on 4 pages