
**Application of statistical and related
methods to new technology and
product development process —**

Part 1:
**General principles and perspectives of
Quality Function Deployment (QFD)**

*Application des méthodes statistiques et des méthodes liées aux
nouvelles technologies et de développement de produit —*

*Partie 1: Principes généraux et perspectives de déploiement de la
fonction qualité (QFD)*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents		Page
Foreword		vi
Introduction		vii
1 Scope		1
2 Normative references		1
3 Terms and definitions		1
4 Basic concepts of QFD		3
4.1 Theory and principles of QFD		3
4.2 QFD use of the word of function		3
4.3 Spirit of QFD		3
4.4 Display of information		4
5 Integration of QFD and product development methods		4
5.1 QFD support for product development methods		4
5.2 Flow of product development with QFD		4
5.2.1 Organization of the QFD flow		4
5.2.2 Flow chart of product development with QFD		5
6 Types of QFD projects		5
6.1 General		5
6.2 Applicable methods and tools		6
7 QFD team membership		6
7.1 QFD uses cross-functional teams		6
7.2 Core team membership		6
7.3 Subject matter experts		6
7.4 QFD team leadership		7
8 QFD voices		7
8.1 Voice of business		7
8.2 Voice of customer (VOC) or voice of stakeholder (VOS)		8
8.2.1 Definition of customer or stakeholder		8
8.2.2 Applicable methods and tools		8
8.2.3 Marketing perspective and engineering perspective		8
8.2.4 Applicable methods and tools		8
8.2.5 Prioritize customers or stakeholders		8
8.2.6 Applicable methods and tools		9
8.2.7 What is contained in the voice of customer (VOC) or voice of stakeholder (VOS) ..		9
8.2.8 Sources of VOC and VOS		9
8.2.9 Applicable methods and tools		9
8.2.10 Translating VOC/VOS into customer needs		10
8.2.11 Applicable methods and tools		10
9 Structuring information sets		10
9.1 General		10
9.2 Applicable tools and methods		10
10 Prioritization		11
10.1 General		11
10.2 Applicable tools and methods		11
11 Quantification		11
11.1 General		11
11.2 Applicable tools and methods		11
12 Translation of one information set into another		12
12.1 General		12
12.2 Applicable tools and methods		12

13	Transfer of prioritization and quantification from one information set into another	12
13.1	Transfer of prioritization	12
13.2	Applicable tools and methods	13
13.3	Transfer of quantification	13
13.4	Applicable tools and methods	13
13.5	Transferring deployment sets by dimensions	13
13.5.1	General	13
13.5.2	Quality deployment	14
13.5.3	Applicable tools and methods	14
13.5.4	Technology deployment	14
13.5.5	Applicable tools and methods	15
13.5.6	Cost deployment	15
13.5.7	Applicable tools and methods	15
13.5.8	Reliability deployment	15
13.5.9	Applicable tools and methods	15
13.5.10	Safety deployment	16
13.5.11	Security deployment	16
13.5.12	Lifestyle and emotional quality deployment	16
13.5.13	Applicable tools and methods	16
13.6	Transferring deployment sets by levels	16
13.6.1	Function deployment	16
13.6.2	Applicable tools and methods	16
13.6.3	Parts deployment	17
13.6.4	Applicable tools and methods	17
13.6.5	Manufacturing and process deployments	17
13.6.6	Applicable tools and methods	17
13.6.7	Project work or task management	17
14	Solution concept engineering	17
14.1	General	17
14.2	Applicable tools and methods	18
15	Design optimization	18
15.1	Parameter design for robustness	18
15.2	Tolerance design	18
15.3	Applicable tools and methods	18
16	Prototyping, testing, and validation	18
16.1	General	18
16.2	Applicable tools and methods	18
17	Build planning	19
17.1	General	19
17.2	Applicable tools and methods	19
18	Build start-up	20
18.1	General	20
18.2	Applicable tools and methods	20
19	Build	20
19.1	General	20
19.2	Applicable tools and methods	20
20	Packaging design, logistics, channel management, consumer information, and operating instructions	20
20.1	General	20
20.2	Applicable tools and methods	21
20.3	Logistics	21
20.4	Marketing claims	21
21	Customer support	21
21.1	General	21

21.2	Applicable tools and methods.....	21
22	Customer satisfaction.....	21
22.1	General.....	21
22.2	Applicable tools and methods.....	21
23	Product end-of-life disposal, recycle, reuse, and other sustainability concerns.....	22
23.1	General.....	22
23.2	Applicable tools and methods.....	22
24	Flow to next generation development.....	22
24.1	General.....	22
24.2	Applicable tools and methods.....	22
Annex A (informative) Examples of applicable methods and tools.....		23
Annex B (informative) Concept relationships and their graphical representation.....		66
Bibliography.....		67

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 69, *Applications of statistical methods*, Subcommittee SC 8, *Application of statistical and related methodology for new technology and product development*.

ISO 16355 consists of the following parts, under the general title *Application of statistical and related methods to new technology and product development process*:

— *Part 1: General Principle and Perspective of QFD Method*

The following parts are under preparation:

— *Part 2: Acquisition of Non-quantitative VOC or VOS*

— *Part 3: Acquisition of Quantitative VOC or VOS*

— *Part 4: Analysis of Non-Quantitative and Quantitative VOC/VOS*

— *Part 5: Solution Strategy*

— *Part 6: Optimization — Robust parameter design*

— *Part 7: Optimization — Tolerance design and output to manufacturing*

— *Part 8: Guidelines for commercialization and life cycle*

Introduction

Quality function deployment (QFD) is a method to assure customer or stakeholder satisfaction and value with new and existing products by designing in, from different levels and different perspectives, the requirements that are most important to the customer or stakeholder. These requirements should be well understood through the use of quantitative and non-quantitative tools and methods to improve confidence of the design and development phases that they are working on the right things. In addition to satisfaction with the product, QFD improves the process by which new products are developed.

Reported results of using QFD include improved customer satisfaction with products at time of launch, improved cross-functional communication, systematic and traceable design decisions, efficient use of resources, reduced rework, reduced time-to-market, lower life cycle cost, improved reputation of the organization among its customers or stakeholders.

ISO 16355 demonstrates the dynamic nature of a customer-driven approach. Since its inception in 1966, QFD has broadened and deepened its methods and tools to respond to the changing business conditions of QFD users, their management, their customers, and their products. Those who have used older QFD models will find these improvements make QFD easier and faster to use. The methods and tools shown and referenced in the standard represent decades of improvements to QFD; the list is neither exhaustive nor exclusive. Users should consider the applicable methods and tools as suggestions, not requirements.

ISO 16355 is descriptive and discusses current best practice but is not prescriptive by requiring specific tools and methods. Rather, applicable tools and methods are included in the Annexes to guide users of the standard.

ISO 16355-1 references the other seven parts of the Standard, as follows:

- *Part 2: Acquisition of Non-quantitative VOC or VOS* includes sections [8.1](#) - [8.2.7](#);
- *Part 3: Acquisition of Quantitative VOC or VOS* includes sections [8.2.8](#) - [8.2.9](#);
- *Part 4: Analysis of Non-Quantitative and Quantitative VOC/VOS* includes sections [8.2.10](#) - [11](#);
- *Part 5: Solution Strategy* includes sections [12](#) - [14](#);
- *Part 6: Optimization — Robust parameter design* includes section [15.1](#);
- *Part 7: Optimization — Tolerance design and output to manufacturing* includes sections [15.2](#) - [15.3](#);
- *Part 8: Guidelines for commercialization and life cycle* includes sections [16](#) - [24](#).

Application of statistical and related methods to new technology and product development process —

Part 1: General principles and perspectives of Quality Function Deployment (QFD)

1 Scope

This part of ISO 16355 describes the quality function deployment (QFD) process, its purpose, users, and tools. It is not a management system standard. It does not provide requirements or guidelines for organizations to develop and systematically manage their policies, processes, and procedures in order to achieve specific objectives.

Users of this part of ISO 16355 will include all organization functions necessary to assure customer satisfaction, including business planning, marketing, sales, research and development (R&D), engineering, information technology (IT), manufacturing, procurement, quality, production, service, packaging and logistics, support, testing, regulatory, and other phases in hardware, software, service, and system organizations.

2 Normative references

There are no normative references cited in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

quality function deployment

QFD

managing of all organizational functions and activities to assure product quality

Note 1 to entry: The organization is responsible for product quality and strives for it via defining, testing, building, commercializing, and supporting the product.

Note 2 to entry: Literal definition is that the “quality function” is “deployed” to all other business functions and departments who play a role in assuring quality and customer satisfaction.

3.2

voice of customer

VOC

communications from the customer

Note 1 to entry: The communications from the customer may be verbal, written, video, audio, animation, or other form and may be descriptive, behavioural, or ethnographic.

Note 2 to entry: *Customer* is defined in ISO 9000:2015, 3.2.4.

3.3

customer need

potential benefit to a customer

Note 1 to entry: The benefit to a customer from having their problem solved, their opportunity enabled, their image (self or to others) enhanced, or being advanced to a more desirable state.

Note 2 to entry: The benefit is positively stated.

Note 3 to entry: The benefit describes a single issue.

Note 4 to entry: The benefit is independent of the product or features.

Note 5 to entry: A need may be explicit or latent.

Note 6 to entry: *Customer* is defined in ISO 9000:2015, 3.2.4.

3.4

functional requirement

characteristic that a product or service is specified to possess

Note 1 to entry: The characteristic could be an inherent performance of the product or an action that the product shall be able to accomplish. The manner in which the product accomplishes the action should not include specific mechanisms or internal procedures is not part of the functional requirement.

Note 2 to entry: *Product* is defined in ISO 9000:2015, 3.7.6.

Note 3 to entry: *Service* is defined in ISO 9000:2015, 3.7.7.

3.5

voice of stakeholder

VOS

communications from the stakeholder

Note 1 to entry: The communications from the stakeholder may be verbal, written, video, audio, animation, or other form and may be descriptive, behavioral, or ethnographic.

Note 2 to entry: *Stakeholder* is defined in ISO 9000:2015, 3.2.3.

3.6

customer gemba

location where true information is found

Note 1 to entry: Gemba is a Japanese word meaning the place where the truth is discovered. In Six Sigma, this usually refers to the shop floor where internal activities take place. In QFD for new product development, the new product does not exist yet, so the gemba changes to where the customer's activities or encounters take place.

Note 2 to entry: There may be no physical location, i.e. for eCommerce or some processes.

Note 3 to entry: Gemba visits help discover unknown requirements.

3.7

hoshin kanri

method for management and deployment of strategic organizational policy

Note 1 to entry: English translations include policy management, policy deployment, management by policy, and strategy deployment.

4 Basic concepts of QFD

4.1 Theory and principles of QFD

Quality function deployment is an approach for ensuring quality throughout but not necessarily at each stage of the product development process, starting with the initial product concept. In 1987, the co-founder of QFD, Yoji Akao, defined comprehensive QFD as converting the “consumers’ demands into quality characteristics and developing a design quality for the finished product by systematically deploying the relationships between the demands and the characteristics, starting with the quality of each functional component and extending the deployment to the quality of each part and process. The overall quality of the product will be formed through this network of relationships.”^[2] Since that time, QFD users have extended QFD and its applicable methods and tools upstream in the product development process to initial project strategy and downstream to the commercialization and even retirement of the product from the market. The network of relationships becomes a framework for new product development. QFD can be applied to products, services, and processes (hereafter referred to as products).

As a quality method, the aim is to assure that decisions regarding product development have a defined and repeatable process, are based on factual information, have definable and measurable targets, involve all relevant business departments, and focus first and best efforts where they matter most to customers. QFD should begin upstream in the product development process in order to assure that decisions are made in this way, as downstream rework can be costly in terms of money and delays.

The principles of QFD are as follows:

- a) prioritize information to focus;
- b) understand how to cause good quality;
- c) listen to the voice of the customer;
- d) observe the customer’s situation;
- e) capture information from other sources;
- f) improve internal communications through the transformation of information between perspectives.

4.2 QFD use of the word of function

In modern organizations, the “quality function” shall collaborate and coordinate with other functions (marketing, engineering, manufacturing, service support, information technology, and others involved in product development) in order to assure customer satisfaction with the resulting product. Thus, the quality function is deployed (hence, the term QFD) across critical business activities and ideally across the entire organization.

NOTE The term function is used in multiple ways in QFD. The following are some of the common uses.

In the term quality function deployment, function refers to the organizational units, in this case, the quality function that is often tasked with process control, improvement, inspection, and other related activities.

In the term function deployment, function refers to product function, defined in value engineering and function analysis as a verb (active) + noun (measurable) that describes what a product does but not how it does it regardless of the level or perspective.

4.3 Spirit of QFD

A commitment among all critical departments to work together for the benefit of the customer or stakeholder. A personal connection to the customer should be established.

As a central principle, customer needs or requirements shall be known or acquired and understood adequately by all relevant stakeholders. It shall be validated if product requirements meet the needs of the customer or stakeholder.

4.4 Display of information

Visual display of information improves communications. Due to the various organizational functions in the QFD team and the complexity of the information as it flows through the development and commercialization process, visual displays of the information are helpful. This is especially true in global organizations with many languages and cultures.

5 Integration of QFD and product development methods

5.1 QFD support for product development methods

Integration of QFD into new product development processes is both desirable and possible. Successful integration has been accomplished with other product development methods such as Stage-Gate™¹⁾ and product development support methods such as Design for Six Sigma, Design for Lean Sigma, and others. This may be done at an enterprise level, business group level, project level, or technology level. This integration should be guided by a QFD expert familiar with these methods.

NOTE 1 QFD is designed to link together the various phases of product development such as strategy, portfolio, marketing, competitiveness, systems, voice of customer, requirements analysis, concept development, optimization, change management, reliability, cost, safety, manufacturing, support, logistics, quality, and other product development phases. This linking assures that priorities at each phase are supported by downstream phases and decisions at each phase can be viewed for their impact on upstream phases. In this way, QFD improves both the product and the process by which it is created.

NOTE 2 QFD can integrate tools and methods from different new product development processes. Conversely, different new product development processes can utilize QFD tools and methods.

NOTE 3 The applicable tools lists are not exhaustive. They are meant to illustrate tools that have been effectively used in QFD. Other tools might also be useful according to the project.

5.2 Flow of product development with QFD

5.2.1 Organization of the QFD flow

The flow of QFD methods and tools may vary according to the organization and project requirements. Typically, they begin with broad concerns and through prioritization flow down to specifics. [Figure 1](#) illustrates the organization of the clauses of this part of ISO 16355. Each box describes the general stage in product development such as project, customers, and so forth. Within each box are specific steps and their respective clause numbers such as “[8.2.1 Identify customers](#)” and so forth. Later in this part of ISO 16355, each clause will describe the step and suggest applicable methods and tools that can be used to accomplish the step. This helps align the voice of the business, voice of the customer, voice of the engineer, and voice of the process.

1) Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

5.2.2 Flow chart of product development with QFD




Figure 1 — Flow chart of product development with QFD

6 Types of QFD projects

6.1 General

QFD projects can encompass new developments, as well as generational improvements to existing products.

- QFD can be applied to both existing and new markets, as well as to both existing and new technologies.
- QFD projects can be driven by external sources such as market and customer demands, competitive threats or opportunities, technology change, regulatory changes, and other external factors, as well as internal sources such as cost reduction, manufacturing opportunities, new materials, knowledge management, and other internal factors.
- QFD projects can focus on hardware, service, software, software as a service, process, systems, interface, or some combination. They can be either business-to-consumer (B2C) or business-to-business (B2B). Big, complex projects may benefit from increased customer involvement. Methods such as continuous QFD (see [A.25](#)) may be helpful.
- QFD projects can be applied at any level: societal, environmental, end product, system, subsystem, component, production, material, process, service process, support, or supplier. Projects may progress upstream from micro detail to macro systems, downstream from macro to micro, or expand outward from a midstream level. QFD projects may have defined launches or may be continuous.
- QFD may be employed at any management level from business operations to strategic business planning and control.
- QFD projects may be used to document and preserve market and technical knowledge of the organization.

The QFD tools and the sequence in which they are used should be adapted to the type of project.

The QFD tools and sequence should be adapted to the management structure and culture and problems of each organization to improve participation, integration, and long-term utilization of the method. There is no “one way” to do QFD that fits all organizations.

QFD tools and sequence have evolved since the first studies in the 1960s in the automobile parts industry that used simple diagrams and matrices to identify design elements and downstream manufacturing details. When end-user products, non-manufactured products such as service and software, and business processes began using QFD, additional tools were added to address human tasks, information, and other complexities (see [A.22](#)). In more recent years, organizational resource constraints have led to a quicker approach that addresses both complexity and speed (see [A.23](#)). It is consistent with quality methods in general and with customer-driven methods like QFD in particular that the methods and tools should evolve and adapt to the ever-changing business environment of its practitioners, in order for them to remain viable and practicable. This evolution is demonstrated in the Bibliography of case studies.

NOTE QFD is not a method to design a product or process; it is an infrastructure to ensure the product or process satisfies customers.

6.2 Applicable methods and tools

- a) Systems engineering
- b) Stage-Gate™²⁾
- c) Design for Six Sigma phase activities
- d) Design for Lean
- e) Cross-functional management swim-lane charts
- f) Knowledge management
- g) Continuous QFD (see [A.25](#))

7 QFD team membership

7.1 QFD uses cross-functional teams

The basic concept of QFD is to ensure quality throughout each stage of the product development process while keeping the focus on customer satisfaction. Team membership should consist of a core team and invited subject matter experts.

7.2 Core team membership

Core team members should represent business functions needed for the project. They should extend end-to-end across the development and commercialization process to prevent information gaps from diminishing customer satisfaction.

7.3 Subject matter experts

Subject matter experts whose speciality is required to develop and review requirements may be invited as the project requirements flow down to different departments in the organization. Common experts include marketing (consumer insights, consumer experience, statisticians, conjoint analysis, survey design, and other marketing areas), engineering (electronics, components, value engineers, software, materials, packaging, and other engineering areas), manufacturing (stamping, forming, equipment, supply, industrial, and other manufacturing areas), quality (Six Sigma, statisticians, inspection, gage,

2) Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

design of experiments, supplier quality, and other areas activities), services (technical writers, technical support, phone centers, and other service areas), as well as other areas of expertise.

7.4 QFD team leadership

QFD team leaders or moderators should be trained in the QFD tools and methods in order to effectively lead the QFD project. Additional tools, as identified in the appendices, may be useful. Basic team facilitation and moderation skills are recommended.

The QFD team leader should take a position of being function-agnostic so as to remain neutral to any business department or activity.

8 QFD voices

8.1 Voice of business

8.1.1 Since QFD is applied to projects, these projects have many goals or objectives for the organization. Constraints may also exist. These goals may derive from development decisions and business strategy.

8.1.2 Business and project goals may include financial targets such as revenue, profit, and facility and resource optimization, marketing targets such as market opportunity, market share, market growth, and competitiveness, and others.

8.1.3 Constraints may include time/schedule, human resources and technical expertise, and cost/investment.

QFD is a quality method, so the goals and constraints should include a metric and measurement method, current performance level of the metric, desired performance level of the metric, timeframe in which to achieve the desired performance level of the metric, and who will judge if the desired performance level of the metric has been met within the timeframe.

8.1.4 Applicable methods and tools

- a) Strategic planning methods
 - 1) Hoshin kanri (policy management)
 - 2) Porter five force analysis
 - 3) Kotler's market portfolio planning
 - 4) Blue Ocean Strategy
 - 5) New Lanchester strategy for sales and marketing
- b) Balanced scorecard
- c) Project prioritization and selection using the analytic hierarchy process (AHP)
- d) Project goals table (see [A.2](#))
- e) Project goals prioritization with AHP (see [A.3](#))
- f) Heterarchy diagram

8.1.5 Project scope

The project should also have a clearly defined scope in order to prevent scope drift and creep.

NOTE After market information is acquired, the scope can be adjusted to reflect new information regarding demand and competition.

8.1.6 Applicable methods and tools

- a) Scope boundary analysis (see [A.4](#))
- b) Process beginning/end table (see [A.5](#))

8.2 Voice of customer (VOC) or voice of stakeholder (VOS)

8.2.1 Definition of customer or stakeholder

A product provides benefit to one or more customers. There may also be a chain of involved customers or stakeholders including constituents (of a social service), end users and consumers, intermediate users such as dealers, installers, operators, maintenance, and other users and internal customers such as human resources, manufacturing, and other departments who reflect the underlying customer value network of delivery of the product to the user. The relationships among these various customers should be clarified. When many customers exist, they may be prioritized in order to focus resources first on high-priority customers.

8.2.2 Applicable methods and tools

- a) Value chain mapping
- b) Analytic hierarchy process (AHP) (see [A.13](#))
- c) User personae
- d) Stakeholder analysis

8.2.3 Marketing perspective and engineering perspective

For product development, customers or stakeholders should be defined from both a marketing perspective (channel, region, size, and other related demographics) and an engineering perspective (who, what, when, where, why, and how the product will be or could be used).

NOTE Product use modes might be important in studies for parameter design for robust products and for reliability.

8.2.4 Applicable methods and tools

- a) Customer value chain and network mapping
- b) Market segmentation
- c) Customer segments table (see [A.6](#))
- d) User personae

8.2.5 Prioritize customers or stakeholders

Customers or stakeholders should be prioritized and information acquisition should begin with high-priority customers whose satisfaction is most critical to achieving the business and project goals.

Customer identification and prioritization should be based on statistical information.

8.2.6 Applicable methods and tools

- a) AHP (see [A.13](#))
- b) Project goals/customer segments matrix (see [A.7](#))
- c) Cluster analysis
- d) Factor analysis
- e) Stakeholder analysis

8.2.7 What is contained in the voice of customer (VOC) or voice of stakeholder (VOS)

VOC and VOS is raw, unprocessed information from the customer or stakeholder. It often includes complaints, needs, functional requirements, performance specifications and targets, solutions, components, materials, activities, information, and other customer or stakeholder statements. To be most useful, these may be sorted, analysed, structured, quantified, and prioritized by key customers.

8.2.8 Sources of VOC and VOS

VOC and VOS may be acquired through the applicable methods and tools.

Voice of customer or stakeholder may be obtained through non-quantitative and quantitative methods below. Surveys should be properly designed, tested, and evaluated.

8.2.9 Applicable methods and tools

- a) Gemba visit checklist
- b) Customer process model (see [A.8](#))
- c) Gemba visit table (see [A.9](#))
- d) Customer support and help systems
- e) Focus groups
- f) Social media
- g) Questionnaires
- h) Interviews
- i) Customer satisfaction surveys
- j) Lead user analysis
- k) Warranty returns, complaints
- l) Conference papers, reports, and studies
- m) Sales call reports
- n) Technical visits and maintenance records
- o) Continuous QFD ([A.25](#))
- p) Design thinking
- q) Big data analytics

8.2.10 Translating VOC/VOS into customer needs

QFD project teams constrained by resources, budget, and time shall focus their efforts where they matter most to the customer. The customer, not the QFD team, should determine these priorities whenever possible. To get accurate priorities, VOC should be translated into an information set about which the customer has greater domain knowledge – customer needs.

Customer needs are defined in QFD as being benefits the customer receives when their problems are solved, their opportunities are enabled, or their image (self and to others) is enhanced, independent of the specific product or solution. The purpose is to derive true customer needs identifying and separating customer from possible solutions specified by the customer or the product development team. Clear separation of needs and solutions leads to more flexibility and innovation in finding appropriate solutions for all stakeholders.

8.2.11 Applicable methods and tools

- a) Cause-and-effect diagram
- b) Customer voice table (see [A.10](#))
- c) Focus groups
- d) Continuous QFD (see [A.25](#))

9 Structuring information sets

9.1 General

To obtain accurate, unbiased, and unambiguous prioritization and quantification and to reduce the effort of both customers and team members to obtain, these information should be organized into a logical structure. Structuring should be done by members of the group that “own” the information set and have greater domain knowledge.

Customer needs should be structured by the customer.

Information set structuring should assure that information groups are mutually exclusive and collectively exhaustive (MECE) to ensure no overlapping or missing elements. Overlapping or missing elements can reduce the accuracy of later analyses such as prioritization.

9.2 Applicable tools and methods

- a) Affinity diagram (see [A.11](#))
- b) Hierarchy diagram (see [A.12](#))
- c) Networks
- d) Heterarchy diagram (network of elements sharing common elements in which each element shares the same horizontal position of power and authority)
- e) Mind maps
- f) Key needs analysis

10 Prioritization

10.1 General

In order to focus where maximum benefit to customers or stakeholders is provided with minimal effort by the QFD team, prioritization of the information set should not be neglected.

Prioritization should be done by the group that “owns” the information.

Customer needs should be prioritized by the customer.

Priorities should be as accurate, unbiased, and unambiguous as possible as they may serve later QFD activities related to cost and resource allocation. Thus, the mathematical limitations of different numerical scales should not be ignored.

Ordinal ranking and rating scale numbers do not support +, −, ×, or / mathematical functions. Ratio scale numbers (also referred to as absolute relative scale with meaningful ratios) should be used if these mathematical functions are to be used later.

10.2 Applicable tools and methods

- a) Analytic hierarchy process (AHP) ([A.13](#))
- b) Analytic network process (ANP)
- c) Fuzzy AHP
- d) Fuzzy ANP
- e) Continuous QFD ([A.25](#))

11 Quantification

11.1 General

Quantification of customer needs may include customer current and hoped-for satisfaction levels, customer scoring of the magnitude of current product and benchmarking competitive alternatives, and other factors that reflect customer value. Quantification of customer needs may also include minimum acceptance levels (below which there is no real benefit) and maximum thresholds (beyond which there is no additional benefit). Quantifications may be used as adjustments to recalculate customer needs priorities to reflect market opportunities and competitive threats.

Quantification values should not neglect the limitations of different numerical scales. Ratio scale numbers (also referred to as absolute relative scale with meaningful ratios) should be used if the mathematical functions of +, −, ×, and / are to be used in the adjustment recalculations.

11.2 Applicable tools and methods

- a) Focus groups
- b) Interviews
- c) Porter five force analysis
- d) New Lanchester strategy for sales and marketing
- e) Quality planning table (see [A.14](#))
- f) New Kano Model

12 Translation of one information set into another

12.1 General

QFD flows information sets through the various development and commercialization functions of the organization. These flows are called deployments and often require the language of one information set to be transformed into another information set or a single information set broken down into more details. This translation can be visually displayed to check for completeness and accuracy and can be mathematically quantified for complex information sets.

12.2 Applicable tools and methods

- a) Maximum value table for critical needs (see [A.15](#))
- b) House of Quality and other L-matrices for comprehensive studies (see [A.16](#))
- c) Other tools in the new management and planning tool set (see [A.21](#))

13 Transfer of prioritization and quantification from one information set into another

13.1 Transfer of prioritization

Prioritizations and quantifications of one information set may be transferred into prioritizations and quantifications of another information set. In a QFD L-matrix, prioritization is done with weights to show the strength of relationship or contribution of the columns of the matrix to the rows of the matrix. In the House of Quality matrix, weights quantify the relationship or contribution between customer needs and functional requirements. Setting targets for the functional requirements can be improved by examining their weighted contribution to customer needs.

QFD can use many types of matrices for transferring priorities and quantifications. The House of Quality is one instance of an L-matrix. It is so named because the original Japanese labels had the word “quality” in both axes (demanded quality in the rows and quality characteristics in the columns). Other matrices include information related to functions, parts, technologies, failure modes, cost, and other dimensions of the design and development process. It is recommended to refer to matrices by the information in the “rows/columns” matrix. Thus, in this format, the House of Quality can be referred to as the customer needs/functional requirements matrix. In addition to the L-matrix, QFD can use T-matrices, Y-matrices, C-matrices, and others.

NOTE There are different approaches to quantifying weighted contributions or relationships. An approach that is appropriate for the analysis can be used.

- a) Classical QFD matrices using three levels of relationships described as weak (W), moderate (M), strong (S) and assigned values of 1, 2, 4 or 1, 3, 5 or 1, 3, 9, respectively.

NOTE Strengths of this approach: familiarity, 1, 3, 9 addresses problem of transferred priorities being too close in value. Weaknesses of this approach: with only three levels, QFD teams might struggle to agree on the appropriate level, these are ordinal scales without fixed intervals so that resulting QFD math functions have results that tell order but not relative importance.

- b) Modern QFD matrices use five or nine levels of relationships described as weak (W), moderate (M), strong (S), very strong (V), or extremely strong (X), as well as intervals such as weak-to-moderate (W-M), and so forth. Assigned values can be adapted using the analytic hierarchy process but the following are commonly used:

1) Five levels: W (0,069), M (0,135), S (0,267), V (0,518), X (1,00);

2) Nine levels: W (0,059), W-M (0,079), M (0,112), M-S (0,162), S (0,237), S-V (0,344), V (0,498), V-X (0,712), X (1,000).

NOTE Strengths of this approach: When the level of relationship requires a judgment, human short-term memory capacity is best when there are 7 ± 2 (5 or 9) levels. This allows first a judgment of high, medium, low, and then within each category, another high, medium, low. This creates nine levels ranging from high-high to low-low, giving QFD teams more relationship levels to select from, and thus improving agreement. These ordinal judgments are transformed into absolute scale values with fixed intervals using the AHP principle eigenvector so that resulting QFD math functions tell both order and relative importance. Weaknesses of this approach: unfamiliar but has short learning curve, commercial QFD software might not support assigning ratio scale values so QFD team may need to build own spreadsheet.

- c) Nonlinear relationships may be used in cases where other scales are justified.

Display of relationships or contribution may include icons representing the various levels. Icons should visually increase according to the strength of relationship or contribution they reflect, from weak to extremely strong.

Classical QFD icons for 3 levels:

Weak \triangle Moderate \circ Strong \odot

Modern QFD icons for 5 or 9 levels:

W \circ W-M \circ M \circ M-S \circ S \circ S-V \circ V \circ V-X \circ X \bullet

Setting targets for the functional requirements can be improved by examining their weighted contribution to customer needs.

- d) Unweighted matrices may also be used to manage knowledge and interactions of processes, materials, facilities, or tasks.

13.2 Applicable tools and methods

- Maximum value table (see [A.15](#))
- Customer needs/functional requirements (House of Quality), L- and other matrices (see [A.16](#))
- Analytic hierarchy process (AHP) (see [A.13](#))

13.3 Transfer of quantification

Other quantifications can be transferred from the input information to the output information based on priorities, number and strength of relationships, and technical challenge, technical advantage, New Kano Model categories.

The input targets may be translated into output targets. In some matrices, the relationship between the x and y can be determined through testing or given in scientific knowledge.

13.4 Applicable tools and methods

- Design planning table (see [A.17](#))

13.5 Transferring deployment sets by dimensions

13.5.1 General

Transfers of prioritization and quantification can be done in deployment sets organized into both dimensions (displayed vertically in [A.22](#)) and levels (displayed horizontally). The layout of the deployment will depend on the overall development process.

13.5.2 Quality deployment

Quality deployment focuses on functional requirements and performance and their targets at the product level, system level, subsystem level, component level, and process level. Deployments for service and software products may be different. For example, iterative/incremental processes like software development with scrum or other agile processes, the deployment layout may reflect an explicit iterative/incremental structure.

13.5.3 Applicable tools and methods

- a) Deployment flow diagram
- b) Affinity diagram (see [A.11](#))
- c) Hierarchy diagram (see [A.12](#))
- d) Cause-and-effect diagram
- e) Customer needs-to-functional requirements extraction (Customer voice table) (see [A.10](#))

NOTE 1 [4.1](#) mentions the historical term quality characteristics. The more general term functional requirements is used to address non-manufacturing uses of QFD such as service, software, and business processes.

NOTE 2 Some House of Quality software programs allow for directional indicators for functional requirements. This can be misleading since most functional requirements will change direction depending on the customer need it relates to.

EXAMPLE For the functional requirement of “size” for an umbrella, bigger is better for the customer need “I stay dry in the rain.” However, smaller is better for the customer need “I can carry easily.”

- f) House of Quality and other L-matrices (see [A.16](#))

The functional requirements correlation matrix or roof of the House of Quality is enabling technology dependent. That is, the positive and negative correlations will change depending on the technology employed. It is recommended that this be used in technology deployment for each specific technology, rather than in quality deployment where the functional requirements are still technology agnostic.

NOTE Monte Carlo simulations have been run to improve House of Quality.

- g) Parameter design for robust products
- h) Analytic hierarchy process (see [A.13](#))
- i) Kansei engineering for emotional quality (see [A.19](#))
- j) Knowledge management

13.5.4 Technology deployment

Technology deployment focuses on discovery and quality assurance of new technologies at the product level, system level, subsystem level, component level, and equipment/process level. This may include invention, patents and intellectual property search, registrations, licensing, and other forms of acquiring technology. Deployments for service and software may be different.

Insufficient technologies to fulfil customer needs may be referred to research and development departments to begin development of future technologies.

13.5.5 Applicable tools and methods

- a) Functional requirements correlation matrix, often called the “roof” of the House of Quality

The functional requirements correlation matrix, or roof, is enabling technology dependent. That is, the positive and negative correlations will change depending on the technology employed. It is recommended that this be used in technology deployment rather than in quality deployment, where the functional requirements are still technology agnostic.
- b) Theory of inventive problem solving (TRIZ)
- c) deBono’s lateral thinking
- d) Reverse QFD (see [A.20](#))
- e) Reviewed dendrogram
- f) Super Pugh concept selection with AHP (see [A.18](#))
- g) Conjoint analysis
- h) New Kano model
- i) Failure mode and effects analysis (FMEA) at the system, subsystem, module, component, process levels

13.5.6 Cost deployment

Cost deployment focuses on target costing and other finite constraints such as schedule, resource, and weight at the product, system, subsystem, module, component, and process levels. Deployments for service and software may be different.

13.5.7 Applicable tools and methods

- a) Value analysis
- b) Value engineering
- c) Fast diagrams
- d) Parametric cost estimation
- e) L-matrices with proportional distribution
- f) Conjoint analysis

13.5.8 Reliability deployment

Reliability deployment focuses on product life and failure modes at the product, system, subsystem, module, component, and process levels. Deployments for service and software may be different.

13.5.9 Applicable tools and methods

- a) Fault tree analysis
- b) Failure mode and effects analysis (FMEA)
- c) Failure mode, effects and criticality analysis (FMECA)
- d) Failure mode effects and diagnostic analysis (FMEDA)
- e) Anticipatory failure determination

ISO 16355-1:2015(E)

- f) Lifetime estimation
- g) V-model of systems engineering
- h) Functional requirements correlation matrix, often called the “roof” of the House of Quality
- i) Process decision program chart (PDPC)

13.5.10 Safety deployment

Safety deployment focuses on user safety, production safety, materials safety, toxicology, hygiene and sanitation, environmental safety and sustainability.

13.5.11 Security deployment

13.5.11.1 Organizational information

Security deployment of organizational information includes protection of intellectual property, trade secrets, classified information, communications, and other unauthorized uses.

13.5.11.2 Personal information

Security deployment of personal information includes protection of identity, financial information, health records, and related information, communications, and other unauthorized uses.

13.5.11.3 Systems

Security deployment of systems includes unauthorized use or access of a system, including but not limited to, computer operating systems, device operating systems such as industrial equipment, medical devices, automobiles, and others.

13.5.12 Lifestyle and emotional quality deployment

Lifestyle and emotional quality deployment, which focus on non-functional requirements such as aesthetics, attraction.

13.5.13 Applicable tools and methods

- a) Ergonomics and human factors
- b) Kansei engineering

13.6 Transferring deployment sets by levels

13.6.1 Function deployment

Function deployment examines the relationships between function and quality, technology, cost, and reliability. Function deployment may also be used to examine modularity of systems and subsystems.

13.6.2 Applicable tools and methods

- a) Function analysis
- b) Function tree
- c) L-matrices
- d) Kansei engineering (attractive function)

- e) Human factors analysis
- f) Usability studies

13.6.3 Parts deployment

Parts deployment examines the relationships between component parts and quality, technology, cost, and reliability. Deployments for service and software may be different. It may also refer to components.

13.6.4 Applicable tools and methods

- a) Bill of materials
- b) L-matrices

13.6.5 Manufacturing and process deployments

Manufacturing and process deployments examine the relationships between manufacturing, production, or other build/implementation methods and equipment and quality, technology, cost, and reliability. It may support agile, lean, and world class manufacturing activities. Deployments for service and software may be different.

13.6.6 Applicable tools and methods

- a) Design for X (DfX) studies (manufacturability, assembly, disassembly, safety, serviceability, recyclability, and other product development dimensions)
- b) Advanced product quality planning (APQP)
- c) Make or buy analysis
- d) Design for lean
- e) Lean manufacturing
- f) Theory of constraints
- g) Flexible manufacturing
- h) Specific Design for Six Sigma elements
- i) Six Sigma
- j) World class manufacturing

13.6.7 Project work or task management

Project work or task management concerns related to managing resources, skills, tools and testing, cost, milestone and prototypes schedules, risks, changes to scope and schedule, and other areas of project management.

14 Solution concept engineering

14.1 General

Based upon the priority and design target levels, both existing solutions and new technology concepts may be explored. Helpful activities include innovation, invention, product generation strategic portfolio analysis, concept hybridization, concept selection, feasibility studies, resource planning (project

management), intellectual property (patent screen and patent of inventions), technology risk, robust design, design optimization and parameter design.

14.2 Applicable tools and methods

- a) TRIZ
- b) deBono's lateral thinking
- c) Reviewed dendrogram
- d) Super Pugh concept selection with AHP (see [A.18](#))
- e) Evolutionary 7 (e-7) QFD tools

15 Design optimization

15.1 Parameter design for robustness

Parameter design can be applied in product design stage to identify optimum nominal value of design parameter based on assessment of robustness of its function. When products are robust, those products cause minimal environmental and socio-economic losses (including loss to the manufacturer and users) due to poor quality caused by functional variability throughout its usable lifetime from shipping to final disposal.

15.2 Tolerance design

Part tolerance design may be important to quality and cost in the manufacturing process of complex products. It may address issues related to equipment and tooling deterioration and manufacturing conditions. It may also be useful to supplier quality assurance.

15.3 Applicable tools and methods

- a) Design of experiments
- b) Taguchi's signal-to-noise ratio may be used as a measure of robustness and the procedures of parameter design to design robust products utilizing this measure (see ISO 16336)
- c) Multiple response surface optimization
- d) Sensitivity analysis
- e) Monte Carlo and other simulation methods
- f) Evolutionary 7 (e-7) QFD tools

16 Prototyping, testing, and validation

16.1 General

High-priority characteristics, parameters, functions, and other design and development dimensions should be tested for customer acceptance, human factors/usability, efficacy, regulatory compliance, manufacturability, reliability, safety, and other factors. Deployments for service and software may be different.

16.2 Applicable tools and methods

- a) Test deployment

- b) Focus groups
- c) Statistical methods such as factor analysis, conjoint analysis
- d) New Kano model
- e) Risk analysis
- f) Usability studies
- g) Design review
- h) Component FMEA

17 Build planning

17.1 General

Build planning (manufacturing and pre-production planning, quality planning, pre-launch control plan, service planning, software architecture, and other planning activities) should be linked to the design plan (procurement, supply chain management, process flow charts, process validation, material handling and storage, equipment and tooling, floor plan layout).

Equipment and facilities needed to build systems, subsystems, and components should be investigated for critical performance, functionality, quality capabilities that meet or exceed their specifications, process parameter optimization, process capability studies.

Make or buy decisions, as well as supplier qualification, production part approval plan (PPAP), and supplier quality assurance may be done. Periodic critical component supplier assessment visits may also be done. Deployment for service and software may be different.

17.2 Applicable tools and methods

- a) Design of experiments
- b) Tolerance design
- c) Supplier and vendor selection using AHP
- d) Supply chain management
- e) Task deployment table
- f) Parameter optimization
- g) Internal and supplier process capability studies
- h) Production part approval plan (PPAP)
- i) Process FMEA
- j) Design for Lean
- k) Specific Design for Six Sigma elements
- l) Design for X (DfX) studies, for manufacturability, assembly

18 Build start-up

18.1 General

Build start-up (manufacturing, production, training, process planning, quality inspection, and other activities) should be linked to the manufacturing plan.

18.2 Applicable tools and methods

- a) Value stream mapping for lean processes
- b) Production control plans
- c) Control standards
- d) Inspection standards
- e) Quality control process charts
- f) Risk assessment

19 Build

19.1 General

Quality checks during full production launch, service start-up, software detailed design, and other activities may be made.

19.2 Applicable tools and methods

- a) Process improvement
- b) 5S (from Japanese words for workplace improvements meaning sort, straighten, shine, standardize, and sustain)
- c) Poka-yoke (mistake proofing)
- d) Statistical process control
- e) Kaizen
- f) Design for Six Sigma phase activities, elements and tools
- g) Six Sigma method to design, measure, analyse, improve, and control (DMAIC) and quality improvement teams linked to design and build plans
- h) 7 or 8 discipline charts (7-D, 8-D)

20 Packaging design, logistics, channel management, consumer information, and operating instructions

20.1 General

Packaging engineers may be involved at the design phase to better protect customer safety for food, pharmaceutical, medical, and similar products from damage, loss of sterility, insect and debris infiltration, and other damages. Similarly, packaging engineers should be involved at the design phase to better protect product integrity from damage and loss of usability during shipping and handling. Packaging engineers should be involved with marketing and sales to assure attractiveness, legibility of

legal and marketing language, retail-applied labelling, and shelf/point-of-purchase plan-o-gramming. Similar considerations should be made to product usage, warnings and cautions, installation and operating instructions, and other information.

20.2 Applicable tools and methods

- a) Ergonomics and human factors

20.3 Logistics

Planners should be involved with packaging to better protect product during shipping, storage, and handling, particularly for effects of temperature, humidity, expiry dates, and other relevant factors. Other considerations may be packaging size to optimize transportation concerns for weight, dimensions, material handling.

20.4 Marketing claims

Validation of marketing claims against requirements of regulatory agencies.

21 Customer support

21.1 General

Customer support (technical, sales, and other field activities) and service (including parts, service training, and other support activities) may be made. Information related to design changes, new features, consumables, setup, and other concerns that customers and users could encounter should be created. Support databases, support staff, support levels (such as gold, silver, and bronze) should be created in line with customer expectations and needs.

21.2 Applicable tools and methods

- a) Ergonomics and human factors
- b) Technical visits and maintenance records

22 Customer satisfaction

22.1 General

Customer feedback related to new features, new complaints or concerns, competitive offerings, and other market information should be surveyed and fed back to improvement teams, as well as fed forward to next generation design.

22.2 Applicable tools and methods

- a) Customer satisfaction surveys

Sampling surveys should be done to periodically test market for shifts in customer priorities, competitive alternatives, and responses to promotions.

23 Product end-of-life disposal, recycle, reuse, and other sustainability concerns

23.1 General

Products may need to be disposed of in ways that comply with local regulations, as well as consumer and public sentiment. This may include design-for-reuse, design-for-recycling. Concerns for safety, environmental impact, long-term effects, and other considerations should be studied, especially in terms of new parts, materials, and processes.

23.2 Applicable tools and methods

- a) Design of experiments
- b) Taguchi methods

24 Flow to next generation development

24.1 General

Customer satisfaction surveys confirm that product met design and marketing intent. Changes in market priorities, new technologies, new market opportunities (industry, geography, segments) should be explored for next generation. This may include QFD models for customer-driven, technology-driven, cost-driven, manufacturing-driven, regulatory-driven, and other drivers. It may include hardware, software, service, interface, or any combination thereof.

24.2 Applicable tools and methods

- a) Cross-functional management swim-lane charts
- b) Customer satisfaction surveys

Annex A **(informative)**

Examples of applicable methods and tools

NOTE 1 Details of how these methods and tools are integrated and applied within QFD are explained in the cited books and papers. The examples below are from QFD application case study papers presented at conferences and in journals to illustrate how the methods and tools can be used in QFD.

NOTE 2 QFD can integrate with methods and tools from many product development methods. The methods and tools in this Annex and in the Bibliography are not an exhaustive list. Some references are instructional and some show how they integrate with other methods and tools in QFD.

A.1 QFD Tools Matrix

This table indicates which methods and tools have been used in QFD applications and research. Related books and documents with detailed explanations are cited in the Bibliography at the end. This table can be used to look up methods and tools which are arranged in alphabetical order in the rows to see if there is a relationship (as indicated by O) with the QFD steps and section numbers in this part of ISO 16355. The table can also be used to look up each QFD step and clause number and determine which methods and tools can help in that activity.

Table A.1 — QFD Tools Matrix

	QFD Process Steps																							
	QFD project			Customers						Product development						Product design			Operations					
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
5S (Reference [88])																				0	0			
7- and 8-D charts (Reference [22])																				0				
7 management and planning tools (A.21) (References [81], [84], and [Z])										0			0	0	0									
7 product planning tools (Reference [35])																								
Advanced product quality planning (APQP) (Reference [5])																0								
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Affinity diagram (A.11) (References [81] and [84])							0			0														
Analytic hierarchy process (AHP) (A.13) (References [100], [102], [103], and [39])			0	0	0			0		0										0				
Analytic network process (ANP) (References [101] and [57])								0																
Anticipatory failure determination (References [55] and [56])													0											
Balanced scorecard (Reference [47])			0																					
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers						Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Bill of materials (Reference [95])															0									
Blitz QFD® (A.23) (References [123] and [76])				0		0	0	0		0	0	0	0	0	0	0			0	0	0	0		
Blue Ocean Strategy (Reference [60])			0	0																				
Cause-and-effect diagram (References [82] and [70])					0					0														
Cluster analysis (Reference [37])					0		0																	
Component (part) FMEA (References [2] and [111])																			0					
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Conjoint analysis (References [34] and [86])											0	0							0					
Continuous QFD (A.25) (References [42] and [41])	0			0		0	0	0																
Control standards (References [2] and [91])																			0		0			
Cross-functional management Swim-lane charts (Reference [82])	0	0																						0
Customer process model (A.8) (References [9] and [31])						0																0		
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers						Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Customer satisfaction surveys (Reference [53])						0																0	0	0
Customer segments table (A.6) (Reference [31])					0				0															
Customer support and help systems (Reference [77])						0	0		0													0		
Customer voice table (A.10) (Reference [38])							0		0															
De Bono's lateral thinking (Reference [18])											0						0							
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Deployment flow diagram (A.22, A.23, A.24) (References [2], [43], [123], and [76])										0	0													
Design FMEA and analogous versions for safety, security (References [2], [82], and [111])											0		0				0							
Design for lean (Reference [76])	0	0														0	0			0				
Design for Six Sigma (References [46], [16], [125], [113])	0	0														0	0	0	0	0				
Design planning table (A.17) (Reference [51])										0								0	0	0				
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers						Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Design for X (DfX) studies (Reference [63])																0			0					
Design of experiments (References [89] and [93])																		0		0				0
Design review (Reference [2])																			0					
Design thinking (Reference [104])				0		0	0																	
Evolutionary 7 (e-7) QFD tools (Reference [83])																	0	0						
Ergonomics and human factors (Reference [59])				0		0	0							0							0	0		
^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Factor analysis (Reference [37])					0														0					
Failure mode and effects analysis (FMEA) (References [2] and [111])											0		0							0				
Failure mode effects and diagnostic analysis (FMEDA) (Reference [11])													0		0	0				0				
Failure mode, effects and criticality analysis (FMECA) (Reference [106])													0							0				
FAST diagrams (Reference [107])												0												
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Fault tree analysis (Reference [2])													0					0	0					
Flexible manufacturing (Reference [121])																0				0				
Focus groups (Reference [23])						0	0		0										0					
Function analysis (References [2], [107], and [108])														0										
Function tree (Reference [70])														0										
Functional requirements correlation matrix, "roof" of the House of Quality (Reference [14])													0					0	0					
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Fuzzy AHP (Reference [65])								0																
Fuzzy ANP (Reference [52])								0																
Gemba visit checklist (Reference [79])				0		0																		
Gemba visit table (A.9) (Reference [45])						0																		
Heterarchy diagram (Reference [27])			0				0																	
Hierarchy diagram (A.12) (References [75], [84], and [81])							0			0														
Hoshin kanri (policy management) (References [3], [62], and [117])	0	0	0																					
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers						Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
House of Quality and other L-matrices (A.16) (References [61], [2], [70], [84], [75], and [81])										0	0	0	0	0	0									
Inspection standards (Reference [2])																			0					
Interviews (References [87] and [96])						0	0		0															
Kaizen (Reference [49])																				0				
(New) Kano model (References [54] and [97])				0					0		0								0					0
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Kansei engineering for emotional quality (A.19) (References [32] and [116])						0	0			0				0										
Key needs analysis (Reference [38])							0																	
Knowledge management (Reference [4])										0														
Kotler's market portfolio planning (Reference [64])			0																					
Lead user analysis (Reference [110])						0																		
Lean manufacturing (Reference [17])																0								
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers						Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Lifetime estimation (Reference [66])													0											0
L-matrices (References [81] and [84])												0		0	0									
Make/buy analysis (Reference [25])											0					0								
Market segmentation (References [64], [115], and [97])				0	0	0	0	0	0															0
Maximum value table for critical needs (A.15) (References [123], [38], and [31])										0														
Mind maps (Reference [69])							0																	
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Monte Carlo simulations (Reference [58])										0								0						
Multiple response surface optimization (Reference [80])																		0						
Networks (Reference [57])							0																	
New Lanchester strategy for sales and marketing (References [120] and [105])			0						0															
Parameter design for robust products (Reference [13] and [50])										0														
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																								
	QFD project			Customers							Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle	
Parameter optimization (Reference [13] and [50])																		0		0					
Parametric cost estimation (Reference [19])											0														
Poka-yoke (Reference [109])																				0					
Porter five force analysis (Reference [40])			0						0																
Process Beginning/End table (A.5) (Reference [12])		0	0																						
Process capability studies for internal and suppliers (Reference [20])																				0					
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																									

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Process decision program chart (PDPC) (References [81] and [84])													0											
Process FMEA (References [2] and [111])													0			0			0	0				
Process improvement (References [122], [29], and [48])																				0				
Production control plans (References [2] and [29])																				0				
Production part approval plan (PPAP) (Reference [6])																				0				
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers						Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Project goals table (A.2) (Reference [51])			0																					
Project goals/customer segments matrix (A.7) (Reference [96])				0	0			0																
(Super) Pugh concept selection with AHP (A.18) (References [92], [126], and [61])											0						0							
Quality control process charts (References [2] and [82])									0											0				

^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Quality planning table (A.14) (References [2] and [51])									0															
Questionnaires (References [35] and [77])				0	0	0	0	0	0														0	
Reliability deployment (References [61] and [2])													0											0
Reverse QFD (A.20) (References [44], [53], and [78])											0											0		
Risk analysis (References [24] and [55])			0	0	0				0										0					
Risk assessment (Reference [16])			0	0	0				0											0				

^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Table A.1 (continued)

	QFD Process Steps																								
	QFD project			Customers						Product development							Product design			Operations					
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle	
Sales call reports (References [68] and [82])						0																0	0		
Scope boundary analysis (A.4) (Reference [112])			0			0																			
Sensitivity analysis (Reference [16])									0									0							
Six Sigma and DMAIC (References [8] and [96])																0				0					
Social media (Reference [77])				0		0																			
Stage-Gate™ ^a (References [74] and [15])	0	0																							

^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Stakeholder analysis (References [90] and [112])				0	0																			
Statistical process control (References [1] and [118])										0	0				0	0				0				
Supply chain management (Reference [33])																	0	0	0	0	0			0
Systems engineering (References [71] and [30])	0																							
Taguchi methods (References [89] and [93])																		0		0				0
Task deployment table (References [67] and [72])																				0				

^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers						Product development							Product design			Operations				
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
Technical visits and maintenance Records (References [36] and [26])						0																	0	
Test deployment (References [24] and [119])																			0					
Theory of constraints (References [124] and [94])																0								
Tolerance design (Reference [8])												0						0		0				
TRIZ (References [14] and [114])											0						0	0						
Usability studies (Reference [85])														0					0					
<p>^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.</p>																								

Table A.1 (continued)

	QFD Process Steps																							
	QFD project			Customers							Product development							Product design			Operations			
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13. 5.2 Quality deployment	13. 5.4 Technology deployment	13. 5.6 Cost deployment	13. 5.8 Reliability deployment	13. 6.1 Function deployment	13. 6.3 Parts deployment	13. 6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle
User personae (Reference [104])				0	0																			
Value analysis (References [2],[82],[107], and [21])												0												
Value chain mapping (Reference [99])				0	0							0												
Value engineering (References [2],[82],[107], and [21])												0		0										
Value stream mapping for lean processes (References [98] and [31])																				0				
V-Model of systems engineering (Reference [28])														0										

^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

Table A.1 (continued)

	QFD Process Steps																								
	QFD project			Customers						Product development							Product design			Operations					
QFD and related tools and Methods (see bibliography for references)	6 Type of QFD project	7 QFD team	8.1 Voice of business	8.2.1 Identity customers	8.2.5 Prioritize customers	8.2.7 Voice of customer	8.2.10 Customer needs	10 Prioritize customer needs	11 Quantify customer needs	13.5.2 Quality deployment	13.5.4 Technology deployment	13.5.6 Cost deployment	13.5.8 Reliability deployment	13.6.1 Function deployment	13.6.3 Parts deployment	13.6.5 Manufacturing deployment	14 Solution concept engineering	15 Design optimization	16 Prototyping testing, validation	17 Build planning	20 Packaging, information, logistics	21 Customer support	22 Customer satisfaction	23 Product life cycle	
Warranty returns, complaints (Reference [83])						0			0													0	0		
World class manufacturing (Reference [10])																0									
^a Stage-Gate™ is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.																									

A.2 Project goals table

Table A.2 — Project goals table

Goal statement	Description
Flexible design	Capable of being used on a variety of vehicle platforms/Low design risk.
Low BOM price	Cost reduced from current sensor. Cost not to be passed on to other areas of the system.
Technology leadership	Low error performance.
Low customer risk	No loss in performance due to component variation or all-out failure, “adequate redundancy”. No “Surprises” at SOP/Launch.

The project goals table helps the QFD team establish consensus about the project deliverables to the business. See [Table A.2](#) and Reference [51].

EXAMPLE In the example, the first goal is flexible design and the benefit to the business is that it can be used on multiple vehicle platforms and lowers the design risk. This is done by the QFD team in conjunction with the project owner, typically a product manager. Often, these goal statements can be found in the project charter or similar document.

A.3 Project goals prioritization with AHP

Table A.3 — Project goals prioritization with AHP

	CS	AS	LL	PI	WR	Raw score	% of total
Customer satisfaction (CS)	1	5	10	5	10	31,0	40,5 %
Associate satisfaction (AS)	0,2	1	5	5	10	21,2	27,7 %
Landlord satisfaction (LL)	0,1	0,2	1	0,2	5	6,5	8,5 %
Profit improvement (PI)	0,2	0,2	5	1	10	16,4	21,4 %
Win and retain contracts (WR)	0,1	0,1	0,2	0,1	1	1,5	2,0 %
Totals	1,60	6,50	21,20	11,30	36,00	76,60	100,0 %

See [Table A.3](#) and Reference [67]. When there are many project goals or when there is no consensus on which are driving the project, the goals may be prioritized using the analytic hierarchy process (AHP). AHP presents each goal in a pairwise comparison, the row compared to the column, by asking the evaluators (team and product manager), which is more important and by how much, based on a verbal scale. The verbal scale is

- extremely more important, represented by a 9 or 10,
- very important, represented by a 7,
- strongly more important, represented by a 5,
- moderately more important, represented by a 3, and
- equally important, represented by a 1.

When the row is more important, the integer is entered into the cell. When the column is more important, the fraction is entered.

EXAMPLE In this example for airport breakfast service, the upper left cell compares customer satisfaction (CS) to itself so a 1 is entered, meaning, they are equally important. The diagonal of the AHP decision matrix will always be 1s. The next cell to the right compares customer satisfaction (CS) to associate satisfaction (AS) and the QFD team has agreed that CS is strongly more important than AS, so they enter the integer 5. In the cell to the lower left, we see the same pair CS vs AS but now, CS is in the column, so the reciprocal 0,2 is entered in that cell. Generally, the cells to the lower left are reciprocals of the cells in the upper right, so they do not need to be queried twice. Thus, only the upper right pairs are queried. When there are four items, as in this example, that means only six pairs are queried.

Next, the scores are summed for each column and normalized (not shown). The normalized values are summed across and normalized again (called row score in the example) and averaged to produce the % of total. The results are relative priorities of the project goals.

A.4 Scope boundary analysis




Figure A.1 — Scope boundary analysis

See Figure A.1 and Reference [112]. The QFD team and product manager can clearly define the scope of the project in order to prevent scope creep (expansion of the scope) or scope drift (changing project goals). The scope boundaries can be displayed as what is in-scope, out-of-scope, not sure. Also, dependencies can indicate related concerns or tasks.

EXAMPLE In the example for customer management software, goals such as improved customer experience with brand in scope, while information cleansing, is out-of-scope.

A.5 Process beginning/end table

Table A.4 — Process beginning/end table

Begin	Process	End	Customers and stakeholders	Special requirements
Enter individual department reception	Consistently make patients feel like individuals	Discharged from department at door	Patients and family of lab, oncology, and DI	None

See [Table A.4](#) and Reference [12]. Another tool for reaching consensus on project limits for service and process QFDs is this process beginning and end table.

EXAMPLE In this example, the hospital clinic will begin their investigation from the point where a patient enters the clinic until they are discharged out the clinic door. Additionally, other stakeholders interested in the performance of the process are identified so that results are limited to their experiences.

A.6 Customer segments table

Table A.5 — Customer segments table

Customer Segment	Who uses process	What morbidity or condition	What is process used for	Where	When	Why	How
Paediatric patient	Pt and family	spinabifida	improve interaction between visiting physicians	CMH main campus	daytime ambulatory clinic	visiting physicians do not have sufficient time to interact	develop new tools to better evaluate treatment options
Visiting physicians		mild traumatic brain injury				Share medical records from urban to rural facility members	Improve communication between physician and patient
Nursing Staff and Access Representatives		muscle and nerve					Improve communication among providers

See [Table A.5](#) and Reference [31]. The customer segments table is used to clarify which customers and applications are most interesting for the QFD team to investigate first. Each customer segment is detailed in terms of who is using the product, service, process, application, and other characteristics, what is the product used for, where is it used, when is it used, why it is used, and how it is used (5W1H). Additional columns may be added according to the project. The 5W1H may also be used to specify the details of a customer visit to see certain activities or events.

EXAMPLE In this example of a paediatric clinic, the patient and family suffering from spinabifida are the subject of a new software application to improve the interactions between all the medical specialists treating the child for different maladies. These doctors come to the main medical campus at Children's Mercy Hospital (CMH) during the normal daytime clinic hours. The different doctors do not have sufficient time to confer about the patient and various treatment options. This situation is a key target for the QFD team to improve.

A.7 Project goals/Customer segments matrix

Table A.6 — Project goals/Customer segments matrix

Objectives	Objective weights	Customer segments						
		1	2	3	4	5	6	7
Tech reuse	0,041	⊛	○	○	⊛	Δ	⊛	Δ
Quality	0,127	Δ	○	⊛	○	○	Δ	⊛
Profit	0,131	Δ	Δ	⊛	Δ	⊛	Δ	⊛
Time 2 market	0,154	⊛	○	○	⊛	Δ	⊛	Δ
Brand	0,254	Δ	○	Δ	○	○	Δ	Δ
Market share	0,302	Δ	○	○	○	⊛	Δ	⊛
✓ Segment weights %		9	8	16	13	21	9	24

Δ = weak relationship of 1; ○ = moderate relationship of 3; ⊛ = strong relationship of 9

See Table A.6 and Reference [96]. When there are many customers to consider, it may be useful to prioritize them in order to assure that the most important customers are visited first. The prioritized project goals become the prioritization criteria and weights (called objectives in this example).

EXAMPLE In this mobile device example, seven customer segments are judged for their usefulness to achieving the goals. These judgments are weighted and cross-tabulated with the objective weights to yield segment weights. In this example, segments 5 and 7 are very useful to study in depth in order to achieve the most important objective of market share with 0,302 % or 30,2 % of the project goals. That drives these segments to be weighted at 21 % and 24 %, respectively. We could use these weights to allocate customer visit budgets (21 % of budget to visit customers in segment 5 and 24 % of budget to visit customers in segment 7).

A.8 Annotated customer process model




Figure A.2 — Annotated customer process model

See Figure A.2 and Reference [9]. The annotate customer model may be used to identify key steps or tasks that the customer does in their work or life. Annotations may include customer statements about likes and dislikes with each step, as well as areas to be investigated further.

EXAMPLE In this example of a machining process, process failure modes (FM) and failure effect (FE) have also been noted. This helps the QFD team see how a failure mode can be prevented or the effect mitigated.

A.9 Gemba visit table

Table A.7 — Gemba visit table

Interviewee:	John Doe				Interviewer(s):	Ted Hopwood
Contact info:	jdoe@abc.org				Date and Time:	30-Sep-03
					Place:	Historic Office - Bowling Green
Interviewee Characteristics (*memorable):						
Environment: Discussion of sub-division owner feedback from community meeting.						
Process Step	Observations	Verbatims	Documents	Notes	Clarified Items (with metrics)	
		Berms are 2'			Adequate sound barriers (reduce road noise so it does not disturb sleep) Adequate visual separation from road (cannot see into adjacent homes)	
		Old pine trees will be relocated			"Country" view from lawn and windows maintained (degree of "surrounded by woods" unchanged) No unwanted views of activities on Lover's Lane (degree of "surrounded by woods" unchanged)	
		Sub-division entrances will be eliminated			Ease of entry into sub-division (can identify where to turn in time) Easy to identify sub-division (sub-division name visible in time to turn) Exclusivity of sub-division maintained (design consistent with home architectures)	

See [Table A.7](#) and Reference [45]. More detail about customer process steps can be captured with observation of the customer "at work" in their gemba. The top portion of the table captures some of the details of the visit including when and where. Additional descriptions of environmental context may be noted. In the lower half of the table, key process steps, observational and verbatim data, as well as documents and team notes may be captured. The output of the table is to clarify and simplify complex data into single issue statements and measurements. This will improve the accuracy of prioritization later in the QFD because customers will be scoring discrete statements instead of compound statements.

EXAMPLE In this example on road construction, customer requests for two-foot berms are clarified as adequate sound barrier and visual separation from the road.

A.10 Customer voice table

problems	customer needs	characteristics & capabilities	functions	reliability	technology	information	communications
"Attract and retain key employees"	I can hire best new college graduates						
	I can attract best employees from competitors						
	My employees know exactly what they are entitled to		Publish coverage	Employees do not feel cheated			"Health plans are easy to understand"

Figure A.3 — Customer voice table

See Figure A.3 and Reference [38]. The voice of the customer or stakeholder may include product requirements that should be translated into customer needs in order to explain why the customer wants them. This is important to understanding the benefit to the customer, which is key to the customer accepting the new product. It will also improve prioritization since the customer is more knowledgeable about their needs than our product features and can more accurately assess what is most important to them.

A customer need in QFD is the benefit to the customer of their problem solved, their opportunity enabled, or their image enhanced, independent of the product.

EXAMPLE In this health insurance example, the voice of customer is health plans are easy to understand. Understandability is a characteristic of the health plan and therefore a product requirement. In the analysis, the QFD team determined that this was related to a failure mode of employees feeling cheated when their company plan did not cover what they thought was covered according to the published documents that explained their insurance coverage. This leads to the customer need that employees know exactly what they are entitled to. This would also help the company hire the best new college graduates who were attracted to good health insurance.

A.11 Affinity diagram of customer needs



Figure A.4 — Affinity diagram of customer needs

See Figure A.4 and Reference [38]. When there are many customer needs, an affinity diagram may be used to manage them. The affinity diagram allows customers to group their needs in a way that makes sense to them. This helps find unspoken needs later in the hierarchy diagram that is used to analyse the affinity diagram. The customer needs affinity diagram is built using the KJ™ method developed by the Japanese anthropologist Kawakita Jiro (hence, the name KJ) following these steps:

- a) write each customer need on a separate card;

- b) have customers silently group the cards where they make most sense;
- c) label each group of cards with a description of their common theme.

EXAMPLE In this health insurance example, the customer is the company employer offering health insurance plans to its employees. One group of customer needs such as “My employees appreciate the benefits I provide them” and “Keep my employees and their families healthy” are grouped with the label “Employee Satisfaction”.

A.12 Hierarchy diagram of customer needs




Figure A.5 — Hierarchy diagram of customer needs

See [Figure A.5](#) and Reference [75]. The customer needs hierarchy diagram is used to address any structural issues with the customer needs affinity diagram. This is important for finding unspoken or missing customer needs, as well as improving the accuracy and efficiency of the prioritization process.

- a) Rotate the affinity diagram counterclockwise 90°. This makes the following steps easier.
- b) Starting from the left (called the primary level), confirm that the customer needs labels have the same level of abstraction.
- c) Then determine if there are any missing needs at that level of abstraction that could be added.
- d) Repeat at each level to the right for the secondary and tertiary levels.

EXAMPLE In the example from the QFD study to develop the ISO 16355 standard, there were three primary items of subject matter expert, good communicator, and helps progress the documents. To the secondary items under good communicator, responds to communications completely was added.

A.13 Customer needs prioritization with analytic hierarchy process

	Public is safe regardless of natural or man-made disasters.	Public is safe from attack on reactors.	Property is safe regardless of natural or man-made disasters.	Property is safe from attack on reactors.	normalized columns				sum	row avg
Public is safe regardless of natural or man-made disasters.	1	5	5	7	0,648	0,765	0,536	0,438	2,387	0,597
Public is safe from attack on reactors.	1/5	1	3	5	0,130	0,153	0,321	0,313	0,917	0,229
Property is safe regardless of natural or man-made disasters.	1/5	1/3	1	3	0,130	0,051	0,107	0,188	0,475	0,119
Property is safe from attack on reactors	1/7	1/5	1/3	1	0,093	0,031	0,036	0,063	0,221	0,055
Totals	1,543	6,533	9,333	16,000	1,000	1,000	1,000	1,000	4,000	1,000
									Inconsistency Ratio	0,09

Figure A.6 — Customer needs prioritization with analytic hierarchy process

See [Figure A.6](#) and Reference [117]. QFD asks the question “Are all customer needs equally important or are some more important than others?” If we just hand the customer a list of needs, they are likely to dismiss the question with “They are all important.” This is not helpful to a product realization team that shall focus its limited resources. Classical QFD uses a five-point ordinal scale similar to a Likert scale so that customers can rate their needs. Ordinal scales do not have defined intervals and contain sufficient information only for modal counts or median calculation. Without defined intervals, other QFD mathematical operations such as addition, multiplication, division, and averaging have no meaning. Ratio scale priorities do permit these operations. Modern QFD uses the analytic hierarchy process (AHP) to derive ratio scale priorities by having customers choose between pairs of needs and determine which of the pairs is more important and by how much. Customers are encouraged to rate using a verbal scale (equally important, moderately more important, strongly more important, very strongly more important, and extremely more important) which then substitutes numbers (1, 3, 5, 7, 9, respectively) in a decision matrix. The eigenvector of the decision matrix closely approximates the relative priorities of the customer needs. AHP can also report when judgment inconsistency ($a > b$, $b > c$, $c > a$) is greater than the 10 % acceptable level. Responses from multiple customers can be averaged using the geometric mean, which is then entered into cells of the decision matrix. AHP can be applied to the customer needs hierarchy.

EXAMPLE In the example for corporate governance of a power utility, public is safe regardless of natural or man-made disasters is determined by the customer to be very strongly more important than property is safe from attack on reactors as indicated by the number 5 where the two needs intersect in the decision matrix. The eigenvector is then calculated by taking the row average of the normalized columns. The results show that for these four customer needs, public is safe regardless of natural or man-made disasters has a ratio scale relative importance of 59,7 %. Values displayed in the table are rounded to three decimal places.

A.14 Quality planning table (unweighted)

Key Customer Needs	Re-normalized priority	Customer evaluation of current product	Customer evaluation of Competitor	Positioning plan	Competitive improvement	Sales point
	Need	Competitive Improvement				Claim
I want to know what fish is the freshest available	0,519	24 hrs after arrived at port	24 hrs after arrived at port	4 hrs after arrived at port	++	major
I want to know what are seasonal specialties	0,213	3 days from when fish appear	3 days from when fish appear	same day when fish appear	+	none
I know where the fish was caught	0,088	no	no	see on map	+	none
Product looks exactly like I expect	0,180	resembles catalog	resembles catalog	see actual picture	+	minor

Figure A.7 — Quality planning table (unweighted)

The quality planning table is used to capture customer perception of current and competitive product alternatives, propose an improvement target, and select potential selling points for later promotion. In classical QFD, these were scored with ordinal ratings but modern QFD can also accommodate more detailed information. Other types of information may be added. Since the effort to acquire competitive preferences may be great, it is recommended to begin with the highest priority customer needs. The quality planning may be weighted to adjust the customer need priorities. Ordinal ratings do not have defined intervals and so other QFD mathematical operations such as addition, multiplication, division, and averaging have no meaning.

NOTE Sometimes called the right-side room of the House of Quality, this table can also be used alone.

EXAMPLE In this example from a smart phone project, “I want to know what fish is the freshest available” had a high priority of 0,519. The current service and the competitive service can display this information after 24 h of arrival at port. The hoped-for level of service is planned at 4 h after arrival at port. This would give a competitive improvement of ++ or much better than the current alternatives. The sales and marketing members of the QFD team believe this could be a major selling point for the upgraded service.

A.15 Maximum value table

Customer Need	Solution					Feedback	Design	Implementation
	Contract		Broker/Rep	Operations			Design	Implementation
	Benefits	Provider Network		Member Service	Claims			
My employees appreciate the benefits I provide to them.	Show savings to employee of using insurance	Explain to employees how Blue Card and BCBSF provider network is superior	Explain how benefits mechanism works			Assure benefits are working as promised and useful.	Employee Savings rpt Info	Expand PHR to include billing comparison to street rate
	Explain richness of benefits offered through BCBSF	Employee does not have to change "critical" MD (ped, OBGYN) to conform to plan	Explain to employees industry averages if employer is above average			Employees know they have a conduit for feedback.	Provide customer advocate / ombudsman	
	Show employees how much the employer paid for their benefits		Explain network savings				Network Savings rpt Info	
							Report to summarize employer payments	
							Validate in PHR that decisions were good decisions (by staying in network /generics/etc) or alternatives that would offer better outcomes/savings	
							Provide tools to employees that recommend plans based on current provider selections	
							Provide tools to show employees what their costs would be for various benefit plans based on their experience	

Figure A.8 — Maximum value table

See [Figure A.8](#) and Reference [38]. The maximum value table is a tool in modern QFD to quickly transform high priority customer needs into product features and assure their quality throughout the product realization process. The advantage of this table is that it can include inputs from every business activity necessary to design, develop, produce, commercialize, support, and even retire a product. Its efficiency is that it does this only for the highest priority customer needs as determined by the AHP. That is why accurate prioritization is important.

NOTE The columns of the table can be customized for each project.

In this health insurance example, the highest priority customer need is “My employees appreciate the benefits I provide to them.” To fulfil this need and assure that downstream service activities perform sufficiently, the following shall take place:

- a) the contract should show savings to employee of using insurance;
- b) the provider network (doctors and hospitals) should show their Blue Cross network is superior to care offered by competing provider networks;
- c) to communicate this, the sales broker or representative should explain exactly how the claims mechanism works;
- d) the system should collect user feedback to assure it works as promised;
- e) the system level design should report employee savings and comparisons to street (uninsured) fees.

A.16 Customer needs/functional requirements matrix (House of Quality) and other L-Matrices

Ideal distribution
International symbols and ratio-scale values

Functional requirements	Priority	Efficiency	Reusability	Defensibility	Traceability
Customer needs					
Standard helps my products get certified.	0,134	0,015	0,000	0,046	0,032
Standard helps my processes get certified.	0,055	0,006	0,000	0,013	0,013
Standard helps me meet regulatory requirements.	0,103	0,000	0,012	0,051	0,051
Supports requirements tracability.	0,029	0,002	0,007	0,000	0,029
Absolute weight		0,023	0,018	0,110	0,125
Functional requirement weight		0,083	0,067	0,399	0,452

Figure A.9 — Customer needs/functional requirements matrix (House of Quality) and other L-Matrices

See [Figure A.9](#) and Reference [75]. The customer needs/functional requirements matrix transforms the customer needs into functional requirements and customer need weights into functional requirement weights. The customer needs come from the hierarchy diagram and the weights from the AHP. Functional requirements describe what the product shall be or do without describing how it is to be done; they come from the members of the QFD team. Each need is then examined to determine if the functional requirement has a relationship, and if so, how strong is that relationship. The relationship strength can be expressed with icons or numbers.

NOTE 1 Modern QFD uses five or nine levels of relationships and ratio scale numbers. The priority of the customer need is multiplied by the relationship strength 1 (0,069), 3 (0,135), 5 (0,267), 7 (0,518), 9 (1,00), cell by cell and then summed column by column and normalized to calculate the functional requirement weight at the bottom. Values displayed in the table are rounded to three decimal places.

NOTE 2 Evaluating all customer needs throughout the entire product development process may require multiple L-matrices.

EXAMPLE In this example from the ISO 16355 development project, the customer need of standard helps my products get certified can be met strong-to-very-strongly by defensibility of the standard.

A.17 Design planning table

Functional requirements			Visibility of options	# Product varieties	# Topping varieties	# Heating options	
			FR1	FR2	FR3	FR4	
Customer	Priority		29,7%	38,2%	22,8%	9,3%	
information	technical evaluation	performance	current	10% display	2	3	0
		competitor	5% menu	2	2	1	
		target	60% am display	6	5	1	
Relative to Competition	Judgment		Better	Better	Better	Equal	
Technical Challenge	Judgment		None	Minor	Minor	Major	
Technical Advantage	Judgment		None	Major	Minor	None	
Kano	Survey		Expected	Desired	Exciting	Expected	





Figure A.10 — Design planning table

The design planning table is used to capture technical performance of current and competitive product alternatives, set an improvement target, and optionally determine the technical challenge and advantage of achieving the target. Since the effort to benchmark competitive performance may be great, it is recommended to begin with the highest priority functional requirements. The design planning may be weighted to adjust the functional requirement priorities. Ordinal ratings do not have defined intervals and so other QFD mathematical operations such as addition, multiplication, division, and averaging have no meaning.

NOTE Sometimes called the basement of the House of Quality, this table can also be used alone.

EXAMPLE In the example for airport breakfast service, the number of product varieties (the highest priority functional requirement) is only two items and the competitor offers only two as well. A target of six items is determined by the QFD team to be sufficient to be better than the competition, has only minor technical challenge, and offers a major technical advantage. A New Kano Model survey returns results that this would be a desired level of quality.

A.18 Super Pugh concept selection with AHP

									
	Slender	Solar	Pump	Head					
criteria % wt.	TC1	TC2	TC3	TC4					
power output (>15 watts) 53,9%	15	8	9	12					
	34,1	18,2	20,5	27,3					
	18,4	9,8	11,0	14,7					
weight (<70 grams) 28,2%	100	90	230	110					
	28,9	32,2	12,6	26,3					
	8,2	9,1	3,6	7,4					
risk of delay 9,3%	↓	↓↓↓↓	↓↓↓	↓					
	41,6	5,6	11,1	41,6					
	3,9	0,5	1,0	3,9					
acceptance by market 8,6%	64,3	20,8	10,1	4,8					
	5,5	1,8	0,9	0,4					
	<table border="1" style="margin: auto;"> <tr> <td>%</td> <td>35,9</td> <td>21,2</td> <td>16,5</td> <td>26,4</td> </tr> </table> priorities				%	35,9	21,2	16,5	26,4
%	35,9	21,2	16,5	26,4					

Σ count or estimate
 Σ local priorities (%)
 Σ global priorities (%)

Figure A.11 — Super Pugh concept selection with AHP

Selecting or prioritizing alternatives is a common step in new product realization. One instance of this is technology selection. The super Pugh method is a combination of Stuart Pugh’s concept selection and AHP. Pugh originated his approach to help graduate students develop strong technical concepts to improve competitiveness. Pugh’s approach displayed concept strengths and weaknesses against a datum in performance of unweighted technical criteria, allowing hybridization of concepts to achieve a stronger one. AHP strengthens this process by allowing weighting of the criteria and evaluating concept strengths and weaknesses with ratio scale counts or judgments.

EXAMPLE In the concept selection matrix of flashlights (torches), four prioritized (using AHP) selection criteria types are power output (ratio count where bigger is better), weight (ratio count where smaller is better), risk of project delay (absolute judgment), and acceptance by market (relative judgment). Each light is evaluated against each criterion and the score is normalized. For example, the slender light has a power output of 15 W, the solar 8 W, and so forth. The normalized scores are 34,1 % and 18,2 % respectively and are called local priorities. These scores are then multiplied by the criteria weights (53,9 % × 34,1 % = 18,4 %) and (53,9 % × 18,2 % = 9,8 %), respectively. These are called global priorities. Global priorities are summed by column (18,4 % + 8,2 % + 3,9 % + 5,5 % = 35,9 %) which indicates the relative strength of that technical concept. Values displayed in the table are rounded to one decimal place.

A.19 Kansei engineering for emotional quality

Clarified items	customer scene	Customer	Solution
		benefit need/image	product
Fast (I have one hour for lunch, and I walk 10 min from office) Easily available Good deal Fragrant Mild With work team Break from the usual Light Authentic Special moments Romantic	1 Lunch time in London's central business district on a warm, sunny Monday. Mostly office workers in business or casual clothes, younger ones are single. Warm sunny day, in upstairs a la carte menu dining. Those in a hurry enjoying downstairs Buffet (6GBP), those with more time (business lunch, colleague birthday party) in upstairs a la carte menu dining. Most having soft drinks as it is too early in week for alcohol at lunch - Monday (first day of week).	I want to have fun with my friends. I want something convenient. I enjoy the fragrance. I want to feel refreshed afterwards. I like to be adventurous. I want to spend my time the way I want. I'm in control. Authentic. Romantic. Special moments. A break from the ordinary. I'm a leader. I know what I like.	Good deal. Fragrant food. Mild spices. Light meal.

Figure A.12 — Kansei engineering for emotional quality

See Figure A.12 and Reference [116]. Many products succeed as much on their emotional quality as their functional quality. Kansei engineering was developed by Michio Nagamachi in Japan to further explore the power of the sensory characteristics of a product.

EXAMPLE In this Singha beer example, customer narrations (VOC) were clarified and then translated into image- and sensory-related needs. These were later employed to develop a marketing campaign.

A.20 Reverse QFD

customer needs	characteristics &	functions	reliability	technology	information	communications
I need help with appropriate physical activity.	member accountability for their physical activity			health club membership		
I need help with appropriate nutrition.	member accountability for their nutrition			diabetic nutrition education (Josylin)		
I need to know the progress of my condition.	diabetes progress reportability	patient self-reporting A1C		incent patient A1C reduction		
I need up-to-date information on my condition.				provide free testing supplies for 3 months		

Figure A.13 — Reverse QFD

See Figure A.13 and Reference [44]. While many QFD projects are customer-driven, there are projects that are technology-driven, regulatory driven, cost-driven, or driven by other imperatives. These

projects may find reverse QFD helpful. Reverse QFD begins with the driver of the change and works in reverse to discover the effects on customer needs.

EXAMPLE In this health insurance project, technology solutions were offered by employees and reverse QFD was used to discover if the needs the solutions could address had a high priority. For example, offering health club memberships would have the characteristic of making members accountable for their own physical activity which could address the customer need of "I need help with appropriate physical activity." If this need was highly prioritized by customers, then the insurance company would offer it.

A.21 New 7 management and planning tools




Figure A.14 — New 7 management and planning tools

Due to the subjective and verbal nature of customer needs, a qualitative tool set was assembled by QFD cofounder Shigeru Mizuno and Yoshinobu Nayatani to help manage the data. These tools are used extensively throughout the QFD process to acquire, sort, analyse, prioritize, and transfer qualitative information. Modern QFD has added additional tools such as AHP and failure mode and effects analysis (FMEA).

A.22 Comprehensive QFD deployment flow diagram




Figure A.15 — Comprehensive QFD deployment flow diagram

See [Figure A.15](#) and Reference [2]. As QFD applications grew to include complex products such as ships, the need for better linkages between design dimensions grew. Yoji Akao, cofounder of QFD, assembled various matrices into a series of deployments that linked the various matrices and tables both vertically and horizontally according to their purpose. Vertical deployments include quality, technology, cost, and reliability. Horizontal deployments include function, concepts, parts, manufacturing and production.

The House of Quality is the upper left matrix and the popular four-phase model used by auto parts suppliers in the 1980s add three additional matrices in the lower left and bottom. Additional matrices may be created as needed.

A.23 Modern Blitz QFD®³⁾ flow diagram




Figure A.16 — Modern Blitz QFD® flow diagram

See [Figure A.16](#) and Reference [76]. Increasing constraints on product development resources have reduced time and budget for many QFD projects in modern companies. The QFD Institute (USA) developed a faster, more focused approach to accommodate such projects. The basic concept is to focus on the critical few customer needs first and with best effort. A clear understanding of key customers and their key needs improves this process and applicable voice of customer acquisition and analysis tools are included in phases 1-5 above.

Phase 6 is used to formulate a product or solution strategy to the critical few customer needs and to deploy the solution throughout the design, development, build, commercialization, support, and retirement phases. Essentially, this covers all the deployments in the comprehensive QFD model but only for a few customer needs, and so matrices are usually unnecessary, unless greater detail is required.

This model can be used for physical product, chemical and processed products, service, software, and internal business processes.

3) Blitz QFD® is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

A.24 German QFD institute best practice flow diagram




Figure A.17 — German QFD institute best practice flow diagram

See [Figure A.17](#) and Reference [43]. This model represents the best practices of the QFD Institute – Deutschland. It includes voice of customer analysis, innovation, cost, and reliability studies.

A.25 Continuous QFD model




Figure A.18 — Continuous QFD model

See [Figure A.18](#) and Reference [41]. A QFD project is always a joint team effort of the customers', as well as the developers' side. QFD always aims at improving communication by establishing cross-departmental, interdisciplinary teams within the company and with the customers. Furthermore, the lack of experience and clarity in customer requirements (CR), as well as product characteristics (PC), calls for an even closer and increased collaboration of all involved stakeholders (primarily indicated by the demand for a larger number of meetings and a simultaneous collection of requirements and solutions).

Annex B (informative)

Concept relationships and their graphical representation

In terminology work, the relationships between concepts are based on a hierarchical formation that is helpful in identifying the nature of the relationship between one concept and another within a concept system.




Figure B.1 — Concepts of the customer and stakeholder and related concepts

Bibliography

- [1] ADIANO Cindy and Roth, A.V. (s terra1994) "Beyond the House Of Quality: Dynamic QFD." *Transactions of the 6th Symposium on QFD*. QFD Institute ISBN 1-889477-06-0
- [2] AKAO Y. ed. (1990) *Quality Function Deployment: Integrating Customer Requirements into Product Design*. Cambridge, MA: Productivity Press. ISBN 0-915299-41-0 (originally published 1988 by Japan Standards Association)
- [3] AKAO Y. ed. (1991) *Hoshin Kanri: Policy Deployment for Successful TQM*. Cambridge, MA: Productivity Press. ISBN 0-915299-57-7 (originally published 1988 by Japan Standards Association)
- [4] AKAO Y., & INAYOSHI K. (2003) "QFD and Administrative Knowledge Management." *Transactions of the 9th International and 15th North American Symposium on QFD*. QFD Institute ISBN 1-889477-15-X
- [5] AUTOMOTIVE INDUSTRY ACTION GROUP (AIAG). *Advanced Product Quality Planning and Control Plan*. Automotive Industry Action Group. 2008, **ISBN-13** pp. 978-1605341378
- [6] AUTOMOTIVE INDUSTRY ACTION GROUP (AIAG). *Production Part Approval Process*. Automotive Industry Action Group. 2006, **ISBN-13** pp. 978-1605340937
- [7] BRASSARD M., & RITTER D. *The Memory Jogger II*. GOAL/QPC, 1994
- [8] BREYFOGLE I.I.I., & FORREST W. *Implementing Six sigma: Smarter Solutions using Statistical Methods*. John Wiley & Sons, 1999
- [9] BYLUND N., WOLF M., MAZUR G. (2009) "Reducing Lead Time in Cutting Tool Development by Implementing Blitz QFD®" *Proceedings of International Conference on Engineering Design (ICED'09)*, Stanford University
- [10] CALLOWAY D., & CHADWELL B. (1990) "Manufacturing Strategic Plan - QFD & the Winchester Gear Transfer." *Transactions of the 2nd Symposium on QFD*. QFD Institute ISBN 1-889477-02-8
- [11] CATELANI M., CIANI L., LUONGO V. The FMEDA approach to improve the safety assessment according to the IEC61508. *Microelectron. Reliab.* 2010 September–November, **50** (9–11) pp. 1230–1235
- [12] CHILDS D., STOVER S., SERINO D., BARTLETT M., MAZUR G. (2010) "DREAM/QFD to Re-Design Staff Service Excellence at Rutland Regional Medical Center." *Transactions of the 16th International & 22nd North American Symposium on QFD*. QFD Institute ISBN 1-889477-22-2
- [13] CHU Y.-F. (1996) "A Robust Quality Design Model that Integrated QFD and Taguchi Methods." *Transactions of the 2nd International & 8th North American Symposium on QFD*. QFD Institute ISBN 1-889477-08-7
- [14] CLARKE D.W. (1996) "Enhancing the Value of the Correlation Matrix through Utilization of the Theory of Inventive Problem Solving, TRIZ." *Transactions of the 2nd International & 8th North American Symposium on QFD*. QFD Institute ISBN 1-889477-08-7
- [15] COOPER R.G. *Winning at New Products: Creating Value through Innovation*. Basic Books, Fourth Edition, 2011
- [16] CREVELING C.M., SLUTSKY J.L., ANTIS D. *Design for Six Sigma in Technology and Product Development*. Pearson Education, 2003
- [17] CRUZ-RUIZ J.S., TAMAYO-ENRÍQUEZ F., GONZÁLEZ-BOSCH V. (2003) "QFD application for tackling Internal Customer Needs as a base for building a Lean Manufacturing System." *Transactions of the 9th International and 15th North American Symposium on QFD*. QFD Institute ISBN 1-889477-15-X

- [18] DE BONO E. *Serious Creativity: Using the Power of Lateral Thinking to Create New Ideas* . Harperbusiness. 1993, ISBN-13 pp. 978-0887306358
- [19] DEAN E.B. (1995) "Parametric Cost Deployment." *Transactions of the 7th Symposium on QFD*. QFD Institute ISBN 1-889477-07-9
- [20] DIKA R.J., & BEGLEY R.L. (1991) "Concept Development through Teamwork - Working for Quality, Cost, Weight and Investment." *Transactions of the 3rd Symposium on QFD*. QFD Institute ISBN 1-889477-03-6
- [21] DIMSEY J., & MAZUR G. (2002) "QFD to Direct Value Engineering in the Design of a Braking System." *Transactions of the 14th Symposium on QFD*. QFD Institute ISBN 1-889477-14-1
- [22] DUFFY G. *Modular Kaizen: Continuous and Breakthrough Improvement*. ASQ Quality Press, 2013
- [23] EDDY B., DAVE S., MAZUR G. (2003) "The Next Generation Explosive Ordnance Disposal (EOD) Robotic Controlled Vehicle: Using QFD to Define the Operational Analysis." *Transactions of the 9th International and 15th North American Symposium on QFD*. QFD Institute ISBN 1-889477-15-X
- [24] FERGUSON I. (1996.) "QFD and Product and Process Reliability." *Transactions of the 2nd International & 8th North American Symposium on QFD*. QFD Institute ISBN 1-889477-08-7
- [25] FINE C.H., & WHITNEY D.E. *Is the Make-Buy Decision a Core Competency? MIT Center for Technology, Policy, and Industrial Development*, 1996
- [26] FRANKOS D., & MAZUR G. (2014) "Proposed Systematic Priority Deployment Method of Strategic Initiatives." *Transactions of the 26th Symposium on QFD*. QFD Institute. ISBN 1-889477-26-5
- [27] GARBI G.P., & LOUREIRO G. (2013) "Business-Product-Service Portfolio Management." *Proceedings of the 20th ISPE International Conference on Concurrent Engineering*. ISBN13: 9781614993018
- [28] GAUBINGER Kurt, RABL Michael, SWAN Scott, WERANI Thomas (2014) *Innovation and Product Management: A Holistic and Practical Approach to Uncertainty Reduction*. Springer ISBN13: 9783642543760
- [29] GRAETZ M. (1996) "Beyond the First Chart: QFD for Process Improvement." *Transactions of the 2nd International & 8th North American Symposium on QFD*. QFD Institute ISBN 1-889477-08-7
- [30] GRENN M.W., SARKANI S., MAZZUCHI T. (2011) "Systems Engineering (SE) and Quality Function Deployment (QFD): A SE Perspective on Opportunities for Complementary Application in the Development of Complex Systems." *Transactions of the 23rd Symposium on QFD*. QFD Institute ISBN 1-889477-23-0
- [31] GRIMM J., DENAVS D., MAZUR G. (2011) "Using QFD to Design a Multi-Disciplinary Clinic." *Transactions of the 23rd Symposium on QFD*. QFD Institute ISBN 1-889477-23-0
- [32] GUERIN J. (2004) "Kansei Engineering for Commercial Airplane Interior Architecture." *Transactions of the 16th Symposium on QFD*. QFD Institute ISBN 1-889477-16-8
- [33] GUERRERO E., & STAGNEY D. (2003) "QFD, MATE-CON and 3DCE - A Truly Collaborative Product Development Process." *Transactions of the 9th International and 15th North American Symposium on QFD*. QFD Institute ISBN 1-889477-15-X
- [34] GUSTAFSSON A., EKDAHL F., BERGMAN B. (1996a) "Conjoint Analysis - A Useful Tool in the Design Process." *Transactions of the 2nd International & 8th North American Symposium on QFD*. QFD Institute ISBN 1-889477-08-7
- [35] GUSTAFSSON A., MILLER J., RICH D. (1996b) "7 Product Planning Tools." *Tutorials of the 2nd International & 8th North American Symposium on QFD*. QFD Institute. ISBN1-889477-76-1
- [36] HEARON H., & MAZUR G. (2002) "Improving Technical Support to Make Commodity Products More Competitive." *Transactions of the 14th Symposium on QFD*. QFD Institute ISBN 1-889477-14-1

- [37] HAYES B.E. (2008) *Measuring Customer Satisfaction and Loyalty, Third Edition: Survey Design, Use, and Statistical Analysis Methods*. ASQ Quality Press ISBN-13: 978-0873897433
- [38] HEPLER C., & MAZUR G. (2006) "Finding Customer Delights Using QFD." *Transactions of the 18th Symposium on QFD*. QFD Institute ISBN 1-889477-18-4
- [39] HEPLER C., & MAZUR G. (2007) "The Analytic Hierarchy Process: Methodologies and Application with Customers and Management at Blue Cross Blue Shield of Florida." *Transactions of the 19th Symposium on QFD*. QFD Institute. ISBN 1-889477-19-2
- [40] HEPLER C., & MAZUR G. (2008) "Predicting Future Health Insurance Scenarios using Quality Function Deployment (QFD) and Analytic Hierarchy Process (AHP)" *Transactions of the 20th Symposium on QFD*. QFD Institute ISBN 1-889477-20-6
- [41] HERZWURM G., PIETSCH W., SCHOCKERT S., TAUTERAT T. (2013) "QFD for Cloud Computing." *Transactions of the International Symposium - '13 Tokyo*
- [42] HERZWURM G., & SCHOCKERT S. (2000) "Continuous QFD - Employing QFD in Case of Fuzzy Development Tasks." *Transactions of the 12th Symposium on QFD*. QFD Institute. ISBN1-889477-12-5
- [43] Herzwurm, Georg., and Schockert, Sixten. (2006) "What are the Best Practices of QFD?" *Proceedings of the 12th International Symposium on QFD, Tokyo 2006* http://www.bwi.uni-stuttgart.de/fileadmin/abt9/Publikationen_Herzwurm4/24-03_bestpractice.pdf
- [44] HINES K., & MAZUR G. (2007) "Using QFD to Involve Employees in the Corporate Innovation Process." *Transactions of the 19th Symposium on QFD*. pp. 137-149 QFD Institute. ISBN 1-889477-19-2
- [45] HOPWOOD Theodore, & MAZUR Glenn (2008) "The Potential of Quality Function Deployment (QFD) as a Tool for Context-Sensitive Solutions." *Transportation Research Record: Journal of the Transportation Research Board*
- [46] HUBER C., & MAZUR G. (2002) "QFD and Design for Six Sigma." *Transactions of the 14th Symposium on QFD*. QFD Institute ISBN 1-889477-14-1
- [47] HUNT R.A. (1998) "Strategy, QFD and the Balanced Scorecard." *Transactions of the 10th Symposium on QFD*. QFD Institute. ISBN1-889477-10-9
- [48] IKIZ A.K., & OZDAGOGLU G. (2008) "Customer-driven Process Improvement in a Shipowner Company: Modern QFD Approach." *Transactions of the 20th Symposium on QFD*. QFD Institute ISBN 1-889477-20-6
- [49] IMAI M. *Kaizen: The Key to Japan's Competitive Success*. Random House, 1986
- [50] ISO 16336. (2014) "Applications of statistical and related methods to new technology and product development process — Robust parameter design (RPD)" *International Standards Organization*
- [51] JOHNSON C.M., & MAZUR G. (2008) "Value Based Product Development - Using QFD and AHP to Identify, Prioritize, and Align Key Customer Needs and Business Goals." *Transactions of the 20th Symposium on QFD*. QFD Institute ISBN 1-889477-20-6
- [52] KAHRAMAN C., ERTAY T., BUYUKOZKAN G. A fuzzy optimization model for QFD planning process using analytic network approach. *Eur. J. Oper. Res.* 2006
- [53] KANEKO N. (2000) "Improving the Nissan Crew with Reverse QFD." *Transactions of the 12th Symposium on QFD*. QFD Institute. ISBN1-889477-12-5
- [54] KANO N., SERAKU N., TAKAHASHI F., TSUJI S. (1984) "Attractive Quality and Must-Be Quality." *Hinshitsu*, Vol. 14, No. 2. JUSE

- [55] KAPLAN S. (1997) "Anticipatory Failure Determination (AFD): The Application of TRIZ to Risk Analysis." *Transactions of the 9th Symposium on QFD*. QFD Institute ISBN1-889477-09-5
- [56] KAPLAN S., VISNEPOLSCHI S., ZLOTIN B., ZUSMAN A. *New Tools for Failure and Risk Analysis / Anticipatory Failure Determination™ (AFD™) and the Theory of Scenario Structuring*. Ideation International Inc. 1999, **ISBN-13** pp. 978-1928747055
- [57] KASAI Y., YOSHIKAWA M., HISAKAZU S. (2010) "An Application of ANP together with Conjoint Analysis to Political Decision Making in Local Government." *Transactions of the 16th International & 22nd North American Symposium on QFD*. QFD Institute ISBN 1-889477-22-2
- [58] KEMERLING R.A. (1998) "Assigning Importance to Hows: Analysis of Two Competing Methodologies." *Transactions of the 10th Symposium on QFD*. QFD Institute. ISBN1-889477-10-9
- [59] KHONG C.W. (2000) "A Review of Applied Human Factors Techniques for Product Designers in Identifying the Voice of the Customer." *Transactions of the 12th Symposium on QFD*. QFD Institute. ISBN1-889477-12-5
- [60] KIM W.C., & MAUBORGNE R. *Blue Ocean Strategy, Expanded Edition: How to Create Uncontested Market Space and Make the Competition Irrelevant*. Harvard Business Review Press. 2015, **ISBN-13** pp. 978-1625274496
- [61] KING B. *Better Designs in Half the Time: Implementing Quality Function Deployment in America*. GOAL/QPC, 1987
- [62] KING B. *Hoshin Planning: the Developmental Approach*. GOAL/QPC, 1989
- [63] KLINE C.A. (1994) "DFM2 Designing for Manufacturability and Marketability." *Transactions of the 6th Symposium on QFD*. QFD Institute. ISBN1-889477-06-0
- [64] KOTLER P. *Marketing Management: Analysis, Planning, Implementation, and Control*. Prentiss Hall. 1999, **ISBN-13** pp. 978-0132435109
- [65] KWONG C.K., & BAI H. (2005) "Determining the importance weights for the customer requirements in QFD using a fuzzy AHP with an extent analysis approach." *Transactions of the IIE*. July 2005
- [66] LAGODA T. *Lifetime Estimation of Welded Joints*. Springer. 2010, **ISBN-13** pp. 978-3642095788
- [67] LAMPA S., & MAZUR G. (1996) "Bagel Sales Double at Host Marriott with QFD" *Transactions of the 2nd International & 8th North American Symposium on QFD*. QFD Institute ISBN 1-889477-08-7
- [68] LYONS M.C., & ALEXANDER J.A. (1991) "Amplifying the Voice of The Customer." *Transactions of the 3rd Symposium on QFD*. QFD Institute. ISBN1-889477-03-6
- [69] MARCONI J. (1998) "Moderated Knowledge Mapping - Forming Breakthrough and Knowledge Transfer!" *Transactions of the 10th Symposium on QFD*. QFD Institute. ISBN1-889477-10-9
- [70] MARSH S., MORAN J.W., NAKUI S., HOFFHERR G. (1991) *Facilitating and Training in Quality Function Deployment*. GOAL/QPC. ISBN 1-879364-2
- [71] MARZEC J.M. (1998) "The Synergistic Alliance of Systems Engineering and QFD." *Transactions of the 10th Symposium on QFD*. QFD Institute. ISBN1-889477-10-9
- [72] MAZUR G.H. (1997) "Task Deployment: the Human Side of QFD." *Transactions of the 9th Symposium on QFD*. QFD Institute. ISBN1-889477-09-5
- [73] MAZUR G. (2000) "QFD 2000: Integrating QFD and Other Quality Methods to Improve the New Product Development Process." *Transactions of the 12th Symposium on QFD*. QFD Institute. ISBN1-889477-12-5
- [74] MAZUR G. (2010) "Integrating QFD into Phase-Gates Product Design." *Transactions of the 16th International & 22nd North American Symposium on QFD*. QFD Institute ISBN 1-889477-22-2

- [75] MAZUR G. Using Quality Function Deployment to Write an ISO Standard for QFD. *Qual. Eng.* 2012a, **24** (3) pp. 436-443
- [76] MAZUR G.H. (2012b) "Blitz QFD® - The Lean Approach to Product Development." *Proceedings of the World Conference on Quality and Improvement*. Milwaukee WI: ASQ. May 2012
- [77] MAZUR G. (2014a) "QFD and the New Voice of Customer." *Proceedings of the International Symposium on QFD '14 - Istanbul*
- [78] MAZUR G. (2014b) "Driving Your QFD with ISO 16355." *Transactions of the 26th Symposium on QFD*. QFD Institute. ISBN 1-889477-26-5
- [79] MAZUR K. (2012) "Elementary QFD: Using QFD to Assess and Evaluate the Learning Environment of a Private School Library and to Systematically Engage an ISACS Review." *Transactions of the 24th Symposium on QFD*. QFD Institute. ISBN 1-889477-24-9
- [80] MIRÓ-QUESADAA G., DEL CASTILLO E., PETERSON J.J. A Bayesian Approach for Multiple Response Surface Optimization in the Presence of Noise Variables. *J. Appl. Stat.* 2004, **31** (3) pp. 251-270
- [81] MIZUNO S. ed. (1988) *Management for Quality Improvement: The 7 New QC Tools*. Productivity Press. ISBN 0-915299-29-1 (originally published 1979 by JUSE Press)
- [82] MIZUNO Shigeru and Akao, Yoji. (ed) (1994) *QFD: the Customer Driven Approach to Quality Planning and Deployment*. Asian Productivity Organization. ISBN 92-833-1121-3
- [83] NAGAI K., OHFUJI T., INAYOSHI K. (2007) "A Framework of e7-QFD as the 3rd Generation QFD in Japan." *Transactions of the 19th Symposium on QFD*. QFD Institute. ISBN 1-889477-19-2
- [84] NAYATANI Y., EIGA T., FUTAMI R., MIYAGAWA H. (1994) *Seven New QC Tools: Practical Applications for Managers*. 3A Corporation. ISBN 4-88319-004-8 (originally published 1984 by JUSE Press)
- [85] NICOLL D. (1999) "Contextual Usability, Domestication and QFD." *Transactions of the 11th Symposium on QFD*. QFD Institute. ISBN1-889477-11-7
- [86] ORME B.K. *Getting Started with Conjoint Analysis: Strategies for Product Design and Pricing Research*. Research Publishers LLC. 2009, **ISBN-13** pp. 978-0972729772
- [87] ORMENESE F.M., TAKAHASHI G., GALVAO M.T.E.L., AZANHA A., ROCHA N.P., ANZELLOTTI H. (1996) "Exploring a New Market Using QFD." *Transactions of the 2nd International & 8th North American Symposium on QFD*. QFD Institute ISBN 1-889477-08-7
- [88] OSADA T. *The 5S's: Five Keys to a Total Quality Environment*. Qual. Res. 1991, **ISBN-13** pp. 978-9283311164
- [89] OVERBY C.M. (1990) "QFD & Taguchi for Design with Environmental Elegance." *Transactions of the 2nd Symposium on QFD*. QFD Institute. ISBN1-889477-02-8
- [90] PIETSCH W. (2010) "Taming IT Infrastructure Library (ITIL) with QFD." *Transactions of the 16th International & 22nd North American Symposium on QFD*. QFD Institute ISBN 1-889477-22-2
- [91] PRODUCTIVITY PRESS DEVELOPMENT TEAM. *Standard Work for the Shopfloor*. Productivity Press. 2002, **ISBN-13** pp. 978-1563272738
- [92] PUGH S. (1981) "Concept Selection - A Method That Works." *Proceedings of the International Conference on Engineering Design*. Rome. 9-13 March 1981. pp. 13-22
- [93] QUINLIN J. (1991) "Filling in the Blanks: QFD & Technical Optimization." *Transactions of the 3rd Symposium on QFD*. QFD Institute. ISBN1-889477-03-6
- [94] RIZZO T. (2004) "Utilizing Critical Chain Project Management in Your QFD to Manage Project Schedule and Get More Done in Less Time." *Transactions of the 16th Symposium on QFD*. QFD Institute ISBN 1-889477-16-8

- [95] ROBINSON P. *Business Excellence: The integrated solution to planning and control*. BPIC. 2005, **ISBN-13** pp. 978-0952888505
- [96] RONNEY E., OLFE P., MAZUR G. (2000) "Gemba Research in the Japanese Cellular Phone Market." *Transactions of the 12th Symposium on QFD*. QFD Institute ISBN 1-889477-12-5
- [97] ROSS H. (2014) "New Kano Model — How to Really Excite Your Customers." *Transactions of the 26th Symposium on QFD*. QFD Institute. ISBN1-889477-26-5
- [98] ROTHER M., & SHOOK J. *Learning to See*. Lean Enterprise Institute, 2003
- [99] ROUTHIER P.-H. (2002) "Case Study - Applying QFD for the development of the World's First High-Quality 3D Home Theatre System." *Transactions of the 14th Symposium on QFD*. QFD Institute ISBN 1-889477-14-1
- [100] SAATY T.L. *Fundamentals of Decision Making and Priority Theory with the Analytic Hierarchy Process*. RWS Publications, Pittsburgh, PA, 1994
- [101] SAATY T.L. *Theory and Applications of the Analytic Network Process*. RWS Publications, 2005
- [102] SAATY T.L. *Principia Mathematica Decernendi: Mathematical Principles of Decision Making*. Chapter 4. RWS Publications, Pittsburg, PA, 2011
- [103] SAATY T.L. On the Measurement of Intangibles. A Principal Eigenvector Approach to Relative Measurement Derived from Paired Comparisons. *Not. Am. Math. Soc.* 2013 February, **60** (2) pp. 192-208
- [104] SCHOCKERT S., KRAMS B., GEORG H. (2014) "QFD and Design Thinking in Agile Environments." *Proceedings of the International Symposium on QFD '14 – Istanbul*
- [105] SCHULER J. (1999) "Interface of Lanchester Strategy & QFD." *Transactions of the 11th Symposium on QFD*. QFD Institute ISBN 1-889477-11-7
- [106] SEET-LARSSON K.G. A Cookie Cutter Introduction to FMEA and FMECA: A Practical Example from Theory to Implementation. *LAP LAMBERT Academic Publishing*. 2010, **ISBN-13** pp. 978-3838369051
- [107] SHILLITO M.L. *Advanced QFD: Linking Technology to Market and Company Needs*. John Wiley & Sons, 1994
- [108] SHILLITO M.L. (1997) "Function is the Foundation." *Transactions of the 9th Symposium on QFD*. QFD Institute. ISBN1-889477-09-5
- [109] SHINGO S. *Zero Quality Control: Source Inspection and the Poka-Yoke System*. Productivity Press, Portland, 1986, pp. 99-134.
- [110] SONNACK M. (2000) "Lead User Research." *Tutorials of the 12th Symposium on QFD*. QFD Institute. ISBN1-889477-82-6
- [111] STAMATIS D.H. *Failure Mode and Effect Analysis: FMEA from Theory to Execution*. ASQ Quality Press, 1995
- [112] STANSFIELD K., COLE J., MAZUR G. (2010) "Complex IT Systems Design Using Both Traditional QFD and Blitz QFD®" *Transactions of The 16th International & 22nd North American Symposium on QFD*. QFD Institute ISBN 1-889477-22-2
- [113] TENDLER B., WATSON G., DEYONG C. (2011) "Using QFD to Organize Design for Six Sigma." *Transactions of the 23rd Symposium on QFD*. QFD Institute ISBN 1-889477-23-0
- [114] TERNINKO J., ZUSMAN A., ZLOTIN B. *Step-by-step TRIZ*. Responsible Management Inc. 1996, **ISBN-13** pp. 978-1882382125

- [115] VISNJICKI B., GORTER T., MAZUR G. (2013) "QFD as integrating framework for differentiated business positioning, business development and related product definition — A business case from The Netherlands." *Transactions of the 19th International & 25th North American Symposium on QFD*. QFD Institute ISBN 1-889477-25-7
- [116] VONGPATANASIN T., & MAZUR G. "Thai Brewery Uses QFD Tools to Tap into Consumer Motivation." *Making the Case for Quality, December 2012*. American Society for Quality, 2012
- [117] WATSON G., AKAO Y., MAZUR G. (2011) "QFD Applications for the Board of Directors." *Transactions of the 23rd Symposium on QFD*. QFD Institute ISBN 1-889477-23-0
- [118] WHEELER D.J. Understanding Statistical Process Control. SPC Press. 2010, **ISBN-13** pp. 978-0945320692
- [119] YAMAMOTO T. (2013) "Application of QFD to the Symptom Analysis of Input-device Software Defects." *Transactions of the 19th International & 25th North American Symposium on QFD*. QFD Institute ISBN 1-889477-25-7
- [120] YANO S. New Lanchester Strategy Volume 1. Lanchester Press. 1995, **ISBN-13** pp. 978-1573210003
- [121] YIN Y., STECKE K., KAKU I. (2009) "Beyond Lean: Evolving into a Super Talent Factory." *Transactions of the 21st Symposium on QFD*. QFD Institute ISBN 1-889477-21-4
- [122] ZUBECK M. and Nibley, Frank. (1994) "Aligning Process Improvement with the Voice of the Customer." *Transactions of the 6th Symposium on QFD*. QFD Institute ISBN 1-889477-06-0
- [123] ZULTNER R.E. (1997) "Project QFD: Managing Software Development Better with Blitz QFD." *Transactions of the 9th Symposium on QFD*. QFD Institute. ISBN1-889477-09-5
- [124] ZULTNER R.E. (1999) "Defining Customer Needs for Brand New Products." *Transactions of the 11th Symposium on QFD*. QFD Institute. ISBN1-889477-11-7
- [125] ZULTNER R.E. (2005) "The Essential Role of QFD in Design for Six Sigma (DFSS): Modern QFD for Modern TQM." *Transactions of the 17th Symposium on QFD*. QFD Institute. ISBN1-889477-17-6
- [126] ZULTNER R.E. (2007) "Super Pugh with AHP: Enhancing Pugh Concept Selection with the power of the Analytic Hierarchy Process." *Tutorials of the 19th Symposium on QFD*. QFD Institute. ISBN1-889477-19-2
- [127] ISO 9000:2015, *Quality management systems — Fundamentals and vocabulary*
- [128] ISO 10002, *Quality management — Customer satisfaction — Guidelines for complaints handling in organizations*
- [129] ISO 10004, *Quality management — Customer satisfaction — Guidelines for monitoring and measuring*
- [130] ISO 20252, *Market, opinion and social research — Vocabulary and service requirements*
- [131] ISO 21500, *Guidance on project management*

