
**Utility lighters — General consumer-
safety requirements —**

**AMENDMENT 1: Clarification of
requirements and addition of safety symbols**

*Briquets utilitaires — Exigences générales pour la sécurité des
consommateurs —*

*AMENDEMENT 1: Clarification des exigences et ajout de symboles de
sécurité*



Reference number
ISO 22702:2003/Amd.1:2008(E)

© ISO 2008

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 22702:2003 was prepared by Technical Committee ISO/TC 61, *Plastics*.

Utility lighters — General consumer-safety requirements —

AMENDMENT 1: Clarification of requirements and addition of safety symbols

IMPORTANT — The electronic file of this document contains colours which are considered to be useful for the correct understanding of the document. Users should therefore consider printing this document using a colour printer.

Page 7

4.3.2 Utility lighters that meet the requirements of 4.3.1 and that are still able to be ignited in the intended manner after stabilization at (23 ± 2) °C shall subsequently meet all the applicable requirements of 3.1 to 3.5, inclusive.

Page 8

6.1.1 General

All utility lighters shall be accompanied by appropriate safety information (instructions or warnings, or both), in either text form or in the form of safety symbols that would replace all existing textual instructions and warnings, or both, communicating to the user the proper method of usage.

Page 9

6.1.3.3 For all utility lighters, the safety information shall include the following as appropriate to the type of utility lighter.

- a) "Be sure flame is out after use".
- b) "Never expose to heat above 50 °C or to prolonged sunlight".
- c) "Never puncture or put in fire".
- d) "Extreme heat is present above the visible flame. Extra care should be taken to prevent burns, injury or fire". (This statement shall accompany all premixing burner lighters.)
- e) "Follow all instructions and warnings provided by grill or other appliance manufacturers when using this product".
- f) "Do not keep lit for more than 30 s".
- g) "After refilling, wait 2 min before using lighter". (This statement shall accompany all refillable utility lighters.)

- h) “Contains flammable gas under pressure”.
- i) “When filled, contains flammable gas under pressure”.

Add new subclause 6.1.4 as follows.

6.1.4 Safety symbols

6.1.4.1 General

If safety symbols are used, they shall be as given in 6.1.4.2 to 6.1.4.5.

6.1.4.2 “Warning” symbol

- Background: white.
- Triangular band: black or red.
- Graphical symbol: same colour as triangular band (black or red).
- The symbol shall have the same proportions as those indicated in Figure 4.
- The size shall be at least 10 mm.




Figure 4 — “Warning” symbol

6.1.4.3 “Keep Away From Children” symbol

- Background: white.
- Circular band and diagonal bar: red.
- Graphical symbol: black.
- The symbol shall have the same proportions as those indicated in Figure 5.
- The size shall be at least 10 mm.



Figure 5 — “Keep Away From Children” symbol

6.1.4.4 “Caution, risk of fire” symbol

- Background: white.
- Triangular band: black or red.
- Graphical symbol: same colour as triangular band (black or red).
- The symbol shall have the same proportions as those indicated in Figure 6.
- The size shall be at least 10 mm.




Figure 6 — “Caution, risk of fire” symbol

6.1.4.5 “Never expose to heat above 50 °C or to prolonged sunlight” symbol

- Background: white.
- Circular band and diagonal bar: red.
- Graphical symbol: black.
- The symbol shall have the same proportions as those indicated in Figure 7.
- The size shall be at least 10 mm.



Figure 7 — “Never expose to heat above 50 °C or to prolonged sunlight” symbol

Page 10

7.1.4.3 Ignite the utility lighter, allow the flame to stabilize for approximately 1,0 s, then measure the flame height to the nearest 5 mm by determining where the tip of the visible flame registers in relation to the scribed marks on the board behind the utility lighter, during a 5 s burn.

In 7.2.3.5, replace “in accordance with Figure 4” with “in accordance with Figure 8”.

Page 11

Renumber Figure 4 as Figure 8.

Page 11

7.3.4.2 Place the utility lighter against the flame height measurement apparatus with the flame directed vertically upward, ignite and adjust to the flame height specified in 3.5.1, 3.5.2 or 3.5.3, as applicable, then extinguish and allow to cool for at least 1 min. Then, orient the utility lighter in the 45° below horizontal attitude, ignite the utility lighter for the amount of time specified in 3.5.1, 3.5.2 or 3.5.3, then extinguish in the normal manner. Measure and record the time of any burning occurring after the extinguishing action. Afterburns in excess of the amount of time specified in 3.5.1, 3.5.2 and 3.5.3 constitute a failure.

To be consistent with 4.3.2 make the following changes (to 7.4.5.4, 7.5.5.8, 7.7.4.7 and 7.8.4.8).

Page 12

7.4.5.4 Utility lighters that do not fail the test described in 7.4.5.1 to 7.4.5.3 and are able to be ignited in the intended manner shall subsequently meet all the applicable requirements of 3.1 to 3.5, inclusive.

Page 14

7.5.5.8 Utility lighters that are able to be ignited in the intended manner shall subsequently meet all the applicable requirements of 3.1 to 3.5, inclusive.

Page 15

7.7.4.7 Utility lighters that are able to be ignited in the intended manner shall subsequently meet all the applicable requirements of 3.1 to 3.5, inclusive.

Page 16

7.8.4.8 Utility lighters that are able to be ignited in the intended manner shall subsequently meet all the applicable requirements of 3.1 to 3.5, inclusive.

© ISO 2008. All rights reserved.

ICS 97.180

Price based on 4 pages