INTERNATIONAL STANDARD

ISO 23480

Second edition 2013-03-01

Tools for pressing — Sliding plates

Outillage de presse — Plaques de retenue



Reference number ISO 23480:2013(E)



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

CO	ntent	Scope Normative references Dimensions 3.1 Type A, one-face sliding plates 3.2 Type B, two-face sliding plates						
Fore	eword		iv					
1	Scop) e	1					
2	Norr	native references	1					
3	Dimensions							
	3.1	Type A, one-face sliding plates	1					
	3.2	Type B, two-face sliding plates	4					
4	Material							
5	Doci	gnation	5					

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 23480 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 8, *Tools for pressing and moulding*.


This second edition cancels and replaces the first edition (ISO 23480:2008), Figures 1, 2 and 3 of which have been technically revised.

Tools for pressing — Sliding plates

1 Scope

This International Standard specifies the main dimensions and tolerances of sliding plates, to be used in press tools (an application example is shown in Figure 1).

It also specifies the designation of sliding plates.



Key

- 1 sliding plates, type A
- 2 sliding plates, type B

Figure 1 — Application example of sliding plates

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications

ISO 4762, Hexagon socket head cap screws

ISO 13715, Technical drawings — Edges of undefined shape — Vocabulary and indications

3 Dimensions

3.1 Type A, one-face sliding plates

The dimensions of one-face sliding plates, type A, shall conform to the indications in <u>Figure 2</u> and <u>Table 1</u>. All edges of undefined shape shall be in accordance with ISO 13715.

General tolerance: ISO 2768-m Dimensions in millimetres Surface roughness values in micrometres




Figure 2 — Type A, one-face sliding plates

Table 1 — Dimensions of one-face sliding plates, type A

Dimensions in millimetres

b_1	h	l_1	<i>b</i> ₂	l_2	l ₃	l_4	Ød	Hexagon socket	
0 -0,2	±0,2	±0,2	2		3	1		ISO 4762	pieces
	10	160	20	45	70	_	11	M10 × 30	2
35		200			110	_			2
		250			80	_			3
	15	160	30	45	70	_	13,5	M12 × 40	2
45		200			110	_			
		250			80	_			3
	15	160	35	45	70	_		M16 × 50	2
55		200			110	_	17,5		
		250			80	_			3
		160	40	45	70	_			2
75	25	200			110	_	17,5	M16 × 60	
		250			80	_			3
	25	160	60	45	70	_	17,5	M16 × 60	2
100		200			110	_			
100		250			80	_			3
		400			80	75			5
	30	160	60	45	70	_	22	M20 × 70	2
100		200			110	_			
100		250			80	_			3
		400			80	75			5
	25	160	75	45	70	_	17,5	M16 × 60	2
125		200			110	_			
123		250			80	_			3
		400			80	75			5
	30	160	75	45	70	_	22	M20 × 70	2
125		200			110	_			4
143		250	/3		80	_			3
		400			80	75			5

3.2 Type B, two-face sliding plates

The dimensions of two-face sliding plates, type B, shall conform to the indications in Figure 3 and Table 2. All edges of undefined shape shall be in accordance with ISO 13715.

General tolerance: ISO 2768-m
Dimensions in millimetres
Surface roughness values in micrometres




Figure 3 — Type B, two-face sliding plates

Table 2 — Dimensions of two-face sliding plates, type B

Dimensions in millimetres

b_1	h 0 -0,2	l_1	l ₂	l ₃ b ₂	b ₂	d ₁ H13	d ₂ H13	<i>h</i> ₁ +0,5 0	Hexagon socket	
0 -0,2					~ 2				ISO 4762	pieces
25	12	110	25	60	12,5	9	15	8,5	M8 × 20	2
		120		70						
25	15	110	25	60	12,5	11	18	10,5	M10 × 25	2
		120		70						
	30	125	25	75	30	13,5	20	13	M12 × 35	2
60		160		110						<u> </u>
		200		75	30	13,5	20	13	M12 × 35	3
	40	125	25	75	30	13,5	20	13	M12 × 45	2
60		160		110						2
		200		75						3

4 Material

The choice of material is left to the manufacturer's discretion.

EXAMPLE Steel for type A sliding plate and bronze with embedded solid lubricant for type B sliding plate.

5 Designation

Sliding plates in accordance with this International Standard shall be designated by:

- a) "Sliding plate";
- b) a reference to this International Standard (i.e. ISO 23480);
- c) the type, A or B;
- d) the width, b_1 , in millimetres;
- e) the height, *h*, in millimetres;
- f) the length, l_1 , in millimetres.

EXAMPLE 1 A sliding plate of type A with width b_1 = 100 mm, height h = 25 mm, and length l_1 = 250 mm is designated as follows:

Sliding plate ISO 23480 - A $100 \times 25 \times 250$

EXAMPLE 2 A sliding plate of type B with width b_1 = 60 mm, height h = 30 mm, and length l_1 = 125 mm is designated as follows:

Sliding plate ISO 23480 - B $60 \times 30 \times 125$



ICS 25.120.10

Price based on 5 pages